

Report of Analysis

Client:	Portal Partners Tri-Venture		Date Collected:	08/11/25	
Project:	Amtrak Sawtooth Bridges 2025		Date Received:	08/12/25	
Client Sample ID:	TG-S04DL		SDG No.:	Q2832	
Lab Sample ID:	Q2832-07DL		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	93.1	Decanted:
Sample Wt/Vol:	30.09	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO112937.D	2	08/13/25 08:33	08/14/25 10:42	PB169227

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	8.50	UD	8.50	36.4	ug/kg
11104-28-2	Aroclor-1221	8.60	UD	8.60	36.4	ug/kg
11141-16-5	Aroclor-1232	8.00	UD	8.00	36.4	ug/kg
53469-21-9	Aroclor-1242	8.60	UD	8.60	36.4	ug/kg
12672-29-6	Aroclor-1248	12.7	UD	12.7	36.4	ug/kg
11097-69-1	Aroclor-1254	6.90	UD	6.90	36.4	ug/kg
37324-23-5	Aroclor-1262	10.8	UD	10.8	36.4	ug/kg
11100-14-4	Aroclor-1268	7.70	UD	7.70	36.4	ug/kg
11096-82-5	Aroclor-1260	407	D	6.90	36.4	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	18.6		30 (32) - 150 (144)	93%	SPK: 20
2051-24-3	Decachlorobiphenyl	19.3		30 (32) - 150 (175)	97%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit