

Analytical Sequence

Client: Portal Partners Tri-Venture	SDG No.: Q2832
Project: Amtrak Sawtooth Bridges 2025	Instrument ID: ECD_S
GC Column: RTX-CLP	ID: 0.32 (mm) Inst. Calib. Date(s): 08/07/2025 08/07/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
IBLK	IBLK	08/07/2025	11:38	PS031378.D	7.30	0.00
HSTDICC200	HSTDICC200	08/07/2025	12:02	PS031379.D	7.30	0.00
HSTDICC500	HSTDICC500	08/07/2025	12:26	PS031380.D	7.30	0.00
HSTDICC750	HSTDICC750	08/07/2025	12:50	PS031381.D	7.30	0.00
HSTDICC1000	HSTDICC1000	08/07/2025	13:14	PS031382.D	7.29	0.00
HSTDICC1500	HSTDICC1500	08/07/2025	13:38	PS031383.D	7.29	0.00
IBLK	IBLK	08/15/2025	10:32	PS031453.D	7.29	0.00
HSTDCCC750	HSTDCCC750	08/15/2025	10:56	PS031454.D	7.29	0.00
PB169278BL	PB169278BL	08/15/2025	17:04	PS031455.D	7.29	0.00
PB169278BS	PB169278BS	08/15/2025	17:28	PS031456.D	7.29	0.00
PB169212TB	PB169212TB	08/15/2025	17:52	PS031457.D	7.29	0.00
TG-S01	Q2832-02	08/15/2025	18:40	PS031459.D	7.29	0.00
IBLK	IBLK	08/15/2025	19:05	PS031460.D	7.29	0.00
HSTDCCC750	HSTDCCC750	08/15/2025	19:29	PS031461.D	7.29	0.00
TG-S01MS	Q2832-02MS	08/15/2025	20:41	PS031462.D	7.29	0.00
TG-S01MSD	Q2832-02MSD	08/15/2025	21:05	PS031463.D	7.29	0.00
TG-S02	Q2832-04	08/15/2025	21:29	PS031464.D	7.29	0.00
TG-S03	Q2832-06	08/15/2025	21:54	PS031465.D	7.29	0.00
TG-S04	Q2832-08	08/15/2025	22:18	PS031466.D	7.29	0.00
TG-S05	Q2832-10	08/15/2025	22:42	PS031467.D	7.29	0.00
IBLK	IBLK	08/16/2025	00:43	PS031472.D	7.29	0.00
HSTDCCC750	HSTDCCC750	08/16/2025	01:07	PS031473.D	7.29	0.00
IBLK	IBLK	08/18/2025	11:59	PS031481.D	7.29	0.00
HSTDCCC750	HSTDCCC750	08/18/2025	12:23	PS031482.D	7.29	0.00
TG-S02RE	Q2832-04RE	08/18/2025	15:57	PS031486.D	7.29	0.00
TG-S03RE	Q2832-06RE	08/18/2025	16:21	PS031487.D	7.29	0.00
TG-S04RE	Q2832-08RE	08/18/2025	16:45	PS031488.D	7.29	0.00
TG-S05RE	Q2832-10RE	08/18/2025	17:09	PS031489.D	7.29	0.00
IBLK	IBLK	08/18/2025	17:44	PS031490.D	7.29	0.00
HSTDCCC750	HSTDCCC750	08/18/2025	18:09	PS031491.D	7.29	0.00

Analytical Sequence

Client: Portal Partners Tri-Venture	SDG No.: Q2832
Project: Amtrak Sawtooth Bridges 2025	Instrument ID: ECD_S
GC Column: RTX-CLP2	ID: 0.32 (mm) Inst. Calib. Date(s): 08/07/2025 08/07/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
IBLK	IBLK	08/07/2025	11:38	PS031378.D	7.75	0.00
HSTDICC200	HSTDICC200	08/07/2025	12:02	PS031379.D	7.75	0.00
HSTDICC500	HSTDICC500	08/07/2025	12:26	PS031380.D	7.75	0.00
HSTDICC750	HSTDICC750	08/07/2025	12:50	PS031381.D	7.75	0.00
HSTDICC1000	HSTDICC1000	08/07/2025	13:14	PS031382.D	7.75	0.00
HSTDICC1500	HSTDICC1500	08/07/2025	13:38	PS031383.D	7.75	0.00
IBLK	IBLK	08/15/2025	10:32	PS031453.D	7.75	0.00
HSTDCCC750	HSTDCCC750	08/15/2025	10:56	PS031454.D	7.75	0.00
PB169278BL	PB169278BL	08/15/2025	17:04	PS031455.D	7.74	0.00
PB169278BS	PB169278BS	08/15/2025	17:28	PS031456.D	7.74	0.00
PB169212TB	PB169212TB	08/15/2025	17:52	PS031457.D	7.74	0.00
TG-S01	Q2832-02	08/15/2025	18:40	PS031459.D	7.74	0.00
IBLK	IBLK	08/15/2025	19:05	PS031460.D	7.75	0.00
HSTDCCC750	HSTDCCC750	08/15/2025	19:29	PS031461.D	7.74	0.00
TG-S01MS	Q2832-02MS	08/15/2025	20:41	PS031462.D	7.74	0.00
TG-S01MSD	Q2832-02MSD	08/15/2025	21:05	PS031463.D	7.74	0.00
TG-S02	Q2832-04	08/15/2025	21:29	PS031464.D	7.74	0.00
TG-S03	Q2832-06	08/15/2025	21:54	PS031465.D	7.74	0.00
TG-S04	Q2832-08	08/15/2025	22:18	PS031466.D	7.74	0.00
TG-S05	Q2832-10	08/15/2025	22:42	PS031467.D	7.74	0.00
IBLK	IBLK	08/16/2025	00:43	PS031472.D	7.75	0.00
HSTDCCC750	HSTDCCC750	08/16/2025	01:07	PS031473.D	7.74	0.00
IBLK	IBLK	08/18/2025	11:59	PS031481.D	7.75	0.00
HSTDCCC750	HSTDCCC750	08/18/2025	12:23	PS031482.D	7.74	0.00
TG-S02RE	Q2832-04RE	08/18/2025	15:57	PS031486.D	7.74	0.00
TG-S03RE	Q2832-06RE	08/18/2025	16:21	PS031487.D	7.74	0.00
TG-S04RE	Q2832-08RE	08/18/2025	16:45	PS031488.D	7.74	0.00
TG-S05RE	Q2832-10RE	08/18/2025	17:09	PS031489.D	7.74	0.00
IBLK	IBLK	08/18/2025	17:44	PS031490.D	7.74	0.00
HSTDCCC750	HSTDCCC750	08/18/2025	18:09	PS031491.D	7.74	0.00