

Report of Analysis

Client:	Portal Partners Tri-Venture		Date Collected:	08/11/25	
Project:	Amtrak Sawtooth Bridges 2025		Date Received:	08/12/25	
Client Sample ID:	TG-S04		SDG No.:	Q2832	
Lab Sample ID:	Q2832-07		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	93.1	
Sample Wt/Vol:	4	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023126.D	1	08/15/25 15:34	VY081525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.50	U	1.50	6.70	ug/Kg
74-87-3	Chloromethane	1.50	U	1.50	6.70	ug/Kg
75-01-4	Vinyl Chloride	1.10	U	1.10	6.70	ug/Kg
74-83-9	Bromomethane	1.40	U	1.40	6.70	ug/Kg
75-00-3	Chloroethane	1.70	U	1.70	6.70	ug/Kg
75-69-4	Trichlorofluoromethane	1.60	U	1.60	6.70	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.40	U	1.40	6.70	ug/Kg
75-35-4	1,1-Dichloroethene	1.30	U	1.30	6.70	ug/Kg
67-64-1	Acetone	6.40	U	6.40	33.6	ug/Kg
75-15-0	Carbon Disulfide	1.40	U	1.40	6.70	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.98	U	0.98	6.70	ug/Kg
79-20-9	Methyl Acetate	2.10	U	2.10	6.70	ug/Kg
75-09-2	Methylene Chloride	4.70	U	4.70	13.4	ug/Kg
156-60-5	trans-1,2-Dichloroethene	1.20	U	1.20	6.70	ug/Kg
75-34-3	1,1-Dichloroethane	1.10	U	1.10	6.70	ug/Kg
110-82-7	Cyclohexane	1.10	U	1.10	6.70	ug/Kg
78-93-3	2-Butanone	8.80	U	8.80	33.6	ug/Kg
56-23-5	Carbon Tetrachloride	1.30	U	1.30	6.70	ug/Kg
156-59-2	cis-1,2-Dichloroethene	1.00	U	1.00	6.70	ug/Kg
74-97-5	Bromochloromethane	1.50	U	1.50	6.70	ug/Kg
67-66-3	Chloroform	1.10	U	1.10	6.70	ug/Kg
71-55-6	1,1,1-Trichloroethane	1.20	U	1.20	6.70	ug/Kg
108-87-2	Methylcyclohexane	1.20	U	1.20	6.70	ug/Kg
71-43-2	Benzene	1.10	U	1.10	6.70	ug/Kg
107-06-2	1,2-Dichloroethane	1.10	U	1.10	6.70	ug/Kg
79-01-6	Trichloroethene	1.10	U	1.10	6.70	ug/Kg
78-87-5	1,2-Dichloropropane	1.20	U	1.20	6.70	ug/Kg
75-27-4	Bromodichloromethane	1.00	U	1.00	6.70	ug/Kg
108-10-1	4-Methyl-2-Pentanone	4.80	U	4.80	33.6	ug/Kg
108-88-3	Toluene	1.00	U	1.00	6.70	ug/Kg

Report of Analysis

Client:	Portal Partners Tri-Venture		Date Collected:	08/11/25	
Project:	Amtrak Sawtooth Bridges 2025		Date Received:	08/12/25	
Client Sample ID:	TG-S04		SDG No.:	Q2832	
Lab Sample ID:	Q2832-07		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	93.1	
Sample Wt/Vol:	4	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023126.D	1	08/15/25 15:34	VY081525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.87	U	0.87	6.70	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.83	U	0.83	6.70	ug/Kg
79-00-5	1,1,2-Trichloroethane	1.20	U	1.20	6.70	ug/Kg
591-78-6	2-Hexanone	5.00	U	5.00	33.6	ug/Kg
124-48-1	Dibromochloromethane	1.20	U	1.20	6.70	ug/Kg
106-93-4	1,2-Dibromoethane	1.20	U	1.20	6.70	ug/Kg
127-18-4	Tetrachloroethene	1.40	U	1.40	6.70	ug/Kg
108-90-7	Chlorobenzene	1.20	U	1.20	6.70	ug/Kg
100-41-4	Ethyl Benzene	0.90	U	0.90	6.70	ug/Kg
179601-23-1	m/p-Xylenes	1.70	U	1.70	13.4	ug/Kg
95-47-6	o-Xylene	1.10	U	1.10	6.70	ug/Kg
100-42-5	Styrene	0.95	U	0.95	6.70	ug/Kg
75-25-2	Bromoform	1.20	U	1.20	6.70	ug/Kg
98-82-8	Isopropylbenzene	1.00	U	1.00	6.70	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.60	U	1.60	6.70	ug/Kg
541-73-1	1,3-Dichlorobenzene	2.30	U	2.30	6.70	ug/Kg
106-46-7	1,4-Dichlorobenzene	2.10	U	2.10	6.70	ug/Kg
95-50-1	1,2-Dichlorobenzene	1.90	U	1.90	6.70	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	2.50	U	2.50	6.70	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	4.00	U	4.00	6.70	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	4.30	U	4.30	6.70	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	59.2		70 (63) - 130 (155)	118%	SPK: 50
1868-53-7	Dibromofluoromethane	52.8		70 (70) - 130 (134)	106%	SPK: 50
2037-26-5	Toluene-d8	51.6		70 (74) - 130 (123)	103%	SPK: 50
460-00-4	4-Bromofluorobenzene	47.7		70 (17) - 130 (146)	95%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	567000	7.707			
540-36-3	1,4-Difluorobenzene	1070000	8.609			
3114-55-4	Chlorobenzene-d5	958000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	387000	13.34			

Report of Analysis

Client:	Portal Partners Tri-Venture		Date Collected:	08/11/25	
Project:	Amtrak Sawtooth Bridges 2025		Date Received:	08/12/25	
Client Sample ID:	TG-S04		SDG No.:	Q2832	
Lab Sample ID:	Q2832-07		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	93.1	
Sample Wt/Vol:	4	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023126.D	1	08/15/25 15:34	VY081525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products