

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_Y\Data\VY081525\  
 Data File : VY023123.D  
 Acq On : 15 Aug 2025 14:24  
 Operator : SY/MD  
 Sample : Q2832-01  
 Misc : 4.50g/5.0mL/MSVOA\_Y/SOIL/A  
 ALS Vial : 15 Sample Multiplier: 1

Instrument :  
 MSVOA\_Y  
 ClientSampleId :  
 TG-S01

Quant Time: Aug 18 02:29:33 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_Y\methods\82Y081225S.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Aug 13 02:10:11 2025  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 7.707  | 168  | 579878   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 8.609  | 114  | 1082547  | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.414 | 117  | 969395   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.340 | 152  | 391179   | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |          |
|-----------------------------|--------|-------|----------|----------|------|----------|
| System Monitoring Compounds |        |       |          |          |      |          |
| 33) 1,2-Dichloroethane-d4   | 8.061  | 65    | 314307   | 56.871   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 50 - 163 | Recovery | =    | 113.740% |
| 35) Dibromofluoromethane    | 7.634  | 113   | 330279   | 50.988   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 54 - 147 | Recovery | =    | 101.980% |
| 50) Toluene-d8              | 10.103 | 98    | 1310550  | 51.789   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 58 - 134 | Recovery | =    | 103.580% |
| 62) 4-Bromofluorobenzene    | 12.401 | 95    | 391369   | 48.091   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 30 - 143 | Recovery | =    | 96.180%  |


| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_Y\Data\VY081525\  
Data File : VY023123.D  
Acq On : 15 Aug 2025 14:24  
Operator : SY/MD  
Sample : Q2832-01  
Misc : 4.50g/5.0mL/MSVOA\_Y/SOIL/A  
ALS Vial : 15 Sample Multiplier: 1

Instrument :  
MSVOA\_Y  
ClientSampleId :  
TG-S01

Quant Time: Aug 18 02:29:33 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_Y\methods\82Y081225S.M  
Quant Title : SW846 8260  
QLast Update : Wed Aug 13 02:10:11 2025  
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.707 min Scan# 91

Delta R.T. 0.000 min

Lab File: VY023123.D

Acq: 15 Aug 2025 14:24

Instrument :

MSVOA\_Y

ClientSampleId :





TG-S01

Tgt Ion:168 Resp: 579878

Ion Ratio Lower Upper

168 100

99 52.2 42.8 64.2



#33

1,2-Dichloroethane-d4

Concen: 56.871 ug/l

RT: 8.061 min Scan# 1040

Delta R.T. 0.006 min

Lab File: VY023123.D




Acq: 15 Aug 2025 14:24


Tgt Ion: 65 Resp: 314307

Ion Ratio Lower Upper

65 100

67 52.7 0.0 106.8









#34  
1,4-Difluorobenzene  
Concen: 50.000 ug/l  
RT: 8.609 min Scan# 1130  
Delta R.T. 0.000 min  
Lab File: VY023123.D  
Acq: 15 Aug 2025 14:24




Instrument :  
MSVOA\_Y  
ClientSampleId :  
TG-S01


Tgt Ion:114 Resp: 1082547  
Ion Ratio Lower Upper  
114 100  
63 19.6 0.0 38.4  
88 14.9 0.0 30.0



#35  
Dibromofluoromethane  
Concen: 50.988 ug/l  
RT: 7.634 min Scan# 970  
Delta R.T. 0.006 min  
Lab File: VY023123.D  
Acq: 15 Aug 2025 14:24

Tgt Ion:113 Resp: 330279  
Ion Ratio Lower Upper  
113 100  
111 102.1 81.1 121.7  
192 19.4 16.2 24.4









#50  
Toluene-d8  
Concen: 51.789 ug/l  
RT: 10.103 min Scan# 1375  
Delta R.T. 0.000 min  
Lab File: VY023123.D  
Acq: 15 Aug 2025 14:24




Instrument :  
MSVOA\_Y  
ClientSampleId :  
TG-S01


Tgt Ion: 98 Resp: 1310550  
Ion Ratio Lower Upper  
98 100  
100 65.1 52.3 78.5



#62  
4-Bromofluorobenzene  
Concen: 48.091 ug/l  
RT: 12.401 min Scan# 1752  
Delta R.T. 0.000 min  
Lab File: VY023123.D  
Acq: 15 Aug 2025 14:24

Tgt Ion: 95 Resp: 391369  
Ion Ratio Lower Upper  
95 100  
174 85.4 0.0 171.6  
176 81.9 0.0 167.6









#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 11.414 min Scan# 117  
Delta R.T. 0.006 min  
Lab File: VY023123.D  
Acq: 15 Aug 2025 14:24

Instrument :  
MSVOA\_Y  
ClientSampleId :  
TG-S01

Tgt Ion:117 Resp: 969395  
Ion Ratio Lower Upper  
117 100  
82 53.7 43.4 65.0  
119 31.7 25.6 38.4



#72  
1,4-Dichlorobenzene-d4  
Concen: 50.000 ug/l  
RT: 13.340 min Scan# 1906  
Delta R.T. 0.000 min  
Lab File: VY023123.D  
Acq: 15 Aug 2025 14:24

Tgt Ion:152 Resp: 391179  
Ion Ratio Lower Upper  
152 100  
115 57.6 28.2 84.6  
150 156.6 0.0 348.0

