

Hit Summary Sheet
SW-846

SDG No.:	Q2836	Order ID:	Q2836
Client:	ENTACT	Project ID:	540 Degraw St, Brooklyn, NY - E9309

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : WC-A2-15-C								
Q2836-03	WC-A2-15-C	TCLP	Barium	0.25	J	0.073	0.50	mg/L
Q2836-03	WC-A2-15-C	TCLP	Copper	0.044	J	0.023	0.10	mg/L
Q2836-03	WC-A2-15-C	TCLP	Nickel	0.024	J	0.015	0.20	mg/L
Client ID : WC-A2-16-C								
Q2836-07	WC-A2-16-C	TCLP	Barium	0.29	J	0.073	0.50	mg/L
Q2836-07	WC-A2-16-C	TCLP	Chromium	0.034	J	0.011	0.050	mg/L
Q2836-07	WC-A2-16-C	TCLP	Copper	0.033	J	0.023	0.10	mg/L
Client ID : WC-A2-17-C								
Q2836-11	WC-A2-17-C	TCLP	Barium	0.21	J	0.073	0.50	mg/L
Q2836-11	WC-A2-17-C	TCLP	Chromium	0.045	J	0.011	0.050	mg/L
Q2836-11	WC-A2-17-C	TCLP	Copper	0.024	J	0.023	0.10	mg/L
Q2836-11	WC-A2-17-C	TCLP	Nickel	0.019	J	0.015	0.20	mg/L
Client ID : WC-A5-02-C								
Q2836-15	WC-A5-02-C	TCLP	Barium	0.19	J	0.073	0.50	mg/L
Q2836-15	WC-A5-02-C	TCLP	Copper	0.087	J	0.023	0.10	mg/L
Q2836-15	WC-A5-02-C	TCLP	Nickel	0.030	J	0.015	0.20	mg/L



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	ENTACT	Date Collected:	08/12/25
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	08/12/25
Client Sample ID:	WC-A2-15-C	SDG No.:	Q2836
Lab Sample ID:	Q2836-03	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	0.026	U	1	0.026	0.10	mg/L	08/13/25 12:30	08/14/25 13:59	6010D	SW3050
7440-39-3	Barium	0.25	JN*	1	0.073	0.50	mg/L	08/13/25 12:30	08/14/25 13:59	6010D	SW3050
7440-43-9	Cadmium	0.0025	U	1	0.0025	0.030	mg/L	08/13/25 12:30	08/14/25 13:59	6010D	SW3050
7440-47-3	Chromium	0.011	U	1	0.011	0.050	mg/L	08/13/25 12:30	08/14/25 13:59	6010D	SW3050
7440-50-8	Copper	0.044	J	1	0.023	0.10	mg/L	08/13/25 12:30	08/14/25 13:59	6010D	SW3050
7439-92-1	Lead	0.012	U	1	0.012	0.060	mg/L	08/13/25 12:30	08/14/25 13:59	6010D	SW3050
7439-97-6	Mercury	0.00076	U	1	0.00076	0.0020	mg/L	08/13/25 12:30	08/14/25 11:38	7470A	
7440-02-0	Nickel	0.024	J	1	0.015	0.20	mg/L	08/13/25 12:30	08/14/25 13:59	6010D	SW3050
7782-49-2	Selenium	0.048	U	1	0.048	0.10	mg/L	08/13/25 12:30	08/14/25 13:59	6010D	SW3050
7440-22-4	Silver	0.0081	U	1	0.0081	0.050	mg/L	08/13/25 12:30	08/14/25 13:59	6010D	SW3050
7440-66-6	Zinc	0.083	U	1	0.083	0.20	mg/L	08/13/25 12:30	08/14/25 13:59	6010D	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP-FULL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	08/12/25
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	08/12/25
Client Sample ID:	WC-A2-16-C	SDG No.:	Q2836
Lab Sample ID:	Q2836-07	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	0.026	U	1	0.026	0.10	mg/L	08/13/25 12:30	08/14/25 14:03	6010D	SW3050
7440-39-3	Barium	0.29	JN*	1	0.073	0.50	mg/L	08/13/25 12:30	08/14/25 14:03	6010D	SW3050
7440-43-9	Cadmium	0.0025	U	1	0.0025	0.030	mg/L	08/13/25 12:30	08/14/25 14:03	6010D	SW3050
7440-47-3	Chromium	0.034	J	1	0.011	0.050	mg/L	08/13/25 12:30	08/14/25 14:03	6010D	SW3050
7440-50-8	Copper	0.033	J	1	0.023	0.10	mg/L	08/13/25 12:30	08/14/25 14:03	6010D	SW3050
7439-92-1	Lead	0.012	U	1	0.012	0.060	mg/L	08/13/25 12:30	08/14/25 14:03	6010D	SW3050
7439-97-6	Mercury	0.00076	U	1	0.00076	0.0020	mg/L	08/13/25 12:30	08/14/25 11:41	7470A	
7440-02-0	Nickel	0.015	U	1	0.015	0.20	mg/L	08/13/25 12:30	08/14/25 14:03	6010D	SW3050
7782-49-2	Selenium	0.048	U	1	0.048	0.10	mg/L	08/13/25 12:30	08/14/25 14:03	6010D	SW3050
7440-22-4	Silver	0.0081	U	1	0.0081	0.050	mg/L	08/13/25 12:30	08/14/25 14:03	6010D	SW3050
7440-66-6	Zinc	0.083	U	1	0.083	0.20	mg/L	08/13/25 12:30	08/14/25 14:03	6010D	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP-FULL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	08/12/25
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	08/12/25
Client Sample ID:	WC-A2-17-C	SDG No.:	Q2836
Lab Sample ID:	Q2836-11	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	0.026	U	1	0.026	0.10	mg/L	08/13/25 12:30	08/14/25 14:08	6010D	SW3050
7440-39-3	Barium	0.21	JN*	1	0.073	0.50	mg/L	08/13/25 12:30	08/14/25 14:08	6010D	SW3050
7440-43-9	Cadmium	0.0025	U	1	0.0025	0.030	mg/L	08/13/25 12:30	08/14/25 14:08	6010D	SW3050
7440-47-3	Chromium	0.045	J	1	0.011	0.050	mg/L	08/13/25 12:30	08/14/25 14:08	6010D	SW3050
7440-50-8	Copper	0.024	J	1	0.023	0.10	mg/L	08/13/25 12:30	08/14/25 14:08	6010D	SW3050
7439-92-1	Lead	0.012	U	1	0.012	0.060	mg/L	08/13/25 12:30	08/14/25 14:08	6010D	SW3050
7439-97-6	Mercury	0.00076	U	1	0.00076	0.0020	mg/L	08/13/25 12:30	08/14/25 11:43	7470A	
7440-02-0	Nickel	0.019	J	1	0.015	0.20	mg/L	08/13/25 12:30	08/14/25 14:08	6010D	SW3050
7782-49-2	Selenium	0.048	U	1	0.048	0.10	mg/L	08/13/25 12:30	08/14/25 14:08	6010D	SW3050
7440-22-4	Silver	0.0081	U	1	0.0081	0.050	mg/L	08/13/25 12:30	08/14/25 14:08	6010D	SW3050
7440-66-6	Zinc	0.083	U	1	0.083	0.20	mg/L	08/13/25 12:30	08/14/25 14:08	6010D	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP-FULL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	08/12/25
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	08/12/25
Client Sample ID:	WC-A5-02-C	SDG No.:	Q2836
Lab Sample ID:	Q2836-15	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	0.026	U	1	0.026	0.10	mg/L	08/13/25 12:30	08/14/25 14:12	6010D	SW3050
7440-39-3	Barium	0.19	JN*	1	0.073	0.50	mg/L	08/13/25 12:30	08/14/25 14:12	6010D	SW3050
7440-43-9	Cadmium	0.0025	U	1	0.0025	0.030	mg/L	08/13/25 12:30	08/14/25 14:12	6010D	SW3050
7440-47-3	Chromium	0.011	U	1	0.011	0.050	mg/L	08/13/25 12:30	08/14/25 14:12	6010D	SW3050
7440-50-8	Copper	0.087	J	1	0.023	0.10	mg/L	08/13/25 12:30	08/14/25 14:12	6010D	SW3050
7439-92-1	Lead	0.012	U	1	0.012	0.060	mg/L	08/13/25 12:30	08/14/25 14:12	6010D	SW3050
7439-97-6	Mercury	0.00076	U	1	0.00076	0.0020	mg/L	08/13/25 12:30	08/14/25 11:45	7470A	
7440-02-0	Nickel	0.030	J	1	0.015	0.20	mg/L	08/13/25 12:30	08/14/25 14:12	6010D	SW3050
7782-49-2	Selenium	0.048	U	1	0.048	0.10	mg/L	08/13/25 12:30	08/14/25 14:12	6010D	SW3050
7440-22-4	Silver	0.0081	U	1	0.0081	0.050	mg/L	08/13/25 12:30	08/14/25 14:12	6010D	SW3050
7440-66-6	Zinc	0.083	U	1	0.083	0.20	mg/L	08/13/25 12:30	08/14/25 14:12	6010D	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP-FULL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q2836	OrderDate:	8/12/2025 12:23:00 PM
Client:	ENTACT	Project:	540 Degraw St, Brooklyn, NY - E9309
Contact:	Austin Farmerie	Location:	J23

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2836-03	WC-A2-15-C	TCLP	TCLP Mercury	7470A	08/12/25	08/13/25	08/14/25	08/12/25
			TCLPMetals Group2	6010D		08/13/25	08/14/25	
Q2836-07	WC-A2-16-C	TCLP	TCLP Mercury	7470A	08/12/25	08/13/25	08/14/25	08/12/25
			TCLPMetals Group2	6010D		08/13/25	08/14/25	
Q2836-11	WC-A2-17-C	TCLP	TCLP Mercury	7470A	08/12/25	08/13/25	08/14/25	08/12/25
			TCLPMetals Group2	6010D		08/13/25	08/14/25	
Q2836-15	WC-A5-02-C	TCLP	TCLP Mercury	7470A	08/12/25	08/13/25	08/14/25	08/12/25
			TCLPMetals Group2	6010D		08/13/25	08/14/25	