



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q2836

Order ID: Q2836

Client: ENTACT

Project ID: 540 Degraw St, Brooklyn, NY - E9309

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
-----------	-----------	--------	-----------	---------------	---	-----	-----	-------

Client ID :

Total Concentration: 0.000

A

B

C

D



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	ENTACT		Date Collected:	08/12/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	08/12/25	
Client Sample ID:	WC-A2-15-C		SDG No.:	Q2836	
Lab Sample ID:	Q2836-02		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	81.8	Decanted:
Sample Wt/Vol:	30.03	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO112905.D	1	08/13/25 08:33	08/13/25 13:15	PB169227

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	0.0048	U	0.0048	0.021	mg/Kg
11104-28-2	Aroclor-1221	0.0049	U	0.0049	0.021	mg/Kg
11141-16-5	Aroclor-1232	0.0045	U	0.0045	0.021	mg/Kg
53469-21-9	Aroclor-1242	0.0049	U	0.0049	0.021	mg/Kg
12672-29-6	Aroclor-1248	0.0072	U	0.0072	0.021	mg/Kg
11097-69-1	Aroclor-1254	0.0039	U	0.0039	0.021	mg/Kg
37324-23-5	Aroclor-1262	0.0061	U	0.0061	0.021	mg/Kg
11100-14-4	Aroclor-1268	0.0044	U	0.0044	0.021	mg/Kg
11096-82-5	Aroclor-1260	0.0039	U	0.0039	0.021	mg/Kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	19.6		30 (32) - 150 (144)	98%	SPK: 20
2051-24-3	Decachlorobiphenyl	17.6		30 (32) - 150 (175)	88%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT		Date Collected:	08/12/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	08/12/25	
Client Sample ID:	WC-A2-16-C		SDG No.:	Q2836	
Lab Sample ID:	Q2836-06		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	90.8	Decanted:
Sample Wt/Vol:	30.01	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO112906.D	1	08/13/25 08:33	08/13/25 13:34	PB169227

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	0.0043	U	0.0043	0.019	mg/Kg
11104-28-2	Aroclor-1221	0.0044	U	0.0044	0.019	mg/Kg
11141-16-5	Aroclor-1232	0.0041	U	0.0041	0.019	mg/Kg
53469-21-9	Aroclor-1242	0.0044	U	0.0044	0.019	mg/Kg
12672-29-6	Aroclor-1248	0.0065	U	0.0065	0.019	mg/Kg
11097-69-1	Aroclor-1254	0.0035	U	0.0035	0.019	mg/Kg
37324-23-5	Aroclor-1262	0.0055	U	0.0055	0.019	mg/Kg
11100-14-4	Aroclor-1268	0.0040	U	0.0040	0.019	mg/Kg
11096-82-5	Aroclor-1260	0.0036	U	0.0036	0.019	mg/Kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	17.7		30 (32) - 150 (144)	88%	SPK: 20
2051-24-3	Decachlorobiphenyl	18.4		30 (32) - 150 (175)	92%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT		Date Collected:	08/12/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	08/12/25	
Client Sample ID:	WC-A2-17-C		SDG No.:	Q2836	
Lab Sample ID:	Q2836-10		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	93.2	Decanted:
Sample Wt/Vol:	30.04	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO112907.D	1	08/13/25 08:33	08/13/25 13:52	PB169227

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	0.0042	U	0.0042	0.018	mg/Kg
11104-28-2	Aroclor-1221	0.0043	U	0.0043	0.018	mg/Kg
11141-16-5	Aroclor-1232	0.0040	U	0.0040	0.018	mg/Kg
53469-21-9	Aroclor-1242	0.0043	U	0.0043	0.018	mg/Kg
12672-29-6	Aroclor-1248	0.0063	U	0.0063	0.018	mg/Kg
11097-69-1	Aroclor-1254	0.0034	U	0.0034	0.018	mg/Kg
37324-23-5	Aroclor-1262	0.0054	U	0.0054	0.018	mg/Kg
11100-14-4	Aroclor-1268	0.0039	U	0.0039	0.018	mg/Kg
11096-82-5	Aroclor-1260	0.0035	U	0.0035	0.018	mg/Kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	17.6		30 (32) - 150 (144)	88%	SPK: 20
2051-24-3	Decachlorobiphenyl	18.0		30 (32) - 150 (175)	90%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT		Date Collected:	08/12/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	08/12/25	
Client Sample ID:	WC-A5-02-C		SDG No.:	Q2836	
Lab Sample ID:	Q2836-14		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	74.8	Decanted:
Sample Wt/Vol:	30.05	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO112908.D	1	08/13/25 08:33	08/13/25 14:09	PB169227

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	0.0053	U	0.0053	0.023	mg/Kg
11104-28-2	Aroclor-1221	0.0054	U	0.0054	0.023	mg/Kg
11141-16-5	Aroclor-1232	0.0050	U	0.0050	0.023	mg/Kg
53469-21-9	Aroclor-1242	0.0054	U	0.0054	0.023	mg/Kg
12672-29-6	Aroclor-1248	0.0079	U	0.0079	0.023	mg/Kg
11097-69-1	Aroclor-1254	0.0043	U	0.0043	0.023	mg/Kg
37324-23-5	Aroclor-1262	0.0067	U	0.0067	0.023	mg/Kg
11100-14-4	Aroclor-1268	0.0048	U	0.0048	0.023	mg/Kg
11096-82-5	Aroclor-1260	0.0043	U	0.0043	0.023	mg/Kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	20.8		30 (32) - 150 (144)	104%	SPK: 20
2051-24-3	Decachlorobiphenyl	15.9		30 (32) - 150 (175)	79%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q2836	OrderDate:	8/12/2025 12:23:00 PM
Client:	ENTACT	Project:	540 Degraw St, Brooklyn, NY - E9309
Contact:	Austin Farmerie	Location:	J23

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2836-02	WC-A2-15-C	SOIL	PCB	8082A	08/12/25	08/13/25	08/13/25	08/12/25
Q2836-06	WC-A2-16-C	SOIL	PCB	8082A	08/12/25	08/13/25	08/13/25	08/12/25
Q2836-10	WC-A2-17-C	SOIL	PCB	8082A	08/12/25	08/13/25	08/13/25	08/12/25
Q2836-14	WC-A5-02-C	SOIL	PCB	8082A	08/12/25	08/13/25	08/13/25	08/12/25