



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

Hit Summary Sheet  
SW-846

SDG No.: Q2836

Order ID: Q2836

Client: ENTACT

Project ID: 540 Degraw St, Brooklyn, NY - E9309

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
-----------	-----------	--------	-----------	---------------	---	-----	-----	-------

Client ID :

Total Concentration: 0.000

A  
B  
C  
D



# SAMPLE DATA

A

B

C

D

## Report of Analysis

Client:	ENTACT		Date Collected:		
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	08/15/25	
Client Sample ID:	PB169212TB		SDG No.:	Q2836	
Lab Sample ID:	PB169212TB		Matrix:	TCLP	
Analytical Method:	8151A		% Solid:	0	Decanted:
Sample Wt/Vol:	100	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	TCLP Herbicide	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	8151A				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PS031457.D	1	08/15/25 08:45	08/15/25 17:52	PB169278

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
94-75-7	2,4-D	0.0092	U	0.0092	0.020	mg/L
93-72-1	2,4,5-TP (Silvex)	0.0078	U	0.0078	0.020	mg/L
<b>SURROGATES</b>						
19719-28-9	2,4-DCAA	482		70 (61) - 130 (136)	96%	SPK: 500

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

Client:	ENTACT		Date Collected:	08/12/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	08/12/25	
Client Sample ID:	WC-A2-15-C		SDG No.:	Q2836	
Lab Sample ID:	Q2836-03		Matrix:	TCLP	
Analytical Method:	8151A		% Solid:	0	Decanted:
Sample Wt/Vol:	100	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	TCLP Herbicide	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	8151A				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PS031468.D	1	08/15/25 08:45	08/15/25 23:06	PB169278

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
94-75-7	2,4-D	0.0092	U	0.0092	0.020	mg/L
93-72-1	2,4,5-TP (Silvex)	0.0078	U	0.0078	0.020	mg/L
<b>SURROGATES</b>						
19719-28-9	2,4-DCAA	593		70 (61) - 130 (136)	119%	SPK: 500

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

Client:	ENTACT		Date Collected:	08/12/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	08/12/25	
Client Sample ID:	WC-A2-16-C		SDG No.:	Q2836	
Lab Sample ID:	Q2836-07		Matrix:	TCLP	
Analytical Method:	8151A		% Solid:	0	Decanted:
Sample Wt/Vol:	100	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	TCLP Herbicide	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	8151A				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PS031478.D	1	08/15/25 08:45	08/18/25 10:47	PB169278

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
94-75-7	2,4-D	0.0092	U	0.0092	0.020	mg/L
93-72-1	2,4,5-TP (Silvex)	0.0078	U	0.0078	0.020	mg/L
<b>SURROGATES</b>						
19719-28-9	2,4-DCAA	576		70 (61) - 130 (136)	115%	SPK: 500

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

Client:	ENTACT		Date Collected:	08/12/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	08/12/25	
Client Sample ID:	WC-A2-17-C		SDG No.:	Q2836	
Lab Sample ID:	Q2836-11		Matrix:	TCLP	
Analytical Method:	8151A		% Solid:	0	Decanted:
Sample Wt/Vol:	100	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	TCLP Herbicide	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	8151A				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PS031479.D	1	08/15/25 08:45	08/18/25 11:11	PB169278

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
94-75-7	2,4-D	0.0092	U	0.0092	0.020	mg/L
93-72-1	2,4,5-TP (Silvex)	0.0078	U	0.0078	0.020	mg/L
<b>SURROGATES</b>						
19719-28-9	2,4-DCAA	591		70 (61) - 130 (136)	118%	SPK: 500

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

Client:	ENTACT		Date Collected:	08/12/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	08/12/25	
Client Sample ID:	WC-A5-02-C		SDG No.:	Q2836	
Lab Sample ID:	Q2836-15		Matrix:	TCLP	
Analytical Method:	8151A		% Solid:	0	Decanted:
Sample Wt/Vol:	100	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	TCLP Herbicide	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	8151A				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PS031480.D	1	08/15/25 08:45	08/18/25 11:35	PB169278

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
94-75-7	2,4-D	0.0092	U	0.0092	0.020	mg/L
93-72-1	2,4,5-TP (Silvex)	0.0078	U	0.0078	0.020	mg/L
<b>SURROGATES</b>						
19719-28-9	2,4-DCAA	663	*	70 (61) - 130 (136)	133%	SPK: 500

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## LAB CHRONICLE

<b>OrderID:</b>	Q2836	<b>OrderDate:</b>	8/12/2025 12:23:00 PM
<b>Client:</b>	ENTACT	<b>Project:</b>	540 Degraw St, Brooklyn, NY - E9309
<b>Contact:</b>	Austin Farmerie	<b>Location:</b>	J23

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
<b>Q2836-02</b>	<b>WC-A2-15-C</b>	<b>SOIL</b>			<b>08/12/25</b>			<b>08/12/25</b>
			PCB	8082A		08/13/25	08/13/25	
<b>Q2836-03</b>	<b>WC-A2-15-C</b>	<b>TCLP</b>			<b>08/12/25</b>			<b>08/12/25</b>
			TCLP Herbicide	8151A		08/15/25	08/15/25	
			TCLP Pesticide	8081B		08/15/25	08/15/25	
<b>Q2836-06</b>	<b>WC-A2-16-C</b>	<b>SOIL</b>			<b>08/12/25</b>			<b>08/12/25</b>
			PCB	8082A		08/13/25	08/13/25	
<b>Q2836-07</b>	<b>WC-A2-16-C</b>	<b>TCLP</b>			<b>08/12/25</b>			<b>08/12/25</b>
			TCLP Herbicide	8151A		08/15/25	08/18/25	
			TCLP Pesticide	8081B		08/15/25	08/15/25	
<b>Q2836-10</b>	<b>WC-A2-17-C</b>	<b>SOIL</b>			<b>08/12/25</b>			<b>08/12/25</b>
			PCB	8082A		08/13/25	08/13/25	
<b>Q2836-11</b>	<b>WC-A2-17-C</b>	<b>TCLP</b>			<b>08/12/25</b>			<b>08/12/25</b>
			TCLP Herbicide	8151A		08/15/25	08/18/25	
			TCLP Pesticide	8081B		08/15/25	08/15/25	
<b>Q2836-14</b>	<b>WC-A5-02-C</b>	<b>SOIL</b>			<b>08/12/25</b>			<b>08/12/25</b>
			PCB	8082A		08/13/25	08/13/25	
<b>Q2836-15</b>	<b>WC-A5-02-C</b>	<b>TCLP</b>			<b>08/12/25</b>			<b>08/12/25</b>
			TCLP Herbicide	8151A		08/15/25	08/18/25	
			TCLP Pesticide	8081B		08/15/25	08/15/25	