

Cover Page

Order ID : Q2837

Project ID : 540 Degraw St, Brooklyn, NY - E9309

Client : ENTACT

Lab Sample Number

Q2837-01

Client Sample Number

TW-WTS-13

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 8/19/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q2837

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: KETAN PATEL

Date: 08/19/2025

LAB CHRONICLE

OrderID:	Q2837	OrderDate:	8/12/2025 1:00:00 PM
Client:	ENTACT	Project:	540 Degraw St, Brooklyn, NY - E9309
Contact:	Austin Farmerie	Location:	J23,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2837-01	TW-WTS-13	WATER			08/12/25 12:00			08/12/25
			BOD5	SM5210 B			08/14/25 09:50	
			Flash Point	1010B			08/15/25 09:30	
			TSS	SM2540 D			08/15/25 10:00	



SAMPLE DATA

Report of Analysis

Client:	ENTACT	Date Collected:	08/12/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	08/12/25
Client Sample ID:	TW-WTS-13	SDG No.:	Q2837
Lab Sample ID:	Q2837-01	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
BOD5	25.9		1	0.20	2.00	mg/L		08/14/25 09:50	SM 5210 B-16
Flash Point	>212		1	0	0	o F		08/15/25 09:30	1010B
TSS	5.00		1	1.00	4.00	mg/L		08/15/25 10:00	SM 2540 D-20

Comments: Other method reference for flash point : Pensky-Martens Closed Cup Flash Point ASTM D 93 - IP 34

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



QC RESULT SUMMARY



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Initial and Continuing Calibration Verification

Client: ENTACT

SDG No.: Q2837

Project: 540 Degraw St, Brooklyn, NY - E9309

RunNo.: LB136841

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID: Flash Point	ICV ° F	82.4	81	102	78-84	08/15/2025

Preparation Blank Summary

Client: ENTACT

SDG No.: Q2837

Project: 540 Degraw St, Brooklyn, NY - E9309

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: LB136821BL BOD5	mg/L	< 0.2000	0.2000	U	0.20	2.0	08/14/2025
Sample ID: LB136829BL TSS	mg/L	1	2.0000	J	1	4	08/15/2025

Duplicate Sample Summary

Client:	ENTACT	SDG No.:	Q2837
Project:	540 Degraw St, Brooklyn, NY - E9309	Sample ID:	Q2835-02
Client ID:	Pilot PlantDUP	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
TSS	mg/L	+/-5	1.00	U	1.00	U	1	0		08/15/2025

Duplicate Sample Summary

Client: ENTACT Project: 540 Degraw St, Brooklyn, NY - E9309 Client ID: CompDUP	SDG No.: Q2837 Sample ID: Q2848-02 Percent Solids for Spike Sample: 0
---	--

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
BOD5	mg/L	+/-20	150		140		1	6.9		08/14/2025

Duplicate Sample Summary

Client:	ENTACT	SDG No.:	Q2837
Project:	540 Degraw St, Brooklyn, NY - E9309	Sample ID:	Q2874-04
Client ID:	ELI-25-0087DUP	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Flash Point	o F	+/-2	>212.0		>212.0		1	0		08/15/2025

Laboratory Control Sample Summary

Client: ENTACT

SDG No.: Q2837

Project: 540 Degraw St, Brooklyn, NY - E9309

Run No.: LB136821

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB136821BS							
BOD5	mg/L	198	206		104	1	84.6-115.4	08/14/2025

Laboratory Control Sample Summary

Client: ENTACT

SDG No.: Q2837

Project: 540 Degraw St, Brooklyn, NY - E9309

Run No.: LB136829

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB136829BS							
TSS	mg/L	550	532		97	1	90-110	08/15/2025



RAW DATA

BOD5 LOG

ANALYST: rubin
Inst Id :DO METER
LB :LB136821

SUPERVISOR: jignesh

Analysis Date: 08/14/2025

QC BATCH ID: LB136821

BOD Water: WP114280

MANGANOUS SULFATE SOLUTION: W3103

Starch: W3149

Alkaline Iodide Azide: W3109

Sulfuric acid, 1N: WP112832

Sodium Thiosulfate, 0.025N: W3105

POLYSEED: WP114282

NaOH, 1N: WP113878

GGA: WP114281

IncubatorID: INCUBATOR #3

Chlorine Strips: W3155

GuageID: 0511064

pH Strips: W3215

Zero DO: WP114055

Lab SampleID	Client ID	Bottle No.	VOL. ML	Initial Reading (ML)	Final Reading (ML)	Difference	Average
WINKLER 1	WINKLER 1	1	300	0.0	9.6	9.6	9.6
WINKLER 2	WINKLER 2	2	300	9.8	19.4	9.6	9.6

Meter Calibration1: 8.72 Zero DO Reading1: 0.15 mg/L (<=0.2 Criteria)

Barometric Pressure1: 755 mmHg DO Meter BOD fluid reading for winkler comparison: 9.74

After Incubation

Meter Calibration2: 8.48 Zero DO Reading2: 0.14 mg/L (<=0.2 Criteria)

Barometric Pressure2: 765 mmHg

QC BATCH ID: LB136821

INCUBATOR TEMP IN(C): 20.0

INCUBATOR TEMP OUT(C): 19.8

TIME IN: 09:50

TIME OUT: 08:15

DATE IN: 08/14/2025

DATE OUT: 08/19/2025

Lab SampleID	Bottle No.	Check CL	Initial PH	Final PH	Temp °C	Sam Vol. (mL)	D.O.1 Initial	D.O.2 Final	Depletion	BOD Result (mg/L)	Avg Result (mg/L)	Comment
LB136821BL	1	No	6.58	N/A	20.90	300	9.73	9.72	0.01	0.01	0.01	
POLYSEED	1					10	9.58	6.61	2.97	0.59	0.62	
POLYSEED	2					15	9.55	4.79	4.76	0.63		
POLYSEED	3					20	9.52	3.02	6.5	0.65		
GGA	1					6	9.55	4.98	4.57	197.5	206.17	
GGA	2					6	9.52	4.70	4.82	210		
GGA	3					6	9.51	4.67	4.84	211		
Q2835-01	1	No	7.28	N/A	20.70	5	9.68	8.94	-	0		
Q2835-01	2					20	9.63	8.87	-	0		
Q2835-01	3					50	9.61	8.57	-	0		
Q2835-01	4					150	9.50	8.28	-	0		
Q2835-02	1	No	6.54	N/A	20.80	5	9.65	1.01	8.64	481.2	481.2	
Q2835-02	2					20	9.62	0.49	-	0		
Q2835-02	3					50	9.55	0.28	-	0		
Q2835-02	4					150	9.50	0.20	-	0		
Q2837-01	1	No	11.79	6.95	20.70	5	9.70	8.93	-	0	25.92	pH Adjusted
Q2837-01	2					20	9.57	8.02	-	0		
Q2837-01	3					50	9.37	4.43	4.94	25.92		
Q2837-01	4					150	8.69	0.72	-	0		
Q2848-02	1	No	6.53	N/A	20.00	5	9.58	8.68	-	0	150	
Q2848-02	2					10	9.54	8.32	-	0		
Q2848-02	3					20	9.50	7.60	-	0		
Q2848-02	4					30	9.44	7.32	2.12	150		
Q2848-02DUP	1	No	6.53	N/A	20.00	5	9.59	8.92	-	0	140	
Q2848-02DUP	2					10	9.55	8.21	-	0		
Q2848-02DUP	3					20	9.52	7.79	-	0		
Q2848-02DUP	4					30	9.46	7.44	2.02	140		
Q2862-01	1	No	7.12	N/A	20.40	5	9.69	8.85	-	0	7.24	
Q2862-01	2					20	9.67	8.72	-	0		
Q2862-01	3					50	9.69	8.01	-	0		
Q2862-01	4					150	9.41	5.17	4.24	7.24		
Q2862-03	1	No	6.98	N/A	20.40	5	9.69	8.48	-	0	11.24	
Q2862-03	2					20	9.68	7.98	-	0		
Q2862-03	3					50	9.64	7.28	2.36	10.44		
Q2862-03	4					150	9.62	2.98	6.64	12.04		
Q2862-05	1	No	6.92	N/A	20.50	5	9.71	8.68	-	0	11.42	
Q2862-05	2					20	9.62	8.02	-	0		
Q2862-05	3					50	9.60	7.35	2.25	9.78		
Q2862-05	4					150	9.50	2.35	7.15	13.06		

NOTE: 2ml POLYSEED added to GGA and all the Samples, but not in Blank.

NOTE (For, CBOD5): 0.16 g Nitrification Inhibitor added to GGA and all the Samples, but not in Blank.

WORKLIST(Hardcopy Internal Chain)

6136821

WorkList Name : BOD5-8-12 WorkList ID : 191233 Department : Wet-Chemistry Date : 08-12-2025 15:33:15

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2848-02	Comp	Water	BOD5	Cool 4 deg C	ARAM01	J33	08/13/2025	SM5210 B
Q2862-01	DSN002	Water	BOD5	Cool 4 deg C	PSEG04	J41	08/13/2025	SM5210 B
Q2862-03	DSN001	Water	BOD5	Cool 4 deg C	PSEG04	J41	08/13/2025	SM5210 B
Q2862-05	DSN003	Water	BOD5	Cool 4 deg C	PSEG04	J41	08/13/2025	SM5210 B
Q2835-01	Manufacturing	Water	BOD5	Cool 4 deg C	SCIE01	J21	08/12/2025	SM5210 B
Q2835-02	Pilot Plant	Water	BOD5	Cool 4 deg C	SCIE01	J21	08/12/2025	SM5210 B
Q2837-01	TW-WTS-13	Water	BOD5	Cool 4 deg C	ENTA05	J23	08/12/2025	SM5210 B

Date/Time 08/14/2025 08.00
 Raw Sample Received by: RYCWG
 Raw Sample Relinquished by: RYCWG

Date/Time 08/14/2025 10.1
 Raw Sample Received by: RYCWG
 Raw Sample Relinquished by: RYCWG

Analytical Summary Report

Analysis Method: 1010B

Reviewed By: rubina

Parameter: Flash Point

Supervisor Review By: jignesh

Run Number: LB136841

Ambient Barometric Pressure (mmHg): 760.00

Thermometer ID: Flash Point

Barometric Scale ID: 0511064

Reagent/Standard	Lot/Log #
p-xylene (ICV)	W3194

Seq	LabID	True Value °F	DL	Initial Sample °C	Celsius °C	Result °F	Final Result °F	Anal Date	Anal Time
1	ICV	81	1	10	28.00	82.4	82.4	08/15/2025	09:00
2	Q2837-01		1	15	100.00	>212.0	>212.0	08/15/2025	09:30
3	Q2840-03		1	12	100.00	>212.0	>212.0	08/15/2025	10:00
4	Q2849-01		1	14	100.00	>212.0	>212.0	08/15/2025	10:45
5	Q2865-03		1	14	100.00	>212.0	>212.0	08/15/2025	11:15
6	Q2867-01		1	15	100.00	>212.0	>212.0	08/15/2025	11:45
7	Q2867-02		1	12	100.00	>212.0	>212.0	08/15/2025	12:50
8	Q2874-04		1	15	100.00	>212.0	>212.0	08/15/2025	13:20
9	Q2874-04DUP		1	15	100.00	>212.0	>212.0	08/15/2025	13:50

Result = (Celsius * 1.8) + 32

Final Result = Result + (760 - Ambient Barometric Pressure) * 0.06

6136841

WORKLIST(Hardcopy Internal Chain)

WorkList Name : fp8-15 WorkList ID : 191297 Department : Wet-Chemistry Date : 08-15-2025 08:06:39

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2837-01	TW-WTS-13	Water	Flash Point	Cool 4 deg C	ENTA05	J23	08/12/2025	1010B
Q2840-03	0804-E	Water	Flash Point	Cool 4 deg C	PSEG03	D31	08/12/2025	1010B
Q2849-01	BUR-25-0071	Water	Flash Point	Cool 4 deg C	PSEG03	J22	08/13/2025	1010B
Q2865-03	LAW-25-0109	Water	Flash Point	Cool 4 deg C	PSEG03	J41	08/13/2025	1010B
Q2867-01	Tre-2005	Water	Flash Point	Cool 4 deg C	PSEG05	J31	08/13/2025	1010B
Q2867-02	Tre-2006	Water	Flash Point	Cool 4 deg C	PSEG05	J31	08/13/2025	1010B
Q2874-04	ELI-25-0087	Water	Flash Point	Cool 4 deg C	PSEG03	D21	08/14/2025	1010B

Date/Time 08/15/2025 08:50
Raw Sample Received by: RM CWC
Raw Sample Relinquished by: RM CWC

Date/Time 08/15/2025 14:30
Raw Sample Received by: RM CWC
Raw Sample Relinquished by: RM CWC

Instrument ID: DO METER

Daily Analysis Runlog For Sequence/QC Batch ID # LB136821

Review By	rubina	Review On	8/19/2025 9:22:16 AM
Supervise By	jignesh	Supervise On	8/19/2025 9:23:21 AM
SubDirectory	LB136821	Test	BOD5
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP114280,W3149,WP112832,W3103,W3109,W3105,WP114282,WP114281,WP113878		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	LB136821BL	LB136821BL	MB	08/14/25 09:50		rubina	OK
2	LB136821BS	LB136821BS	LCS	08/14/25 09:50		rubina	OK
3	Q2835-01	Manufacturing	SAM	08/14/25 09:50		rubina	OK
4	Q2835-02	Pilot Plant	SAM	08/14/25 09:50		rubina	OK
5	Q2837-01	TW-WTS-13	SAM	08/14/25 09:50		rubina	OK
6	Q2848-02	Comp	SAM	08/14/25 09:50		rubina	OK
7	Q2848-02DUP	CompDUP	DUP	08/14/25 09:50		rubina	OK
8	Q2862-01	DSN002	SAM	08/14/25 09:50		rubina	OK
9	Q2862-03	DSN001	SAM	08/14/25 09:50		rubina	OK
10	Q2862-05	DSN003	SAM	08/14/25 09:50		rubina	OK

Instrument ID: WC SC-3

Daily Analysis Runlog For Sequence/QC Batch ID # LB136829

Review By	jignesh	Review On	8/15/2025 3:56:51 PM
Supervise By	rubina	Supervise On	8/15/2025 4:00:44 PM
SubDirectory	LB136829	Test	TSS
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	N/A		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	LB136829BL	LB136829BL	MB	08/15/25 10:00		jignesh	OK
2	LB136829BS	LB136829BS	LCS	08/15/25 10:00		jignesh	OK
3	Q2835-01	Manufacturing	SAM	08/15/25 10:00		jignesh	OK
4	Q2835-02	Pilot Plant	SAM	08/15/25 10:00		jignesh	OK
5	Q2835-02DUP	Pilot PlantDUP	DUP	08/15/25 10:00		jignesh	OK
6	Q2837-01	TW-WTS-13	SAM	08/15/25 10:00		jignesh	OK
7	Q2845-01	001 willets Pt Blvd(july	SAM	08/15/25 10:00		jignesh	OK
8	Q2845-04	002 35th Ave (july)	SAM	08/15/25 10:00		jignesh	OK
9	Q2848-02	Comp	SAM	08/15/25 10:00		jignesh	OK
10	Q2860-01	TOWER#1	SAM	08/15/25 10:00		jignesh	OK
11	Q2860-02	TOWER#2	SAM	08/15/25 10:00		jignesh	OK
12	Q2862-01	DSN002	SAM	08/15/25 10:00		jignesh	OK
13	Q2862-03	DSN001	SAM	08/15/25 10:00		jignesh	OK
14	Q2862-05	DSN003	SAM	08/15/25 10:00		jignesh	OK

Instrument ID: IGN-1

Daily Analysis Runlog For Sequence/QC Batch ID # LB136841

Review By	rubina	Review On	8/15/2025 3:52:49 PM
Supervise By	jignesh	Supervise On	8/15/2025 3:58:12 PM
SubDirectory	LB136841	Test	Flash Point
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	W3194		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	ICV	ICV	ICV	08/15/25 09:00		rubina	OK
2	Q2837-01	TW-WTS-13	SAM	08/15/25 09:30		rubina	OK
3	Q2840-03	0804-E	SAM	08/15/25 10:00		rubina	OK
4	Q2849-01	BUR-25-0071	SAM	08/15/25 10:45		rubina	OK
5	Q2865-03	LAW-25-0109	SAM	08/15/25 11:15		rubina	OK
6	Q2867-01	Tre-2005	SAM	08/15/25 11:45		rubina	OK
7	Q2867-02	Tre-2006	SAM	08/15/25 12:50		rubina	OK
8	Q2874-04	ELI-25-0087	SAM	08/15/25 13:20		rubina	OK
9	Q2874-04DUP	ELI-25-0087DUP	DUP	08/15/25 13:50		rubina	OK



SHIPPING DOCUMENTS



284 Sheffield Street, Mountainside, NJ 07092

(908) 789-8900 Fax: (908) 788-9222

www.chemtech.net

CHAIN OF CUSTODY RECORD

Alliance Project Number:

Q 2837

COC Number:

Page 1 of 1

CLIENT INFORMATION

COMPANY: ENTACT, LLC

ADDRESS: 150 Bay Street, Suite 806

CITY: Jersey City STATE: NJ ZIP: 07302

ATTENTION: Austin Farmerie

PHONE: 412-716-1366

FAX:

PROJECT INFORMATION

PROJECT NAME: 540 Degraw St Brooklyn, NY

PROJECT #: E9309

LOCATION: Brooklyn, NY

PROJECT MANAGER: Austin Farmerie

E-MAIL: afarmerie@entact.com

PHONE: 412-716-1366

FAX:

BILLING INFORMATION

BILL TO: ENTACT, LLC

PO# E9309

ADDRESS: 999 Oakmont Plaza Drive, Suite 300

CITY: Westmont

STATE: IL ZIP: 60559

ATTENTION: Wendy Murray

PHONE: 800-936-8228

ANALYSIS

SVOC-TCL BNA-20	Flash Point	PCB	BOD5	TSS	VOC-TCLVOA- 10	Metals ICP-TAL			
1	2	3	4	5	6	7	8	9	

DATA TURNAROUND INFORMATION

FAX: 5 DAYS*

HARD COPY: DAYS*

EDD 5 DAYS*

* TO BE APPROVED BY ALLIANCE

STANDARD TURNAROUND TIME IS 10 BUSINESS DAYS

DATA DELIVERABLE INFORMATION

- ☐ RESEULTS ONLY ☐ USEPA CLP
☐ RESULTS + QC ☐ New York State ASP "B"
☐ New Jersey REDUCED ☐ New York State ASP "A"
☐ New Jersey CLP ☐ Other _____
☐ EDD Format _____

PRESERVATIVES

COMMENTS

CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# of Bottles	E	E	E	E	E	A	B			<-- Specify Preservatives A-HCl B-HNO3 C-H2SO4 D-NaOH E-ICE F-Other
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	
1.	TW-WTS-13	Surface Water		X	8/12	12:00	7	X	X	X	X	X	X	X			
2.																	
3.																	
4.																	
5.																	
6.																	
7.																	
8.																	
9.																	
10.																	

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER 1. Austin Farmerie	DATE/TIME 08/12/25 12:00	RECEIVED BY 1. [Signature] 1211 8-12-25	Conditions of bottles or coolers at receipt: ☐ Compliant ☐ Non Compliant ☐ Cooler Temp 5.1C ☐ Ice in Cooler? _____
RELINQUISHED BY	DATE/TIME	RECEIVED BY	Comments:
2. [Signature]		2. [Signature]	
RELINQUISHED BY	DATE/TIME	RECEIVED FOR LAB BY	
3. [Signature]	8-12-25 1414	3. [Signature]	

Page _____ of _____

SHIPPED VIA: CLIENT: ☐ Hand Delivered ☐ Overnight
ALLIANCE: ☐ Picked Up ☐ Overnight

Shipment Complete
☐ YES ☐ NO

WHITE - ALLIANCE COPY FOR RETURN TO CLIENT

YELLOW - ALLIANCE COPY

PINK - SAMPLER COPY

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q2837	ENTA05	Order Date : 8/12/2025 1:00:00 PM	Project Mgr :
Client Name : ENTACT		Project Name : 540 Degraw St, Brooklyn, N	Report Type : Level 1
Client Contact : Austin Farmerie		Receive DateTime : 8/12/2025 2:00:00 PM	EDD Type : Excel NJ
Invoice Name : ENTACT		Purchase Order :	Hard Copy Date :
Invoice Contact : Austin Farmerie			Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
Q2837-01	TW-WTS-13	Water	08/12/2025	12:00		VOCMS Group4	8260-Low		5 Bus. Days

Relinquished By :

Date / Time :


8-12-25 1505

Received By :

Date / Time :


8/12/25 1505

Storage Area : VOA Refridgerator Room