



# SHIPPING DOCUMENTS

CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: **Jacobs**  
ADDRESS: **412 Mt Kemble Ave Suite 100**  
CITY **Morrisstown** STATE: **NJ** ZIP: **07960**  
ATTENTION: **John Ynfante John.Ynfante@jacobs.com**  
PHONE: FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME: **STC PTC**  
PROJECT NO.: **D3868221** LOCATION: **Princeton Junction**  
PROJECT MANAGER: **Mary Murphy**  
e-mail: **Mary.Murphy@Jacobs.com**  
PHONE: FAX:

CLIENT BILLING INFORMATION

BILL TO: **Mary Murphy** PO#:  
ADDRESS:  
CITY STATE: ZIP:  
ATTENTION: PHONE:

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) **Standard TAT** DAYS\*  
HARDCOPY (DATA PACKAGE): DAYS\*  
EDD: DAYS\*  
\*TO BE APPROVED BY CHEMTECH  
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)  
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP  
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B  
+ Raw Data ☐ Other  
☐ EDD FORMAT

1. SPECIFIC VOL% (C-100-12-1)  
2. I-H DIOXIDE (C-100-12-1)  
3. TOTAL MERCURY (C-100-12-1)  
4. DISSOLVED IRON (C-100-12-1)  
5. ALKALINITY (C-100-12-1)  
6. TDS (5 M 25°C) (C-100-12-1)  
7. AMMONIA (C-100-12-1)  
8. TRACE VOLS (C-100-12-1)  
9. STAM 01/15/06

PRESERVATIVES

COMMENTS

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES										COMMENTS
			COMP	GRAB	DATE	TIME		A/E	E	B/E	E	E	E	E	A/E		
1.	RMW-03B-90.4-08122025	GW		✓	8/12/25	1230	6	✓	✓					✓			
2.	RMW-02B-66.3-08122025	GW		✓	8/12/25	1530	5	✓	✓								
3.	MW-17B-55.5-08122025	GW		✓	8/14/25	1154	27	✓	✓	✓	✓	✓	✓	✓			MS/MSD
4.	MW-06-6.5-08122025	GW		✓	8/14/25	1530	2		✓								
5.	MW-17B-55.5-081225-SIM	GW		✓	8/12/25	1154	3								✓		
6.	TB01-081225	DI		✓	8/12/25	1600	2	✓									
7.																	
8.																	
9.																	
10.																	

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 1. <b>[Signature]</b>	DATE/TIME: <b>8/12/25 1700</b>	RECEIVED BY: 1. <b>[Signature]</b>	DATE/TIME: <b>8-12-25 1700</b>	Conditions of bottles or coolers at receipt: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input type="checkbox"/> COOLER TEMP <b>2.0</b> °C
RELINQUISHED BY SAMPLER: 2. <b>[Signature]</b>	DATE/TIME:	RECEIVED BY: 2. <b>[Signature]</b>	DATE/TIME:	Comments: <b>See work order for list of site specific VOGs</b>
RELINQUISHED BY SAMPLER: 3. <b>[Signature]</b>	DATE/TIME: <b>8-12-25</b>	RECEIVED BY: 3. <b>[Signature]</b>	DATE/TIME:	Comments: <b>Dissolved Iron is Picked Filtered</b>

---

**From:** Yazmeen Gomez  
**Sent:** Thursday, August 14, 2025 10:30 AM  
**To:** Ynfante, John; Sohil Jodhani  
**Cc:** Mohammad Ahmed  
**Subject:** RE: [EXTERNAL] Login Summary Details For Project Former Schlumberger STC PTC Site D3868221-Q2842.  
**Attachments:** quant2841.pdf; quant2842.pdf

John,

The lab informed me –

Q2841- 42 sample screened with 8260 method as they are usually highly contaminated samples for Trichloroethene

Q2841-01 (MW-06-6.5-08122025) at 200x

Q2842-07(MW-17B-55.5-081225-SIM) 200x






Sample can be analyzed with 8260 under low dilution

Sim analysis is not possible as it may contaminate instrument

Please see attached.

**Best Regards,**



**Yazmeen** Gomez  
**Sr. Project Manager**  
**An Alliance Technical Group Company**  
**Main:** 908-789-8900  
**Direct:** 908-728-3147  
**Address:** 284 Sheffield St, Ste 1, Mountainside, NJ 07092  
[www.alliancetg.com](http://www.alliancetg.com)     

---

**From:** Ynfante, John <John.Ynfante@jacobs.com>  
**Sent:** Wednesday, August 13, 2025 3:23 PM  
**To:** Sohil Jodhani <Sohil.Jodhani@alliancetg.com>  
**Cc:** Yazmeen Gomez <Yazmeen.Gomez@AllianceTG.com>; Mohammad Ahmed <mohammad.ahmed@alliancetg.com>; Nimisha Pandya <Nimisha.Pandya@AllianceTG.com>  
**Subject:** RE: [EXTERNAL] Login Summary Details For Project Former Schlumberger STC PTC Site D3868221-Q2842.

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Thanks Sohil



**From:** Sohil Jodhani <[Sohil.Jodhani@alliancetg.com](mailto:Sohil.Jodhani@alliancetg.com)>  
**Sent:** Wednesday, August 13, 2025 1:23 PM  
**To:** Ynfante, John <[John.Ynfante@jacobs.com](mailto:John.Ynfante@jacobs.com)>  
**Cc:** Yazmeen Gomez <[Yazmeen.Gomez@AllianceTG.com](mailto:Yazmeen.Gomez@AllianceTG.com)>; Mohammad Ahmed <[mohammad.ahmed@alliancetg.com](mailto:mohammad.ahmed@alliancetg.com)>;  
 Nimisha Pandya <[Nimisha.Pandya@AllianceTG.com](mailto:Nimisha.Pandya@AllianceTG.com)>  
**Subject:** RE: [EXTERNAL] Login Summary Details For Project Former Schlumberger STC PTC Site D3868221-Q2842.

Hi John,

Sample IDs are updated as per below request. Lab will notify you if in case VOC-SIM (for Vinyl chloride) is not required for the samples based on low level VOA analysis.

Thanks & Regards,



**Sohil Jodhani** (he/him/his)  
 QA/QC Director  
 Alliance Technical Group, LLC-Newark  
 Main: 908-789-8900  
 Direct: 908-728-3152  
 Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092  
[www.alliancetg.com](http://www.alliancetg.com)    

**From:** Mohammad Ahmed <[mohammad.ahmed@alliancetg.com](mailto:mohammad.ahmed@alliancetg.com)>  
**Sent:** Wednesday, August 13, 2025 2:10 PM  
**To:** Ynfante, John <[John.Ynfante@jacobs.com](mailto:John.Ynfante@jacobs.com)>; Data-EWR <[Data-EWR@alliancetg.com](mailto:Data-EWR@alliancetg.com)>; Yazmeen Gomez <[yazmeen.gomez@alliancetg.com](mailto:yazmeen.gomez@alliancetg.com)>  
**Cc:** Sohil Jodhani <[Sohil.Jodhani@alliancetg.com](mailto:Sohil.Jodhani@alliancetg.com)>  
**Subject:** Re: [EXTERNAL] Login Summary Details For Project Former Schlumberger STC PTC Site D3868221-Q2842.

Hi John,  
 yaz is our of the office today , but i will coordinate with lab to make sure we communicate with you and run these analysis accordingly



**Mohammad Ahmed**  
 Laboratory Director  
 An Alliance Technical Group Company  
 Main: 908-789-8900  
 Direct: 908-728-3151  
 Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092  
[www.alliancetg.com](http://www.alliancetg.com)

**From:** Ynfante, John <[John.Ynfante@jacobs.com](mailto:John.Ynfante@jacobs.com)>

**Sent:** Wednesday, August 13, 2025 2:01 PM

**To:** Data-EWR <[Data-EWR@alliancetg.com](mailto:Data-EWR@alliancetg.com)>; Yazmeen Gomez <[yazmeen.gomez@alliancetg.com](mailto:yazmeen.gomez@alliancetg.com)>

**Subject:** RE: [EXTERNAL] Login Summary Details For Project Former Schlumberger STC PTC Site D3868221-Q2842.

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Yazmeen,

A couple of comments on this Princeton login for Q2842:

1. I assume your SFAM-SIM method for VOCs can still only report vinyl chloride out of our project list of VOCs – if that is the case then note that sample Q2842-07 (MW-17B-55.5-081225-SIM) and any other SFAM-SIM samples only need to be analyzed if their corresponding 8260D-Low analysis shows the vinyl chloride to be non-detect and of course if the lab is able to analyze them by SIM. I know up to this point the lab has said the concentrations have been too high in the SIM samples to even run the SFAM-SIM on so let me know how it looks on those after your analysts run the regular VOCs run on them.
2. The date part of the sample IDs should have used a MMDDYY format, not MMDDYYYY as is listed on the chain. Please change the “2025” bit to just “25” on all these sample IDs. For example, “RMW-03B-90.4-08122025” should be changed to “RMW-03B-90.4-081225”, etc.

Thanks

- John Y.

---


**From:** [Data-EWR@alliancetg.com](mailto:Data-EWR@alliancetg.com) <[Data-EWR@alliancetg.com](mailto:Data-EWR@alliancetg.com)>

**Sent:** Wednesday, August 13, 2025 9:38 AM

**To:** Ongjoco, Alec <[Alec.Ongjoco@jacobs.com](mailto:Alec.Ongjoco@jacobs.com)>; Dillon, Alexa <[Alexa.Dillon@jacobs.com](mailto:Alexa.Dillon@jacobs.com)>; Lader, Chelsea <[Chelsea.Lader@jacobs.com](mailto:Chelsea.Lader@jacobs.com)>; Holmes, Daniel <[Daniel.Holmes@jacobs.com](mailto:Daniel.Holmes@jacobs.com)>; Reamer, David <[David.Reamer@jacobs.com](mailto:David.Reamer@jacobs.com)>; Ynfante, John <[John.Ynfante@jacobs.com](mailto:John.Ynfante@jacobs.com)>; Murphy, Mary <[Mary.Murphy@jacobs.com](mailto:Mary.Murphy@jacobs.com)>; Warren, Melissa <[Melissa.Warren@jacobs.com](mailto:Melissa.Warren@jacobs.com)>; Asher, Sarah <[Sarah.Asher@jacobs.com](mailto:Sarah.Asher@jacobs.com)>

**Cc:** [yazmeen.gomez@alliancetg.com](mailto:yazmeen.gomez@alliancetg.com)

**Subject:** [EXTERNAL] Login Summary Details For Project Former Schlumberger STC PTC Site D3868221-Q2842.



To John Ynfante;

Please see the attached Login Summary for the following project, or download the file using your login credentials from the link below.

**Order ID** : Q2842  
**Project ID** : Former Schlumberger STC PTC Site D3868221  
**Download File** : <https://chemtech.net/secureLogin.aspx>  
**Order Date** : 8/13/2025 8:34:00 AM

**Alliance's Project Manager** : YAZMEEN GOMEZ , [yazmeen.gomez@alliancetg.com](mailto:yazmeen.gomez@alliancetg.com) , 908-728-3147  
**Alliance's Sales Executive** : Jordan Hedvat , [jordan.hedvat@alliancetg.com](mailto:jordan.hedvat@alliancetg.com) , 908-728-3144

Thank you for the opportunity to provide you with our services. For any questions please feel free to contact your project manager.

Click Here for our short online customer Survey <http://chemtech.net/ClientSurvey.aspx>.

**Thank you,**

**Alliance Technical Group LLC.**

Notice: The information transmitted in this e-mail message and in any attachments is intended Solely for the attention of the named addressee(s) and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon, this information by persons or entities other than the intended recipient is strictly prohibited and may be unlawful. If you have received this transmission in error, please notify us immediately by return e-mail, and permanently delete this transmission, including attachments if any, from any computer.

■

---

NOTICE - This communication may contain confidential and privileged information that is for the sole use of the intended recipient. Any viewing, copying or distribution of, or reliance on this message by unintended recipients is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.

---

NOTICE - This communication may contain confidential and privileged information that is for the sole use of the intended recipient. Any viewing, copying or distribution of, or reliance on this message by unintended recipients is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.

### Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## LOGIN REPORT/SAMPLE TRANSFER

<b>Order ID :</b> Q2842	JACO05	<b>Order Date :</b> 8/13/2025 8:34:00 AM	<b>Project Mgr :</b> Deepak
<b>Client Name :</b> JACOBS Engineering Grou		<b>Project Name :</b> Former Schlumberger STC	<b>Report Type :</b> Level 34
<b>Client Contact :</b> John Ynfante		<b>Receive DateTime :</b> 8/12/2025 6:22:00 PM	<b>EDD Type :</b> CH2MHILL
<b>Invoice Name :</b> JACOBS Engineering Grou		<b>Purchase Order :</b>	<b>Hard Copy Date :</b>
<b>Invoice Contact :</b> John Ynfante			<b>Date Signoff :</b> 8/13/2025 10:38:03 AM

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
Q2842-01	RMW-03B-90.4-081225	Water	08/12/2025	12:30					
					VOCMS Group3		8260-Low	10 Bus. Days	
Q2842-02	RMW-02B-66.3-081225	Water	08/12/2025	15:30					
					VOCMS Group3		8260-Low	10 Bus. Days	
Q2842-03	MW-17B-55.5-081225	Water	08/12/2025	11:54					
					VOCMS Group3		8260-Low	10 Bus. Days	
Q2842-04	Q2842-03MS	Water	08/12/2025	11:54					
					VOCMS Group3		8260-Low	10 Bus. Days	
Q2842-05	Q2842-03MSD	Water	08/12/2025	11:54					
					VOCMS Group3		8260-Low	10 Bus. Days	
Q2842-08	TB01-081225	Water	08/12/2025	16:00					
					VOCMS Group3		8260-Low	10 Bus. Days	





284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

### LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q2842	JACO05	Order Date : 8/13/2025 8:34:00 AM	Project Mgr : Deepak
Client Name : JACOBS Engineering Grou		Project Name : Former Schlumberger STC	Report Type : Level <del>3</del> 4
Client Contact : John Ynfante		Receive DateTime : 8/12/2025 6:22:00 PM	EDD Type : CH2MHILL
Invoice Name : JACOBS Engineering Grou		Purchase Order :	Hard Copy Date :
Invoice Contact : John Ynfante			Date Signoff : 8/13/2025 10:38:03 AM

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
--------	-----------	--------	----------------	----------------	------	------------	--------	----------	--------------

Relinquished By :

Date / Time :

df  
8/13/25 09:15

Received By :

Date / Time :

Sum  
08/13/25 09:15

Storage Area : VOA Refridgerator Room

Rg 44