

# **ANALYTICAL RESULTS SUMMARY**

GENERAL CHEMISTRY
METALS
SEMI-VOLATILE ORGANICS
VOLATILE ORGANICS

PROJECT NAME: FORMER SCHLUMBERGER STC PTC SITE D3868221

**JACOBS ENGINEERING GROUP, INC.** 

412 Mt. Kemble Ave

**Downtown Building** 

Morristown, NJ - 07960

Phone No: 9732670555

ORDER ID: Q2842

**ATTENTION: John Ynfante** 







# Table Of Contents for Q2842

1) Signature Page	3
2) Case Narrative	5
2.1) VOCMS Group3- Case Narrative	5
2.2) SVOC-SIMGroup1- Case Narrative	7
2.3) Metals-MS- Case Narrative	9
2.4) Genchem- Case Narrative	11
3) Qualifier Page	12
4) QA Checklist	14
5) VOCMS Group3 Data	15
6) SVOC-SIMGroup1 Data	22
7) Metals-MS Data	31
8) Genchem Data	36
9) Shipping Document	42
9.1) CHAIN OF CUSTODY	43
9.2) ROC	44
9.3) Lab Certificate	48
9.4) Internal COC	49

# 1

# DATA OF KNOWN QUALITY CONFORMANCE/NON-CONFORMANCE SUMMARY QUESTIONNAIRE

Labora	atory Name :	Alliance Technical Group LLC		Client :	JACOBS Engineering Group, Inc.					
Projec	t Location :	Princeton Junction		Project Number :	D3868221					
Labora	atory Sample ID(	s): Q2842		Sampling Date(s):	8/12/2025					
List Dł	KQP Methods Us	sed (e.g., 8260,8270, et Cetra)	,6020B,7	470A,8260D,8270-M	lodified,9056A,SN	12320	B,SM	2540 (	C,SOP	
1	specified QA/Q explain any crit	tical method referenced in this labo C performance criteria followed, in eria falling outside of acceptable g Known Quality performance stand	ncluding the guidelines, a	requirement to		<b>\</b>	Yes		No	
1A	Were the method	od specified handling, preservation	n, and holdi	ng time requirements	s met?	V	Yes		No	
1B		Vas the EPH method conducted windows and respective DKQ methods)	rithout signif	icant modifications			Yes		No	☑ N/A
2		es received by the laboratory in a ce associated chain-of-custody doc		onsistent with that		$\overline{\mathbf{V}}$	Yes		No	
3	Were samples	received at an appropriate temper	rature (4±2°	° C)?		V	Yes		No	□ N/A
4	Were all QA/Q0 standards achi	C performance criteria specified in eved?	the NJDEP	PDKQP			Yes	<b>V</b>	No	
5	1 '	ng limits specified or referenced on to the laboratory prior to sample re		of-custody or		V	Yes		No	
	b)Were these re	eporting limits met?				V	Yes		No	□ N/A
6	results reporte	tical method referenced in this labor d for all constituents identified in the e DKQP documents and/or site-sp	he method-s	specific analyte lists		V	Yes		No	
7	Are project-spe	cific matrix spikes and/or laborator	ry duplicate	s included in this dat	ta set?	V	Yes		No	

Notes: For all questions to which the response was "No" (with the exception of question #7), additional information should be provided in an attached narrative. If the answer to question #1, #1A, or #1B is "No", the data package does not meet the requirements for "Data of Known Quality."



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

# **Cover Page**

Order ID: Q2842

**Project ID:** Former Schlumberger STC PTC Site D3868221

**Client:** JACOBS Engineering Group, Inc.

#### **Lab Sample Number Client Sample Number** Q2842-01 RMW-03B-90.4-081225 Q2842-02 RMW-02B-66.3-081225 Q2842-03 MW-17B-55.5-081225 Q2842-04 MW-17B-55.5-081225MS Q2842-05 MW-17B-55.5-081225MSD Q2842-06 MW-06-6.5-081225 Q2842-08 TB01-081225 Q2842-09 MW-17B-55.5-081225 Q2842-10 MW-17B-55.5-081225MS Q2842-11 MW-17B-55.5-081225MSD

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature:		

Date: 10/28/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



# CASE NARRATIVE

**JACOBS Engineering Group, Inc.** 

Project Name: Former Schlumberger STC PTC Site D3868221

Project # N/A Order ID # Q2842

**Test Name: VOCMS Group3** 

#### A. Number of Samples and Date of Receipt:

6 Water samples were received on 08/12/2025.

#### **B.** Parameters

According to the Chain of Custody document, the following analyses were requested: VOCMS Group3. This data package contains results for VOCMS Group3.

#### C. Analytical Techniques:

The analysis performed on instrument MSVOA\_N were done using GC column Rxi-624SIL MS 30m, 0.25mm, 1.4 um, Cat. #13868.The analysis of VOCMS Group3 was based on method 8260D.

#### D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis.

The Internal Standards Areas were met for all analysis.

The Retention Times were met for all analysis.

The MS recoveries met the requirements for all compounds.

The MSD recoveries met the requirements for all compounds.

The RPD were met for all analysis.

The Blank Spike met requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

The Tuning criteria met requirements.

Samples RMW-03B-90.4-081225, RMW-02B-66.3-081225 and MW-17B-55.5-081225, All these samples were run at straight dilution after checking past history of these samples containing high amounts of compounds cis-1,2-Dichloroethene and Trichloroethene.

#### **E. Additional Comments:**

This Data Package has been revised due to Data Package type changed.





The SIM analysis is not required for the sample MW-17B-55.5-081225-SIM as all the SIM target analytes are detected at or above the sample adjusted CRQLs in the full scan analysis, a SIM analysis is not to be performed for that sample."

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

#### **F. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature
-----------



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922



# CASE NARRATIVE

**JACOBS Engineering Group, Inc.** 

Project Name: Former Schlumberger STC PTC Site D3868221

Project # N/A Order ID # Q2842

**Test Name: SVOC-SIMGroup1** 

#### A. Number of Samples and Date of Receipt:

10 Water samples were received on 08/12/2025.

#### **B.** Parameters

According to the Chain of Custody document, the following analyses were requested: Alkalinity, Anions Group1, Dissolved ICP-Group2, Dissolved Metals Group3, Mercury, Metals ICP-TAL, METALS-TAL, SVOC-SIMGroup1, TDS, VOC-SIM and VOCMS Group3. This data package contains results for SVOC-SIMGroup1.

#### C. Analytical Techniques:

The samples were analyzed on instrument BNA\_N using GC Column ZB-SemiVolatiles Guardian which is 30 meters, 0.25 mm ID, 0.5 um df, Catalog # 7HG-G027-17-GGAThe analysis of SVOC-SIMGroup1 was based on method 8270-Modified and extraction was done based on method 3510.

# D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria except for RMW-02B-66.3-08122025DL [Terphenyl-d14 - 138%], MW-17B-55.5-08122025 [Terphenyl-d14 - 132%], these compounds did not meet the NJDKQP criteria but met the in-house criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The MS recoveries met the requirements for all compounds.

The MSD recoveries met the acceptable requirements .

The RPD met criteria.

The Blank Spike met requirements for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

The Tuning criteria met requirements.

Samples RMW-03B-90.4-08122025, RMW-02B-66.3-08122025 were diluted due to high concentrations.



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922



#### E. Additional Comments:

This Data Package has been revised due to Data Package type changed The Form 6 is not included in the data package because the Initial Calibration was performed using 7 points.

The soil samples results are based on a dry weight basis.

#### **F. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Si	ø	nature					
$\sim$	$\overline{}$	IICCC C	 	 	 	 	



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

# CASE NARRATIVE

**JACOBS Engineering Group, Inc.** 

Project Name: Former Schlumberger STC PTC Site D3868221

Project # N/A Order ID # Q2842

Test Name: Dissolved ICP-Group2, Mercury, Metals ICP-TAL

### A. Number of Samples and Date of Receipt:

10 Water samples were received on 08/12/2025.

#### **B. Parameters:**

According to the Chain of Custody document, the following analyses were requested: Alkalinity, Anions Group1, Dissolved ICP-Group2, Dissolved Metals Group3, Mercury, Metals ICP-TAL, METALS-TAL, SVOC-SIMGroup1, TDS, VOC-SIM and VOCMS Group3. This data package contains results for Dissolved ICP-Group2, Mercury, Metals ICP-TAL.

#### C. Analytical Techniques:

The analysis of Dissolved ICP-Group2, Metals ICP-TAL was based on method 6020B, digestion based on method 3010 (waters). The analysis and digestion of Mercury was based on method 7470A.

#### D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all compounds.

The Duplicate analysis met criteria for all compounds.

The Matrix Spike (MW-17B-55.5-08122025MS) analysis met criteria for all compounds except for Silver due to Chemical Interference during Digestion Process.

The Matrix Spike Duplicate (MW-17B-55.5-08122025MSD) analysis met criteria for all compounds except for Silver due to Chemical Interference during Digestion Process.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met the acceptable requirements.

# **E. Additional Comments:** This Data Package Has been Revised due to Data Package type Change as per Client Request.

The Post Digest Spike (MW-17B-55.5-08122025A) analysis met criteria for all compounds except for Silver due to unknown chemical interference of matrix with the addition of spike amount after digestion and before analysis; matrix has suppression effect during addition of spike.

Collision cell is being used to remove potential interferences. The analytes Na, Mg, Al, K, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, As are being analyzed with collision cell and analytes Be, B, Ca, Ti, Se, Sr, Zr, Mo, Ag, Cd, Sn, Sb, Ba, Tl, Pb, U are being analyzed with Non-Collision Cell. Helium gas is used for the Collision Cell analysis. sample Q2842-03 analyzed as Total Metal and Sample Q2842-09 analyzed as Dissolved Metal.



I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature	



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

# CASE NARRATIVE

**JACOBS Engineering Group, Inc.** 

Project Name: Former Schlumberger STC PTC Site D3868221

Project # N/A Order ID # Q2842

Test Name: Alkalinity, Anions Group 1, TDS

#### A. Number of Samples and Date of Receipt:

04 Water samples were received on 08/12/2025.

#### **B. Parameters:**

According to the Chain of Custody document, the following analyses were requested: Alkalinity, Anions Group 1, TDS. This data package contains results for Alkalinity, Anions Group 1, TDS.

#### C. Analytical Techniques:

The analysis of Anions Group1 was based on method 9056A, The analysis of Alkalinity was based on method SM2320 B and The analysis of TDS was based on method SM2540 C.

# D. QA/ QC Samples:

The Holding Times were met for all analysis.

Sample RMW-03B-90.4-081225 was diluted due to high concentrations for Chloride & Sample MW-17B-55.5-081225 was diluted due to high concentrations for Chloride and Sulfate.

The Blank Spike met requirements for all compounds.

The Duplicate analysis met criteria for all compounds.

The Matrix Spike analysis met criteria for all compounds.

The Matrix Spike Duplicate analysis met criteria for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

**E. Additional Comments:** This Data Package has been revised due to data package type change as per Client Request.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.



#### DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following "Results Qualifiers" are used:

- J Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
- U Indicates the analyte was analyzed for, but not detected.
- ND Indicates the analyte was analyzed for, but not detected
- E Indicates the reported value is estimated because of the presence of interference
- M Indicates Duplicate injection precision not met.
- N Indicates the spiked sample recovery is not within control limits.
- S Indicates the reported value was determined by the Method of Standard Addition (MSA).
- \* Indicates that the duplicate analysis is not within control limits.
- + Indicates the correlation coefficient for the MSA is less than 0.995.
- D Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
- M Method qualifiers
  - **"P"** for ICP instrument
  - "PM" for ICP when Microwave Digestion is used
  - "CV" for Manual Cold Vapor AA
  - "AV" for automated Cold Vapor AA
  - "CA" for MIDI-Distillation Spectrophotometric "AS" for Semi –Automated Spectrophotometric
  - "C" for Manual Spectrophotometric
  - **"T"** for Titrimetric
  - "NR" for analyte not required to be analyzed
- OR Indicates the analyte's concentration exceeds the calibrated range of the
  - instrument for that specific analysis.
- Q Indicates the LCS did not meet the control limits requirements
- H Sample Analysis Out Of Hold Time



# DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10 U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	<ul> <li>Indicates an estimated value. This flag is used:</li> <li>(1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.)</li> <li>(2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This is flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.</li> </ul>
В	Indicates the analyte was found in the blank as well as the sample report as "12 B".
E	Indicates the analyte 's concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

#### APPENDIX A

#### **QA REVIEW GENERAL DOCUMENTATION**

**Project #: Q2842** 

	Completed
For thorough review, the report must have the following:	
GENERAL:	
Are all original paperwork present (chain of custody, record of communication, airbill, sample management lab chronicle, login page)	<u> </u>
Check chain-of-custody for proper relinquish/return of samples	<u> </u>
Is the chain of custody signed and complete	<u> </u>
Check internal chain-of-custody for proper relinquish/return of samples /sample extracts	<del>'</del> <del>'</del> <del>'</del> <del>'</del> <del>'</del> <del>'</del> <del>'</del>
Collect information for each project id from server. Were all requirements followed	<u> </u>
COVER PAGE:	
Do numbers of samples correspond to the number of samples in the Chain of Custody on login page	<u> </u>
Do lab numbers and client Ids on cover page agree with the Chain of Custody	<u> </u>
CHAIN OF CUSTODY:	
Do requested analyses on Chain of Custody agree with form I results	<u> </u>
Do requested analyses on Chain of Custody agree with the log-in page	<u> </u>
Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody	<u> </u>
Were the samples received within hold time	<u> </u>
Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle	<u> </u>
ANALYTICAL:	
Was method requirement followed?	<u> </u>
Was client requirement followed?	<u> </u>
Does the case narrative summarize all QC failure?	<del>'</del> <del>'</del> <del>'</del> <del>'</del> <del>'</del> <del>'</del>
All runlogs and manual integration are reviewed for requirements	<u> </u>
All manual calculations and /or hand notations verified	<u> </u>

QA Review Signature: SOHIL JODHANI Date: 10/28/2025





# A

#### Hit Summary Sheet SW-846

**SDG No.:** Q2842

Client: JACOBS Engineering Group, Inc.

С

Sample ID	Client ID	Matrix	Parameter	Concentrat	tion	C	MDL	RDL	Units
Client ID:	RMW-03B-90.4-0812	225							
Q2842-01	RMW-03B-90.4-08	Water	cis-1,2-Dichloroethene	2800			7.60	40.0	ug/L
Q2842-01	RMW-03B-90.4-08 V	Water	Trichloroethene	810			3.70	40.0	ug/L
			Total Voc:		3610				
			<b>Total Concentration:</b>		3610				
Client ID:	RMW-02B-66.3-0812	225							
Q2842-02	RMW-02B-66.3-08	Water	Vinyl Chloride	240			10.4	40.0	ug/L
Q2842-02	RMW-02B-66.3-08	Water	1,1-Dichloroethene	130			9.20	40.0	ug/L
Q2842-02	RMW-02B-66.3-08	Water	cis-1,2-Dichloroethene	1600			7.60	40.0	ug/L
Q2842-02	RMW-02B-66.3-08	Water	Trichloroethene	1500			3.70	40.0	ug/L
Q2842-02	RMW-02B-66.3-08	Water	Tetrachloroethene	24.7		J	9.20	40.0	ug/L
			Total Voc:		3490				
			<b>Total Concentration:</b>		3490				
Client ID:	MW-17B-55.5-08122	5							
Q2842-03	MW-17B-55.5-0812 V	Water	cis-1,2-Dichloroethene	3000			19.0	100	ug/L
Q2842-03	MW-17B-55.5-0812 V	Water	Trichloroethene	3600			9.30	100	ug/L
Q2842-03	MW-17B-55.5-0812 V	Water	Tetrachloroethene	56.3		J	23.0	100	ug/L
			Total Voc:		6660				
			<b>Total Concentration:</b>		6660				







D

# SAMPLE DATA



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

#### **Report of Analysis**

JACOBS Engineering Group, Inc. Date

Date Collected: 08/12/25

Project: Former Schlumberger STC PTC Site D3868221

Date Received: 08/12/25

Client Sample ID: RMW-03B-90.4-081225

SDG No.: Q2842

Lab Sample ID: Q2842-01

Matrix: Water

Analytical Method: 8260D

% Solid:

Sample Wt/Vol: 5 Units: mL

40

Final Vol: 5000 uL

Soil Aliquot Vol:

Test: VOCMS Group3

GC Column:

Client:

RXI-624 ID: 0.25

uL

Level: LOW

Prep Method:

VN087566.D

File ID/Qc Batch: Dilution:

Date Analyzed

Prep Batch ID

08/14/25 15:20

VN081425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-01-4	Vinyl Chloride	10.4	U	10.4	40.0	ug/L
75-35-4	1,1-Dichloroethene	9.20	U	9.20	40.0	ug/L
75-34-3	1,1-Dichloroethane	9.20	U	9.20	40.0	ug/L
156-59-2	cis-1,2-Dichloroethene	2800		7.60	40.0	ug/L
71-55-6	1,1,1-Trichloroethane	8.00	U	8.00	40.0	ug/L
71-43-2	Benzene	6.00	U	6.00	40.0	ug/L
107-06-2	1,2-Dichloroethane	8.80	U	8.80	40.0	ug/L
79-01-6	Trichloroethene	810		3.70	40.0	ug/L
79-00-5	1,1,2-Trichloroethane	8.40	U	8.40	40.0	ug/L
127-18-4	Tetrachloroethene	9.20	U	9.20	40.0	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	53.7		70 (74) - 130 (125)	107%	SPK: 50
1868-53-7	Dibromofluoromethane	45.5		70 (75) - 130 (124)	91%	SPK: 50
2037-26-5	Toluene-d8	45.7		70 (86) - 130 (113)	91%	SPK: 50
460-00-4	4-Bromofluorobenzene	43.9		70 (77) - 130 (121)	88%	SPK: 50
INTERNAL STA	NDARDS					
363-72-4	Pentafluorobenzene	226000	8.206			
540-36-3	1,4-Difluorobenzene	494000	9.088			
3114-55-4	Chlorobenzene-d5	459000	11.847			
3855-82-1	1,4-Dichlorobenzene-d4	214000	13.77			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit



284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900, Fax: 908 789 8922

#### Report of Analysis

Client: JACOBS Engineering Group, Inc. Date Collected: 08/12/25

Project: Former Schlumberger STC PTC Site D3868221 Date Received: 08/12/25

Client Sample ID: RMW-02B-66.3-081225 SDG No.: Q2842

Lab Sample ID: Q2842-02 Matrix: Water

Analytical Method: 8260D % Solid: 0

Sample Wt/Vol: 5 Units: mL Final Vol: 5000 uL

Soil Aliquot Vol: uL Test: VOCMS Group3

GC Column: RXI-624 ID: 0.25 Level: LOW

Prep Method:

File ID/Qc Batch: Dilution: Date Analyzed Prep Batch ID VN087567.D 40 08/14/25 15:42 VN081425

Qualifier MDL Units **CAS Number Parameter** Conc. LOQ / CRQL **TARGETS** 40.0 75-01-4 Vinvl Chloride 240 10.4 ug/L 75-35-4 1,1-Dichloroethene 130 9.20 40.0 ug/L U 75-34-3 1,1-Dichloroethane 9.20 9.20 40.0 ug/L 156-59-2 cis-1.2-Dichloroethene 1600 7.60 40.0 ug/L U 71-55-6 1,1,1-Trichloroethane 8.00 8.00 40.0 ug/L 71-43-2 Benzene 6.00 U 6.00 40.0 ug/L 107-06-2 1.2-Dichloroethane 8.80 U 8.80 40.0 ug/L 79-01-6 Trichloroethene 1500 40.0 3.70 ug/L 79-00-5 1,1,2-Trichloroethane 8.40 U 8.40 40.0 ug/L 127-18-4 Tetrachloroethene 24.7 9.20 40.0 ug/L SURROGATES 1.2-Dichloroethane-d4 114% SPK: 50 17060-07-0 57.0 70 (74) - 130 (125) Dibromofluoromethane 45.1 90% 1868-53-7 70 (75) - 130 (124) SPK: 50 92% 2037-26-5 Toluene-d8 46.0 70 (86) - 130 (113) SPK: 50 90% 460-00-4 4-Bromofluorobenzene 45.0 70 (77) - 130 (121) SPK: 50 INTERNAL STANDARDS 363-72-4 Pentafluorobenzene 219000 8.212 1,4-Difluorobenzene 540-36-3 487000 9.088 3114-55-4 Chlorobenzene-d5 439000 11.847

211000

13.77

U = Not Detected

3855-82-1

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

1,4-Dichlorobenzene-d4

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of OC limits

D = Dilution

() = Laboratory InHouse Limit



8260D

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900, Fax: 908 789 8922

% Solid:

#### **Report of Analysis**

Client: JACOBS Engineering Group, Inc. Date Collected: 08/12/25

Project: Former Schlumberger STC PTC Site D3868221 Date Received: 08/12/25

Client Sample ID: MW-17B-55.5-081225 SDG No.: Q2842 Q2842-03 Matrix: Water

Lab Sample ID: Analytical Method:

5 Final Vol: 5000 Sample Wt/Vol: Units: mL uL

Test: VOCMS Group3 Soil Aliquot Vol: uL

LOW GC Column: RXI-624 ID: 0.25 Level:

Prep Method:

File ID/Qc Batch: Dilution: Date Analyzed Prep Batch ID

VN087568.D 100 08/14/25 16:04 VN081425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-01-4	Vinyl Chloride	26.0	U	26.0	100	ug/L
75-35-4	1,1-Dichloroethene	23.0	U	23.0	100	ug/L
75-34-3	1,1-Dichloroethane	23.0	U	23.0	100	ug/L
156-59-2	cis-1,2-Dichloroethene	3000		19.0	100	ug/L
71-55-6	1,1,1-Trichloroethane	20.0	U	20.0	100	ug/L
71-43-2	Benzene	15.0	U	15.0	100	ug/L
107-06-2	1,2-Dichloroethane	22.0	U	22.0	100	ug/L
79-01-6	Trichloroethene	3600		9.30	100	ug/L
79-00-5	1,1,2-Trichloroethane	21.0	U	21.0	100	ug/L
127-18-4	Tetrachloroethene	56.3	J	23.0	100	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	56.6		70 (74) - 130 (125)	113%	SPK: 50
1868-53-7	Dibromofluoromethane	45.1		70 (75) - 130 (124)	90%	SPK: 50
2037-26-5	Toluene-d8	46.5		70 (86) - 130 (113)	93%	SPK: 50
460-00-4	4-Bromofluorobenzene	45.5		70 (77) - 130 (121)	91%	SPK: 50
INTERNAL STA	NDARDS					
363-72-4	Pentafluorobenzene	220000	8.212			
540-36-3	1,4-Difluorobenzene	488000	9.088			
3114-55-4	Chlorobenzene-d5	455000	11.847			
3855-82-1	1,4-Dichlorobenzene-d4	209000	13.77			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

08/12/25

VN081425



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

#### Report of Analysis

JACOBS Engineering Group, Inc.

Date Collected:

Project: Former Schlumberger STC PTC Site D3868221 Date Received: 08/12/25

Client Sample ID: TB01-081225 SDG No.: Q2842

Lab Sample ID: Q2842-08 Matrix: Water

Analytical Method: 8260D % Solid: 0

Sample Wt/Vol: 5 Units: mL Final Vol: 5000 uL

Soil Aliquot Vol: uL Test: VOCMS Group3

GC Column: RXI-624 ID: 0.25 Level: LOW

Prep Method:

VN087565.D

Client:

File ID/Qc Batch: Dilution: Date Analyzed Prep Batch ID

Qualifier **MDL** Units **CAS Number Parameter** Conc. LOQ / CRQL **TARGETS** 75-01-4 Vinvl Chloride 0.26 U 0.26 1.00 ug/L 75-35-4 1,1-Dichloroethene 0.23 U 0.23 1.00 ug/L 75-34-3 1,1-Dichloroethane 0.23 U 0.23 1.00 ug/L 156-59-2 cis-1.2-Dichloroethene 0.19 U 0.19 1.00 ug/L 71-55-6 1,1,1-Trichloroethane 0.20 U 0.20 1.00 ug/L 71-43-2 Benzene 0.15 U 0.15 1.00 ug/L 107-06-2 1.2-Dichloroethane 0.22 U 0.22 1.00 ug/L 79-01-6 Trichloroethene 0.090 U 0.090 1.00 ug/L 79-00-5 1,1,2-Trichloroethane U 0.21 0.21 1.00 ug/L U 127-18-4 Tetrachloroethene 0.23 0.23 1.00 ug/L SURROGATES 1.2-Dichloroethane-d4 SPK: 50 17060-07-0 55.1 70 (74) - 130 (125) 110% Dibromofluoromethane 44.9 90% SPK: 50 1868-53-7 70 (75) - 130 (124) 91% 2037-26-5 Toluene-d8 45.6 70 (86) - 130 (113) SPK: 50 88% 460-00-4 4-Bromofluorobenzene 44.2 70 (77) - 130 (121) SPK: 50 INTERNAL STANDARDS 363-72-4 Pentafluorobenzene 224000 8.212 1,4-Difluorobenzene 540-36-3 499000 9.088 3114-55-4 Chlorobenzene-d5 459000 11.847 3855-82-1 1,4-Dichlorobenzene-d4 215000 13.77

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

1

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of OC limits

08/14/25 14:58

D = Dilution

() = Laboratory InHouse Limit



В

LAB CHRONICLE

OrderID: Q2842

Client: JACOBS Engineering Group, Inc.

Contact: John Ynfante

**OrderDate:** 8/13/2025 8:34:00 AM

**Project:** Former Schlumberger STC PTC Site D3868221

Location: J23,J32,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2842-01	RMW-03B-90.4-08122	Water			08/12/25			08/12/25
	5		VOCMS Group3	8260-Low			08/14/25	
Q2842-02	RMW-02B-66.3-08122	Water			08/12/25			08/12/25
	5		VOCMS Group3	8260-Low			08/14/25	
Q2842-03	MW-17B-55.5-081225	Water			08/12/25			08/12/25
			VOCMS Group3	8260-Low			08/14/25	
Q2842-08	TB01-081225	Water			08/12/25			08/12/25
			VOCMS Group3	8260-Low			08/14/25	





284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922



С

# С

# Hit Summary Sheet SW-846

**SDG No.:** Q2842

Client: JACOBS Engineering Group, Inc.

Sample ID	Client ID	Parameter	Concentration	$\mathbf{C}$	MDL	RDL	Units
Client ID:	RMW-03B-90.4-081225						
Q2842-01	RMW-03B-90.4-081225 WATER	1,4-Dioxane	6.800	E	0.07	0.22	ug/L
		<b>Total Svoc:</b>		6.8	0		
		<b>Total Concentration:</b>		6.8	30		
Client ID:	RMW-03B-90.4-081225DL						
Q2842-01DL	RMW-03B-90.4-081225I WATER	1,4-Dioxane	6.600	D	0.15	0.44	ug/L
		<b>Total Svoc:</b>		6.6	0		
		<b>Total Concentration:</b>		6.6	<b>30</b>		
Client ID:	RMW-02B-66.3-081225						
Q2842-02	RMW-02B-66.3-081225 WATER	1,4-Dioxane	22.600	E	0.07	0.21	ug/L
		<b>Total Svoc:</b>		22.6	0		
		<b>Total Concentration:</b>		22.6	60		
Client ID:	RMW-02B-66.3-081225DL						
Q2842-02DL	RMW-02B-66.3-081225I WATER	1,4-Dioxane	27.000	D	0.68	2.1	ug/L
		<b>Total Svoc:</b>		27.0	0		
		<b>Total Concentration:</b>		27.0	00		
Client ID:	MW-17B-55.5-081225						
Q2842-03	MW-17B-55.5-081225 WATER	1,4-Dioxane	2.900		0.07	0.2	ug/L
		<b>Total Svoc:</b>		2.9	0		
		<b>Total Concentration:</b>		2.9	90		
Client ID:	MW-06-6.5-081225						
Q2842-06	MW-06-6.5-081225 WATER	1,4-Dioxane	0.640		0.07	0.21	ug/L
		<b>Total Svoc:</b>		0.6	4		
		<b>Total Concentration:</b>		0.6	64		









# SAMPLE DATA



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

### **Report of Analysis**

Client: JACOBS Engineering Group, Inc. Date Collected: 08/12/25

Project: Former Schlumberger STC PTC Site D3868221 Date Received: 08/12/25

Client Sample ID: RMW-03B-90.4-081225 SDG No.: Q2842

Lab Sample ID: Q2842-01 Matrix: Water Analytical Method: SW8270ESIM % Solid: 0

Sample Wt/Vol: 910 Units: mL Final Vol: 1000 uL

Soil Aliquot Vol: uL Test: SVOC-SIMGroup1

Extraction Type: Decanted: N Level: LOW

Injection Volume : GPC Factor : 1.0 GPC Cleanup : N PH :

Prep Method:

 File ID/Qc Batch:
 Dilution:
 Prep Date
 Date Analyzed
 Prep Batch ID

 BN037602.D
 1
 08/18/25 08:41
 08/19/25 11:52
 PB169286

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b> 123-91-1	1,4-Dioxane	6.80	Е	0.070	0.22	ug/L
SURROGATES	-,					
7297-45-2	2-Methylnaphthalene-d10	0.26		30 (20) - 150 (139)	66%	SPK: 0.4
93951-69-0	Fluoranthene-d10	0.38		30 (54) - 150 (157)	94%	SPK: 0.4
4165-60-0	Nitrobenzene-d5	0.30		30 (27) - 130 (154)	74%	SPK: 0.4
321-60-8	2-Fluorobiphenyl	0.35		30 (30) - 130 (155)	87%	SPK: 0.4
1718-51-0	Terphenyl-d14	0.49		30 (54) - 130 (175)	123%	SPK: 0.4
INTERNAL STAN	NDARDS					
3855-82-1	1,4-Dichlorobenzene-d4	1960	7.717			
1146-65-2	Naphthalene-d8	4780	10.498			
15067-26-2	Acenaphthene-d10	2380	14.345			
1517-22-2	Phenanthrene-d10	5090	17.086			
1719-03-5	Chrysene-d12	4470	21.268			
1520-96-3	Perylene-d12	3950	23.502			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

SVOC-SIMGroup1



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Test:

# **Report of Analysis**

Client: JACOBS Engineering Group, Inc. Date Collected: 08/12/25

Project: Former Schlumberger STC PTC Site D3868221 Date Received: 08/12/25

Client Sample ID: RMW-03B-90.4-081225DL SDG No.: Q2842

Lab Sample ID: Q2842-01DL Matrix: Water
Analytical Method: SW8270ESIM % Solid: 0

Sample Wt/Vol: 910 Units: mL Final Vol: 1000 uL

Extraction Type: Decanted: N Level: LOW

иL

Injection Volume : GPC Factor : 1.0 GPC Cleanup : N PH :

Prep Method:

Soil Aliquot Vol:

 File ID/Qc Batch:
 Dilution:
 Prep Date
 Date Analyzed
 Prep Batch ID

 BN037620.D
 2
 08/18/25 08:41
 08/20/25 05:27
 PB169286

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b> 123-91-1	1,4-Dioxane	6.60	D	0.15	0.44	ug/L
SURROGATES						
7297-45-2	2-Methylnaphthalene-d10	0.25		30 (20) - 150 (139)	62%	SPK: 0.4
93951-69-0	Fluoranthene-d10	0.35		30 (54) - 150 (157)	87%	SPK: 0.4
4165-60-0	Nitrobenzene-d5	0.29		30 (27) - 130 (154)	74%	SPK: 0.4
321-60-8	2-Fluorobiphenyl	0.34		30 (30) - 130 (155)	85%	SPK: 0.4
1718-51-0	Terphenyl-d14	0.48		30 (54) - 130 (175)	120%	SPK: 0.4
INTERNAL STAN	NDARDS					
3855-82-1	1,4-Dichlorobenzene-d4	2330	7.71			
1146-65-2	Naphthalene-d8	5460	10.498			
15067-26-2	Acenaphthene-d10	2690	14.345			
1517-22-2	Phenanthrene-d10	5770	17.087			
1719-03-5	Chrysene-d12	4770	21.268			
1520-96-3	Perylene-d12	4470	23.496			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

# **Report of Analysis**

Client: JACOBS Engineering Group, Inc. Date Collected: 08/12/25

Project: Former Schlumberger STC PTC Site D3868221 Date Received: 08/12/25

Client Sample ID: RMW-02B-66.3-081225 SDG No.: Q2842

Lab Sample ID:Q2842-02Matrix:WaterAnalytical Method:SW8270ESIM% Solid:0

Sample Wt/Vol: 970 Units: mL Final Vol: 1000 uL

Soil Aliquot Vol: uL Test: SVOC-SIMGroup1

Extraction Type: Decanted: N Level: LOW

Injection Volume : GPC Factor : 1.0 GPC Cleanup : N PH :

Prep Method:

 File ID/Qc Batch:
 Dilution:
 Prep Date
 Date Analyzed
 Prep Batch ID

 BN037603.D
 1
 08/18/25 08:41
 08/19/25 12:28
 PB169286

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units	
TARGETS							
123-91-1	1,4-Dioxane	22.6	E	0.070	0.21	ug/L	
SURROGATES							
7297-45-2	2-Methylnaphthalene-d10	0.30		30 (20) - 150 (139)	76%	SPK: 0.4	
93951-69-0	Fluoranthene-d10	0.39		30 (54) - 150 (157)	97%	SPK: 0.4	
4165-60-0	Nitrobenzene-d5	0.33		30 (27) - 130 (154)	83%	SPK: 0.4	
321-60-8	2-Fluorobiphenyl	0.33		30 (30) - 130 (155)	83%	SPK: 0.4	
1718-51-0	Terphenyl-d14	0.49		30 (54) - 130 (175)	122%	SPK: 0.4	
INTERNAL STA	ANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	2000	7.717				
1146-65-2	Naphthalene-d8	4850	10.498				
15067-26-2	Acenaphthene-d10	2450	14.345				
1517-22-2	Phenanthrene-d10	5060	17.087				
1719-03-5	Chrysene-d12	4260	21.268				
1520-96-3	Perylene-d12	3750	23.502				

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit



284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900, Fax: 908 789 8922

# **Report of Analysis**

Client: JACOBS Engineering Group, Inc. Date Collected: 08/12/25 Project: Former Schlumberger STC PTC Site D3868221 Date Received: 08/12/25

Client Sample ID: RMW-02B-66.3-081225DL SDG No.: Q2842

Lab Sample ID: Q2842-02DL Matrix: Water Analytical Method: SW8270ESIM % Solid: 0

970 Final Vol: 1000 uL Sample Wt/Vol: Units: mL

Ν

Level:

LOW

Soil Aliquot Vol: иL Test: SVOC-SIMGroup1 Decanted:

Injection Volume: GPC Factor: 1.0 GPC Cleanup: Ν PH:

Prep Method:

Extraction Type:

File ID/Qc Batch: Dilution: Prep Date Date Analyzed Prep Batch ID BN037621.D 10 08/18/25 08:41 08/20/25 06:03 PB169286

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
123-91-1	1,4-Dioxane	27.0	D	0.68	2.10	ug/L
SURROGATES						
7297-45-2	2-Methylnaphthalene-d10	0.32		30 (20) - 150 (139)	80%	SPK: 0.4
93951-69-0	Fluoranthene-d10	0.45		30 (54) - 150 (157)	113%	SPK: 0.4
4165-60-0	Nitrobenzene-d5	0.36		30 (27) - 130 (154)	90%	SPK: 0.4
321-60-8	2-Fluorobiphenyl	0.36		30 (30) - 130 (155)	90%	SPK: 0.4
1718-51-0	Terphenyl-d14	0.55	*	30 (54) - 130 (175)	138%	SPK: 0.4
INTERNAL STAN	IDARDS					
3855-82-1	1,4-Dichlorobenzene-d4	1940	7.71			
1146-65-2	Naphthalene-d8	4470	10.498			
15067-26-2	Acenaphthene-d10	2280	14.345			
1517-22-2	Phenanthrene-d10	4810	17.086			
1719-03-5	Chrysene-d12	3970	21.268			
1520-96-3	Perylene-d12	3640	23.501			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit



284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900, Fax: 908 789 8922

Test:

# **Report of Analysis**

Client: JACOBS Engineering Group, Inc. Date Collected: 08/12/25 Project: Former Schlumberger STC PTC Site D3868221 Date Received: 08/12/25

Client Sample ID: MW-17B-55.5-081225 SDG No.: Q2842

Lab Sample ID: Q2842-03 Matrix: Water Analytical Method: SW8270ESIM % Solid: 0

uL

Final Vol: 1000 uL Sample Wt/Vol: 980 Units: mL

Soil Aliquot Vol: SVOC-SIMGroup1 Extraction Type: Decanted: Ν Level: LOW

Injection Volume: GPC Factor: 1.0 GPC Cleanup: Ν PH:

Prep Method:

File ID/Qc Batch: Dilution: Prep Date Date Analyzed Prep Batch ID BN037604.D 1 08/18/25 08:41 08/19/25 13:04 PB169286

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
123-91-1	1,4-Dioxane	2.90		0.070	0.20	ug/L
SURROGATES						
7297-45-2	2-Methylnaphthalene-d10	0.29		30 (20) - 150 (139)	72%	SPK: 0.4
93951-69-0	Fluoranthene-d10	0.39		30 (54) - 150 (157)	97%	SPK: 0.4
4165-60-0	Nitrobenzene-d5	0.31		30 (27) - 130 (154)	77%	SPK: 0.4
321-60-8	2-Fluorobiphenyl	0.31		30 (30) - 130 (155)	76%	SPK: 0.4
1718-51-0	Terphenyl-d14	0.53	*	30 (54) - 130 (175)	132%	SPK: 0.4
INTERNAL STA	ANDARDS					
3855-82-1	1,4-Dichlorobenzene-d4	2100	7.717			
1146-65-2	Naphthalene-d8	4980	10.498			
15067-26-2	Acenaphthene-d10	2520	14.345			
1517-22-2	Phenanthrene-d10	5310	17.086			
1719-03-5	Chrysene-d12	4640	21.268			
1520-96-3	Perylene-d12	4120	23.505			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

SVOC-SIMGroup1



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Test:

# **Report of Analysis**

Client: JACOBS Engineering Group, Inc. Date Collected: 08/12/25

Project: Former Schlumberger STC PTC Site D3868221 Date Received: 08/12/25

Client Sample ID: MW-06-6.5-081225 SDG No.: Q2842

Lab Sample ID:Q2842-06Matrix:WaterAnalytical Method:SW8270ESIM% Solid:0

uL

Sample Wt/Vol: 970 Units: mL Final Vol: 1000 uL

Extraction Type: Decanted: N Level: LOW

Injection Volume : GPC Factor : 1.0 GPC Cleanup : N PH :

Prep Method:

Soil Aliquot Vol:

 File ID/Qc Batch:
 Dilution:
 Prep Date
 Date Analyzed
 Prep Batch ID

 BN037607.D
 1
 08/18/25 08:41
 08/19/25 14:53
 PB169286

CAS Number	Parameter	Conc.	Qualifier MDL	LOQ / CRQL	Units
TARGETS					
123-91-1	1,4-Dioxane	0.64	0.070	0.21	ug/L
SURROGATES					
7297-45-2	2-Methylnaphthalene-d10	0.26	30 (20) - 150 (139)	66%	SPK: 0.4
93951-69-0	Fluoranthene-d10	0.36	30 (54) - 150 (157)	89%	SPK: 0.4
4165-60-0	Nitrobenzene-d5	0.30	30 (27) - 130 (154)	75%	SPK: 0.4
321-60-8	2-Fluorobiphenyl	0.35	30 (30) - 130 (155)	87%	SPK: 0.4
1718-51-0	Terphenyl-d14	0.43	30 (54) - 130 (175)	108%	SPK: 0.4
INTERNAL STA	NDARDS				
3855-82-1	1,4-Dichlorobenzene-d4	2140	7.717		
1146-65-2	Naphthalene-d8	5180	10.498		
15067-26-2	Acenaphthene-d10	2600	14.345		
1517-22-2	Phenanthrene-d10	5520	17.086		
1719-03-5	Chrysene-d12	4980	21.268		
1520-96-3	Perylene-d12	4420	23.505		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit



# LAB CHRONICLE

OrderID: Q2842

Client: JACOBS Engineering Group, Inc.

Contact: John Ynfante

**OrderDate:** 8/13/2025 8:34:00 AM

**Project:** Former Schlumberger STC PTC Site D3868221

Location: J23,J32,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2842-01	RMW-03B-90.4-08122 5	Water			08/12/25			08/12/25
	J		SVOC-SIMGroup1	8270-Modified		08/18/25	08/19/25	
Q2842-01DL	RMW-03B-90.4-08122 5DL	Water			08/12/25			08/12/25
			SVOC-SIMGroup1	8270-Modified		08/18/25	08/20/25	
Q2842-02	RMW-02B-66.3-08122 5	Water			08/12/25			08/12/25
	_		SVOC-SIMGroup1	8270-Modified		08/18/25	08/19/25	
Q2842-02DL	RMW-02B-66.3-08122 5DL	Water			08/12/25			08/12/25
			SVOC-SIMGroup1	8270-Modified		08/18/25	08/20/25	
Q2842-03	MW-17B-55.5-081225	Water			08/12/25			08/12/25
			SVOC-SIMGroup1	8270-Modified		08/18/25	08/19/25	
Q2842-06	MW-06-6.5-081225	Water			08/12/25			08/12/25
			SVOC-SIMGroup1	8270-Modified		08/18/25	08/19/25	



SDG No.:

Q2842

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

#### **Hit Summary Sheet** SW-846

Q2842 Order ID:

Client:	JACOBS Engineering Group		Project ID	<b>)</b> :	Former Schlumbe	e D386		
Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	MW-17B-55.5-081225							
Q2842-03	MW-17B-55.5-081225	Water	Aluminum	31.8		1.94	20.0	ug/L
Q2842-03	MW-17B-55.5-081225	Water	Antimony	0.22	J	0.11	2.00	ug/L
Q2842-03	MW-17B-55.5-081225	Water	Arsenic	0.63	J	0.089	1.00	ug/L
Q2842-03	MW-17B-55.5-081225	Water	Barium	448		0.21	10.0	ug/L
Q2842-03	MW-17B-55.5-081225	Water	Calcium	29600		45.7	500	ug/L
Q2842-03	MW-17B-55.5-081225	Water	Cobalt	8.23		0.070	1.00	ug/L
Q2842-03	MW-17B-55.5-081225	Water	Iron	7590		7.81	50.0	ug/L
Q2842-03	MW-17B-55.5-081225	Water	Lead	0.61	J	0.21	1.00	ug/L
Q2842-03	MW-17B-55.5-081225	Water	Magnesium	9260		19.5	500	ug/L
Q2842-03	MW-17B-55.5-081225	Water	Manganese	618		0.43	1.00	ug/L
Q2842-03	MW-17B-55.5-081225	Water	Nickel	11.3		0.27	1.00	ug/L
Q2842-03	MW-17B-55.5-081225	Water	Potassium	7950		36.4	500	ug/L
Q2842-03	MW-17B-55.5-081225	Water	Sodium	6170		128	500	ug/L
Q2842-03	MW-17B-55.5-081225	Water	Thallium	0.21	J	0.060	1.00	ug/L
Q2842-03	MW-17B-55.5-081225	Water	Vanadium	0.29	J	0.077	5.00	ug/L
Q2842-03	MW-17B-55.5-081225	Water	Zinc	3.08	J	1.25	5.00	ug/L
Client ID:	MW-17B-55.5-081225							
Q2842-09	MW-17B-55.5-081225	Water	Iron	7020		7.81	50.0	ug/L







C





284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

**Report of Analysis** 

Client: JACOBS Engineering Group, Inc. Date Collected: 08/12/25

Project: Former Schlumberger STC PTC Site D3868221 Date Received: 08/12/25

Client Sample ID: MW-17B-55.5-081225 SDG No.: Q2842

Lab Sample ID: Q2842-03 Matrix: Water

Level (low/med): low % Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	31.8		1	1.94	20.0	ug/L	08/14/25 14:10	08/15/25 15:00	6020B	3010A
7440-36-0	Antimony	0.22	J	1	0.11	2.00	ug/L	08/14/25 14:10	08/15/25 15:00	6020B	3010A
7440-38-2	Arsenic	0.63	J	1	0.089	1.00	ug/L	08/14/25 14:10	08/15/25 15:00	6020B	3010A
7440-39-3	Barium	448		1	0.21	10.0	ug/L	08/14/25 14:10	08/15/25 15:00	6020B	3010A
7440-41-7	Beryllium	0.32	U	1	0.32	1.00	ug/L	08/14/25 14:10	08/15/25 15:00	6020B	3010A
7440-43-9	Cadmium	0.34	U	1	0.34	1.00	ug/L	08/14/25 14:10	08/15/25 15:00	6020B	3010A
7440-70-2	Calcium	29600		1	45.7	500	ug/L	08/14/25 14:10	08/15/25 15:00	6020B	3010A
7440-47-3	Chromium	0.21	U	1	0.21	2.00	ug/L	08/14/25 14:10	08/15/25 15:00	6020B	3010A
7440-48-4	Cobalt	8.23		1	0.070	1.00	ug/L	08/14/25 14:10	08/15/25 15:00	6020B	3010A
7440-50-8	Copper	0.30	U	1	0.30	2.00	ug/L	08/14/25 14:10	08/15/25 15:00	6020B	3010A
7439-89-6	Iron	7590		1	7.81	50.0	ug/L	08/14/25 14:10	08/15/25 15:00	6020B	3010A
7439-92-1	Lead	0.61	J	1	0.21	1.00	ug/L	08/14/25 14:10	08/15/25 15:00	6020B	3010A
7439-95-4	Magnesium	9260		1	19.5	500	ug/L	08/14/25 14:10	08/15/25 15:00	6020B	3010A
7439-96-5	Manganese	618		1	0.43	1.00	ug/L	08/14/25 14:10	08/15/25 15:00	6020B	3010A
7439-97-6	Mercury	0.076	U	1	0.076	0.20	ug/L	08/14/25 10:30	08/15/25 12:43	3 7470A	
7440-02-0	Nickel	11.3		1	0.27	1.00	ug/L	08/14/25 14:10	08/15/25 15:00	6020B	3010A
7440-09-7	Potassium	7950		1	36.4	500	ug/L	08/14/25 14:10	08/15/25 15:00	6020B	3010A
7782-49-2	Selenium	2.90	U	1	2.90	5.00	ug/L	08/14/25 14:10	08/15/25 15:00	6020B	3010A
7440-22-4	Silver	0.060	UN	1	0.060	1.00	ug/L	08/14/25 14:10	08/15/25 15:00	6020B	3010A
7440-23-5	Sodium	6170		1	128	500	ug/L	08/14/25 14:10	08/15/25 15:00	6020B	3010A
7440-28-0	Thallium	0.21	J	1	0.060	1.00	ug/L	08/14/25 14:10	08/15/25 15:00	6020B	3010A
7440-62-2	Vanadium	0.29	J	1	0.077	5.00	ug/L	08/14/25 14:10	08/15/25 15:00	6020B	3010A
7440-66-6	Zinc	3.08	J	1	1.25	5.00	ug/L	08/14/25 14:10	08/15/25 15:00	6020B	3010A

Color Before: Colorless Clarity Before: Clear Texture:

Color After: Colorless Clarity After: Clear Artifacts:

Comments: METALS-TAL

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

# **Report of Analysis**

Client: JACOBS Engineering Group, Inc. Date Collected: 08/12/25 Project: Former Schlumberger STC PTC Site D3868221 Date Received: 08/12/25 Client Sample ID: MW-17B-55.5-081225 SDG No.: Q2842 Lab Sample ID: Q2842-09 Matrix: Water Level (low/med): % Solid: 0 low

Cas	Parameter	Conc.	Qua. DF MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-89-6	Iron	7020	1 7.81	50.0	ug/L	08/14/25 14:10	08/15/25 15:18	6020B	3010A

Color Before: Colorless

Clarity Before:

Texture:

Color After: Colorless

Clarity After:

Clear

Clear

Artifacts:

Comments:

Dissolved Metals Group3

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence

of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



# LAB CHRONICLE

OrderID: Q2842 OrderDate: 8/13/2025 8:34:00 AM

Client: JACOBS Engineering Group, Inc. Project: Former Schlumberger STC PTC Site D3868221

Contact: John Ynfante Location: J23,J32,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2842-03	MW-17B-55.5-081225	Water			08/12/25			08/12/25
			Mercury	7470A		08/14/25	08/15/25	
			Metals ICP-TAL	6020B		08/14/25	08/15/25	
Q2842-09	MW-17B-55.5-081225	Water			08/12/25			08/12/25
			Dissolved ICP-Group2	6020B		08/14/25	08/15/25	









# SAMPLE DATA



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

# **Report of Analysis**

Client: JACOBS Engineering Group, Inc. Date Collected: 08/12/25 12:30

Project: Former Schlumberger STC PTC Site D3868221 Date Received: 08/12/25

Client Sample ID: RMW-03B-90.4-081225 SDG No.: Q2842

Lab Sample ID: Q2842-01 Matrix: WATER

% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	18.7	OR	1	0.19	0.60	mg/L		08/13/25 13:42	9056A
Nitrate	0.095	U	1	0.095	0.50	mg/L		08/13/25 13:42	9056A
Sulfate	2.40	J	1	0.46	3.00	mg/L		08/13/25 13:42	9056A

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

## **Report of Analysis**

Client: JACOBS Engineering Group, Inc. Date Collected: 08/12/25 12:30

Project: Former Schlumberger STC PTC Site D3868221 Date Received: 08/12/25

Client Sample ID: RMW-03B-90.4-081225DL SDG No.: Q2842

Lab Sample ID: Q2842-01DL Matrix: WATER

% Solid: 0

Parameter	Conc. Qua.	DF MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	18.0 D	5 0.95	3.00	mg/L		08/13/25 16:13	9056A

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range



Q2842-03

Lab Sample ID:

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

## **Report of Analysis**

Client: JACOBS Engineering Group, Inc. Date Collected: 08/12/25 11:54

Project: Former Schlumberger STC PTC Site D3868221 Date Received: 08/12/25

Client Sample ID: MW-17B-55.5-081225 SDG No.: Q2842

% Solid: 0

WATER

Matrix:

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Alkalinity	88.2		1	1.00	2.00	mg/L		08/15/25 09:13	SM 2320 B-21
Chloride	20.6	OR	1	0.19	0.60	mg/L		08/13/25 14:25	9056A
Nitrate	0.095	U	1	0.095	0.50	mg/L		08/13/25 14:25	9056A
Sulfate	41.0	OR	1	0.46	3.00	mg/L		08/13/25 14:25	9056A
TDS	197		1	1.00	10.0	mg/L		08/14/25 17:20	SM 2540 C-20

Comments: The alkalinity to pH 4.42=88.2 mg CaCO3/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

# **Report of Analysis**

Client: JACOBS Engineering Group, Inc. Date Collected: 08/12/25 11:54

Project: Former Schlumberger STC PTC Site D3868221 Date Received: 08/12/25

Client Sample ID: MW-17B-55.5-081225DL SDG No.: Q2842

Lab Sample ID: Q2842-03DL Matrix: WATER

% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	19.4	D	5	0.95	3.00	mg/L		08/13/25 16:34	9056A
Sulfate	40.6	D	5	2.30	15.0	mg/L		08/13/25 16:34	9056A

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range





# LAB CHRONICLE

Q2842 OrderID:

JACOBS Engineering Group, Inc. Client:

John Ynfante Contact:

8/13/2025 8:34:00 AM OrderDate:

Former Schlumberger STC PTC Site D3868221 Project:

Location: J23,J32,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2842-01	RMW-03B-90.4-0812 25	WATER			08/12/25 12:30			08/12/25
			Anions Group1	9056A			08/13/25 13:42	
Q2842-01DL	RMW-03B-90.4-0812 25DL	WATER			08/12/25 12:30			08/12/25
			Anions Group1	9056A			08/13/25 16:13	
Q2842-03	MW-17B-55.5-0812 25	WATER			08/12/25 11:54			08/12/25
			Alkalinity	SM2320 B			08/15/25 09:13	
			Anions Group1	9056A			08/13/25 14:25	
			TDS	SM2540 C			08/14/25 17:20	
Q2842-03DL	MW-17B-55.5-0812 25DL	WATER			08/12/25 11:54			08/12/25
	2352		Anions Group1	9056A	11.54		08/13/25 16:34	



# SHIPPING DOCUMENTS



# 284 Sheffield Street, Mountainside, NJ 07092 (908) 789-8900 · Fax (908) 789-8922 www.chemtech.net

QUOTE NO.

COC Number 2015276

TECH	TECHNICAL GROUP						www.cliefilitech.net											2045376				
	CLIENT	INFORM	ATION						CLIENT P	ROJECT IN	NFORM/	ATION						CLIEN	IT BILLI	NG INF	ORMATION	
COMPANY:	Jacobs	TTO BE SI	ENT TO:			PROJECT NAME: STC PTC BILL TO: Men									lery	Myrphy PO#:						
ADDRESS:	412 M+1	Kembl	e Ave	Suite	00_	PROJECT NO.: D386822 LOCATION: Princeton June ADDRESS:												7				
CITY Moss	1stom		STATE: N	5 ZIP:07	1960	PROJECT MANAGER: Mary Marphy CITY													STA	TE:	ZIP:	
ATTENTION:	John Ynfa	aute.	John .	Ynfante D)	Giohs.	e-mail:	Ma	Cy.	Murph	a 5a	cohs	. CON	0		ATTE	NTION:				PHC		
PHONE:		FA			COM	PHONE:			975		AX: ;								ANA	ALYSIS		
	DATA TURNAR			TION				DATA	DELIVE	RABLE IN	IFORM	ATION			25.0		Z .	- 45	Y 2		_	
HARDCOPY (D EDD: *TO BE APPRO	Standa DATA PACKAGE): DVED BY CHEMI ARDCOPY TURN	ГЕСН			DAYS* DAYS* DAYS*	□ Level	l 2 (Re l 3 (Re lw Dat	esults - esults - ta)	+ QC) 🗆 + QC 🚨	Level 4 (Q0 NJ Reduce NYS ASP A Other	d 🗀 US	S EPA CI	P	3	1013 1013 100 4	5	1 6	10303 7	Logs Ship	ol (	ik id hal	, , , , , , , , , , , , , , , , , , ,
							T	IPLE	CAL	MPLE	T o				PRE	SERVA	TIVES				C	OMMENTS
ALLIANCE SAMPLE ID	SA		ROJECT DENTIFIC	CATION		SAMPLE MATRIX		PE		ECTION	# OF BOTTLES	NE	_	B/E	E	E	E	E	A/E		A-HCI B-HN03	ify Preservatives D-NaOH E-ICE
1.	RMW-03	B-90	.4-08	11 101 4		GW	0	7	8/12/25	1230	6		2	3	4	5	6	/	8	9	C-H2SO4	F-OTHER
2.	RM W-D					0			8/12/2		5	V	1					\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \				
3.	MU-178-					GW			8/14%		27	/		/	1		/	1			MS	MSD
4.	M4-06-	6.5-	08122	240		GW		V	8/14/3	1530	2		/									
5.	MW-178-	-55.	5-081	225-51	M	GW		1	8/12/25	1154	3								/			
6.	TB01-6	8172	5			DI		1	8/12/23	-1600	2	1										
7.									l '													
8.							_	_														
9.							_															
10.		SAMPL	E CUSTO	DDY MUST	BE DOCI	JMENTE	) BEI	_OW	EACH TI	ME SAMP	LES C	HANGE	POSS	ESSIO	N INCL	UDING	COUR	IER DE	LIVER	Y		
ELINQUISHED B	20	DATE/T B/IZ/ DATE/T	IME: 70 25 IME:	RECEIVE 2.	D AY:	P	1	70C 2·2	Condition	ons of bottles	or coolers	s at receip	er fo	OMPLIANT	I NON						2.0	°C
ELINQUISHED B	SY SAMPLER:		IME:182 2-25	RECEIVE 3.	D BY:				Page	of		CLIENT	: D	Hand D	elivered	<b>0</b> 0	ther					nt Complete

From: Yazmeen Gomez

Sent: Thursday, August 14, 2025 10:30 AM

To: Ynfante, John; Sohil Jodhani

Cc: Mohammad Ahmed

Subject: RE: [EXTERNAL] Login Summary Details For Project Former Schlumberger STC PTC Site

D3868221-Q2842.

**Attachments:** quant2841.pdf; quant2842.pdf

John,

The lab informed me –

Q2841-42 sample screened with 8260 method as they are usually highly contaminated samples for Trichloroethene

Q2841-01 (MW-06-6.5-08122025) at 200x

Q2842-07(MW-17B-55.5-081225-SIM) 200x

Sample can be analyzed with 8260 under low dilution

Sim analysis is not possible as it may contaminate instrument

Please see attached.

#### Best Regards,



Yazmeen Gomez Sr. Project Manager

**An Alliance Technical Group Company** 

**Main:** 908-789-8900

Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092

www.alliancetg.com in AST AEM AS

From: Ynfante, John < John. Ynfante@jacobs.com> Sent: Wednesday, August 13, 2025 3:23 PM To: Sohil Jodhani <Sohil.Jodhani@alliancetg.com>

Cc: Yazmeen Gomez <Yazmeen.Gomez@AllianceTG.com>; Mohammad Ahmed <mohammad.ahmed@alliancetg.com>;

Nimisha Pandya < Nimisha.Pandya@AllianceTG.com>

Subject: RE: [EXTERNAL] Login Summary Details For Project Former Schlumberger STC PTC Site D3868221-Q2842.

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

#### Thanks Sohil

From: Sohil Jodhani <Sohil.Jodhani@alliancetg.com>

**Sent:** Wednesday, August 13, 2025 1:23 PM **To:** Ynfante, John <John.Ynfante@jacobs.com>

Cc: Yazmeen Gomez < Yazmeen.Gomez@AllianceTG.com >; Mohammad Ahmed < mohammad.ahmed@alliancetg.com >;

Nimisha Pandya < Nimisha.Pandya@AllianceTG.com >

Subject: RE: [EXTERNAL] Login Summary Details For Project Former Schlumberger STC PTC Site D3868221-Q2842.

Hi John,

Sample IDs are updated as per below request. Lab will notify you if in case VOC-SIM (for Vinyl chloride) is not required for the samples based on low level VOA analysis.

#### Thanks & Regards,



There's a better way.

Sohil Jodhani (he/him/his)
QA/QC Director
Alliance Technical Group, LLC-Newark

Main: 908-789-8900 Direct: 908-728-3152

Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092

www.alliancetg.com

From: Mohammad Ahmed <mohammad.ahmed@alliancetg.com>

Sent: Wednesday, August 13, 2025 2:10 PM

**To:** Ynfante, John < <u>John.Ynfante@jacobs.com</u>>; Data-EWR < <u>Data-EWR@alliancetg.com</u>>; Yazmeen Gomez

<yazmeen.gomez@alliancetg.com>

Cc: Sohil Jodhani <Sohil.Jodhani@alliancetg.com>

Subject: Re: [EXTERNAL] Login Summary Details For Project Former Schlumberger STC PTC Site D3868221-Q2842.

Hi John,

yaz is our of the office today, but i will coordinate with lab to make sure we communicate with you and run these analysis accordingly



There's a better way.

**Mohammad Ahmed** 

Laboratory Director
An Alliance Technical Group Company
Main: 908-789-8900

**Direct:** 908-789-8900

Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092

www.alliancetg.com

9.2

From: Ynfante, John < <u>John.Ynfante@jacobs.com</u>>

Sent: Wednesday, August 13, 2025 2:01 PM

**To:** Data-EWR < <u>Data-EWR@alliancetg.com</u>>; Yazmeen Gomez < <u>yazmeen.gomez@alliancetg.com</u>>

Subject: RE: [EXTERNAL] Login Summary Details For Project Former Schlumberger STC PTC Site D3868221-Q2842.

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

**Secured by Check Point** 

#### Yazmeen,

A couple of comments on this Princeton login for Q2842:

- 1. I assume your SFAM-SIM method for VOCs can still only report vinyl chloride out of our project list of VOCs if that is the case then note that sample Q2842-07 (MW-17B-55.5-081225-SIM) and any other SFAM-SIM samples only need to be analyzed if their corresponding 8260D-Low analysis shows the vinyl chloride to be non-detect and of course if the lab is able to analyze them by SIM. I know up to this point the lab has said the concentrations have been too high in the SIM samples to even run the SFAM-SIM on so let me know how it looks on those after your analysts run the regular VOCs run on them.
- 2. The date part of the sample IDs should have used a MMDDYY format, not MMDDYYYY as is listed on the chain. Please change the "2025" bit to just "25" on all these sample IDs. For example, "RMW-03B-90.4-08122025" should be changed to "RMW-03B-90.4-081225", etc.

#### Thanks

• John Y.

From: Data-EWR@alliancetg.com < Data-EWR@alliancetg.com >


Sent: Wednesday, August 13, 2025 9:38 AM

To: Ongjoco, Alec <<u>Alec.Ongjoco@jacobs.com</u>>; Dillon, Alexa <<u>Alexa.Dillon@jacobs.com</u>>; Lader, Chelsea

- <Chelsea.Lader@jacobs.com>; Holmes, Daniel <Daniel.Holmes@jacobs.com>; Reamer, David
- <David.Reamer@jacobs.com>; Ynfante, John <John.Ynfante@jacobs.com>; Murphy, Mary
- <Mary.Murphy@jacobs.com>; Warren, Melissa <Melissa.Warren@jacobs.com>; Asher, Sarah
- <Sarah.Asher@jacobs.com>

Cc: yazmeen.gomez@alliancetg.com

Subject: [EXTERNAL] Login Summary Details For Project Former Schlumberger STC PTC Site D3868221-Q2842.



To John Ynfante;

Please see the attached Login Summary for the following project, or download the file using your login credentials from the link below.

Order ID : Q2842

Project ID : Former Schlumberger STC PTC Site D3868221

**Download File** : <a href="https://chemtech.net/secureLogin.aspx">https://chemtech.net/secureLogin.aspx</a>

Order Date : 8/13/2025 8:34:00 AM

Alliance's Project Manager: YAZMEEN GOMEZ, <a href="mailto:yazmeen.gomez@alliancetg.com">yazmeen.gomez@alliancetg.com</a>, <a href="mailto:908-728-3147">908-728-3147</a>

Alliance's Sales Executive : Jordan Hedvat , jordan.hedvat@alliancetg.com , 908-728-3144

Thank you for the opportunity to provide you with our services. For any questions please feel free to contact your project manager.

Click Here for our short online customer Survey http://chemtech.net/ClientSurvey.aspx .

#### Thank you,

#### Alliance Technical Group LLC.

Notice: The information transmitted in this e-mail message and in any attachments is intended Solely for the attention of the named addressee(s) and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon, this information by persons or entities other than the intended recipient is strictly prohibited and may be unlawful. If you have received this transmission in error, please notify us immediately by return e-mail, and permanently delete this transmission, including attachments if any, from any computer.

NOTICE - This communication may contain confidential and privileged information that is for the sole use of the intended recipient. Any viewing, copying or distribution of, or reliance on this message by unintended recipients is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.

NOTICE - This communication may contain confidential and privileged information that is for the sole use of the intended recipient. Any viewing, copying or distribution of, or reliance on this message by unintended recipients is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.





# Laboratory Certification

Certified By	License No.
Connections	DI 1020
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,

Fax: 908 789 8922

### LOGIN REPORT/SAMPLE TRANSFER

Order ID: Q2842

JACO05

Order Date: 8/13/2025 8:34:00 AM

Project Mgr: Deepak

Client Name: JACOBS Engineering Grou

Project Name: Former Schlumberger STC

Report Type: Level 34

Client Contact: John Ynfante

Receive DateTime: 8/12/2025 6:22:00 PM

EDD Type: CH2MHILL

Invoice Name: JACOBS Engineering Grou

Purchase Order:

Hard Copy Date:

Invoice Contact: John Ynfante

Date Signoff: 8/13/2025 10:38:03 AM

LAB ID	CLIENT ID	MATRIX SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	1	FAX DATE	DUE DATES
Q2842-01	RMW-03B-90.4-081225	Water 08/12/202	5 12:30						
				VOCMS Group3		8260-Low	10 Bus. Days		
Q2842-02	RMW-02B-66.3-081225	Water 08/12/202	5 15:30						
				VOCMS Group3		8260-Low	10 Bus. Days		
Q2842-03	MW-17B-55.5-081225	Water 08/12/202	5 11:54						
00040.04	00040 00140			VOCMS Group3		8260-Low	10 Bus. Days		
Q2842-04	Q2842-03MS	Water 08/12/202	5 11:54	VOONO 0					
Q2842-05	Q2842-03MSD	Water 08/12/202	5 11:54	VOCMS Group3		8260-Low	10 Bus. Days		
	410.12 00.1102	***************************************	0 11.01	VOCMS Group3		8260-Low	10 Bus. Days		
Q2842-08	TB01-081225	Water 08/12/202	5 16:00			0200-20W	10 Dus. Days		
				VOCMS Group3		8260-Low	10 Bus. Days		



284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

#### LOGIN REPORT/SAMPLE TRANSFER

Order ID: Q2842

JACO05

Order Date: 8/13/2025 8:34:00 AM

Project Mgr: Deepak

Client Name: JACOBS Engineering Grou

Project Name: Former Schlumberger STC

Report Type: Level 3 4

Client Contact: John Ynfante

Receive DateTime: 8/12/2025 6:22:00 PM

EDD Type: CH2MHILL

Invoice Name: JACOBS Engineering Grou

Purchase Order:

Hard Copy Date:

Date Signoff: 8/13/2025 10:38:03 AM

LAB ID

**CLIENT ID** 

Invoice Contact: John Ynfante

TEST

**TEST GROUP** 

**METHOD** 

**FAX DATE** 

DUE

MATRIX SAMPLE SAMPLE DATE TIME DATES

Relinguished By:

Date / Time:

Received By:

Date / Time:

Storage Area: VOA Refridgerator Room