

## LAB CHRONICLE

|                 |                                  |                   |                                  |
|-----------------|----------------------------------|-------------------|----------------------------------|
| <b>OrderID:</b> | Q2862                            | <b>OrderDate:</b> | 8/13/2025 4:41:00 PM             |
| <b>Client:</b>  | Parkway Generation Operating LLC | <b>Project:</b>   | Linden Generating Station - LRSA |
| <b>Contact:</b> | Guy R. Rivera                    | <b>Location:</b>  | J41                              |

| LabID    | ClientID | Matrix | Test     | Method     | Sample Date       | Prep Date | Anal Date         | Received |
|----------|----------|--------|----------|------------|-------------------|-----------|-------------------|----------|
| Q2862-01 | DSN002   | Water  |          |            | 08/13/25<br>09:20 |           |                   | 08/13/25 |
|          |          |        | COD      | SM5220 D   |                   |           | 08/15/25<br>11:03 |          |
|          |          |        | TSS      | SM2540 D   |                   |           | 08/15/25<br>10:00 |          |
|          |          |        | BOD5     | SM5210 B   |                   |           | 08/14/25<br>09:50 |          |
| Q2862-02 | DSN002   | WATER  |          |            | 08/13/25<br>09:28 |           |                   | 08/13/25 |
|          |          |        | Field pH | SM4500-H B |                   |           | 08/13/25<br>09:34 |          |
| Q2862-03 | DSN001   | WATER  |          |            | 08/13/25<br>09:40 |           |                   | 08/13/25 |
|          |          |        | BOD5     | SM5210 B   |                   |           | 08/14/25<br>09:50 |          |
|          |          |        | COD      | SM5220 D   |                   |           | 08/15/25<br>11:04 |          |
|          |          |        | TSS      | SM2540 D   |                   |           | 08/15/25<br>10:00 |          |
| Q2862-04 | DSN001   | Water  |          |            | 08/13/25<br>09:54 |           |                   | 08/13/25 |
|          |          |        | COD      | SM5220 D   |                   |           | 08/15/25<br>11:04 |          |
|          |          |        | Field pH | SM4500-H B |                   |           | 08/13/25<br>09:57 |          |
| Q2862-05 | DSN003   | WATER  |          |            | 08/13/25<br>13:56 |           |                   | 08/13/25 |

**LAB CHRONICLE**

|      |          |                   |
|------|----------|-------------------|
| BOD5 | SM5210 B | 08/14/25<br>09:50 |
| COD  | SM5220 D | 08/15/25<br>11:05 |
| TSS  | SM2540 D | 08/15/25<br>10:00 |

**Q2862-06**

**DSN003**

**WATER**

**08/13/25  
14:00**

**08/13/25**

|          |            |                   |
|----------|------------|-------------------|
| Field pH | SM4500-H B | 08/13/25<br>14:02 |
|----------|------------|-------------------|

---