

DATA PACKAGE GENERAL CHEMISTRY

PROJECT NAME : RAYMARK SUPERFUND SITE

NOBIS GROUP

585 Middlesex Street

Lowell, MA - 01851

Phone No: 978-683-0891

ORDER ID : Q2879

ATTENTION : Adam Roy



Laboratory Certification ID # 20012



1) GENERAL CHEMISTRY DATA	2
2) Signature Page	4
3) Case Narrative	5
4) Qualifier Page	6
5) Conformance/Non Conformance	7
6) QA Checklist	8
7) Chronicle	9
8) Sample Data	11
8.1) OU4-TS-GRILLO-TSCP03-081425	12
8.2) OU4-TS-GRILLO-TSCP04-081425	13
8.3) OU4-TS-GRILLO-TSCP05-081425	14
8.4) OU4-TS-GRILLO-TSCP06-081425	15
8.5) OU4-TS-GRILLO-TSCP07-081425	16
8.6) OU4-TS-GRILLO-TSCP08-081425	17
8.7) OU4-TS-GRILLO-TSCP09-081425	18
8.8) OU4-TS-GRILLO-TSCP10-081425	19
8.9) OU4-TS-GRILLO-TSCP11-081425	20
9) QC Data Summary For Genchem	21
9.1) Initial and Continuing Calibration Verification	22
9.2) Initial and Continuing Calibration Blank Summary	23
9.3) Preparation Blank Summary	24
9.4) Matrix Spike Summary	25
9.5) Duplicate Sample Summary	27
9.6) Laboratory Control Sample Summary	29
10) GENCHEM RAW DATA	30
10.1) GENCHEM RAW DATA - ANALYTICAL	31
10.1.1) LB136877	31
10.2) GENCHEM RAW DATA - PREP	34
10.2.1) PB169307	34
11) Analytical Runlogs	38
12) Standard Prep Logs	41
13) Percent Solid	70
14) Shipping Document	73
14.1) Chain Of Custody	74
14.2) Lab Certificate	75

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Cover Page

Order ID : Q2879

Project ID : Raymark Superfund Site

Client : Nobis Group

Lab Sample Number

Q2879-01
Q2879-02
Q2879-03
Q2879-04
Q2879-05
Q2879-06
Q2879-07
Q2879-08
Q2879-09
Q2879-10
Q2879-11
Q2879-12
Q2879-13
Q2879-14
Q2879-15
Q2879-16
Q2879-17
Q2879-18

Client Sample Number

OU4-TS-GRILLO-TSCP03-081425
OU4-TS-GRILLO-TSCP03-081425
OU4-TS-GRILLO-TSCP04-081425
OU4-TS-GRILLO-TSCP04-081425
OU4-TS-GRILLO-TSCP05-081425
OU4-TS-GRILLO-TSCP05-081425
OU4-TS-GRILLO-TSCP06-081425
OU4-TS-GRILLO-TSCP06-081425
OU4-TS-GRILLO-TSCP07-081425
OU4-TS-GRILLO-TSCP07-081425
OU4-TS-GRILLO-TSCP08-081425
OU4-TS-GRILLO-TSCP08-081425
OU4-TS-GRILLO-TSCP09-081425
OU4-TS-GRILLO-TSCP09-081425
OU4-TS-GRILLO-TSCP10-081425
OU4-TS-GRILLO-TSCP10-081425
OU4-TS-GRILLO-TSCP11-081425
OU4-TS-GRILLO-TSCP11-081425

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 1:52 pm, Aug 28, 2025

Date: 8/21/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Nobis Group

Project Name: Raymark Superfund Site

Project # N/A

Order ID # Q2879

Test Name: Cyanide

A. Number of Samples and Date of Receipt:

9 Solid samples were received on 08/15/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Cyanide. This data package contains results for Cyanide.

C. Analytical Techniques:

The analysis of Cyanide was based on method 9012B.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all compounds.

The Duplicate analysis met criteria for all compounds.

The Matrix Spike analysis met criteria for all compounds.

The Matrix Spike Duplicate analysis met criteria for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

Signature _____

By Nimisha Pandya, QA/QC Supervisor at 1:53 pm, Aug 28, 2025

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

GENERAL CHEMISTRY CONFORMANCE/NON-CONFORMANCE SUMMARY

ORDER ID: Q2879

MATRIX: Solid

METHOD: 9012B

	NA	NO	YES
1. Blank Contamination - If yes, list compounds and concentrations in each blank:		✓	
2. Matrix Spike Duplicate Recoveries Met Criteria			✓
If not met, list those compounds and their recoveries which fall outside the acceptable range.			
The Blank Spike met requirements for all compounds.			
3. Sample Duplicate Analysis Met QC Criteria			✓
If not met, list those compounds and their recoveries which fall outside the acceptable range.			
4. Digestion Holding Time Met			✓
If not met, list number of days exceeded for each sample:			

ADDITIONAL COMMENTS:

QA REVIEW

REVIEWED

Sohil Jodhani, QA/QC Director , 8/28/2025, 11:16:22 AM

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q2879

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 08/21/2025

LAB CHRONICLE

OrderID:	Q2879	OrderDate:	8/15/2025 9:15:00 AM
Client:	Nobis Group	Project:	Raymark Superfund Site
Contact:	Adam Roy	Location:	J23,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2879-01	OU4-TS-GRILLO-TSCP 03-081425	SOIL			08/14/25 11:30			08/15/25
			Cyanide	9012B		08/19/25	08/19/25 12:15	
Q2879-03	OU4-TS-GRILLO-TSCP 04-081425	SOIL			08/14/25 11:35			08/15/25
			Cyanide	9012B		08/19/25	08/19/25 12:15	
Q2879-05	OU4-TS-GRILLO-TSCP 05-081425	SOIL			08/14/25 11:40			08/15/25
			Cyanide	9012B		08/19/25	08/19/25 12:15	
Q2879-07	OU4-TS-GRILLO-TSCP 06-081425	SOIL			08/14/25 11:45			08/15/25
			Cyanide	9012B		08/19/25	08/19/25 12:15	
Q2879-09	OU4-TS-GRILLO-TSCP 07-081425	SOIL			08/14/25 11:50			08/15/25
			Cyanide	9012B		08/19/25	08/19/25 12:22	
Q2879-11	OU4-TS-GRILLO-TSCP 08-081425	SOIL			08/14/25 11:55			08/15/25
			Cyanide	9012B		08/19/25	08/19/25 12:22	
Q2879-13	OU4-TS-GRILLO-TSCP 09-081425	SOIL			08/14/25 12:00			08/15/25
			Cyanide	9012B		08/19/25	08/19/25 12:23	

LAB CHRONICLE

Q2879-15	OU4-TS-GRILLO-TSCP 10-081425	SOIL	08/14/25 12:05				08/15/25
			Cyanide	9012B	08/19/25	08/19/25 12:23	
Q2879-17	OU4-TS-GRILLO-TSCP 11-081425	SOIL	08/14/25 12:10				08/15/25
			Cyanide	9012B	08/19/25	08/19/25 12:30	



SAMPLE DATA

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Report of Analysis

Client:	Nobis Group	Date Collected:	08/14/25 11:30
Project:	Raymark Superfund Site	Date Received:	08/15/25
Client Sample ID:	OU4-TS-GRILLO-TSCP03-081425	SDG No.:	Q2879
Lab Sample ID:	Q2879-01	Matrix:	SOIL
		% Solid:	89.1

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.16	J	1	0.045	0.22	0.27	mg/Kg	08/19/25 08:00	08/19/25 12:15	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	08/14/25 11:35
Project:	Raymark Superfund Site	Date Received:	08/15/25
Client Sample ID:	OU4-TS-GRILLO-TSCP04-081425	SDG No.:	Q2879
Lab Sample ID:	Q2879-03	Matrix:	SOIL
		% Solid:	87.1

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.16	J	1	0.048	0.23	0.28	mg/Kg	08/19/25 08:00	08/19/25 12:15	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	08/14/25 11:40
Project:	Raymark Superfund Site	Date Received:	08/15/25
Client Sample ID:	OU4-TS-GRILLO-TSCP05-081425	SDG No.:	Q2879
Lab Sample ID:	Q2879-05	Matrix:	SOIL
		% Solid:	93.1

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.16	J	1	0.043	0.21	0.26	mg/Kg	08/19/25 08:00	08/19/25 12:15	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	08/14/25 11:45
Project:	Raymark Superfund Site	Date Received:	08/15/25
Client Sample ID:	OU4-TS-GRILLO-TSCP06-081425	SDG No.:	Q2879
Lab Sample ID:	Q2879-07	Matrix:	SOIL
		% Solid:	90.8

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.081	J	1	0.044	0.21	0.26	mg/Kg	08/19/25 08:00	08/19/25 12:15	9012B

Comments: _____

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	08/14/25 11:50
Project:	Raymark Superfund Site	Date Received:	08/15/25
Client Sample ID:	OU4-TS-GRILLO-TSCP07-081425	SDG No.:	Q2879
Lab Sample ID:	Q2879-09	Matrix:	SOIL
		% Solid:	93.5

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.13	J	1	0.044	0.21	0.26	mg/Kg	08/19/25 08:00	08/19/25 12:22	9012B

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	08/14/25 11:55
Project:	Raymark Superfund Site	Date Received:	08/15/25
Client Sample ID:	OU4-TS-GRILLO-TSCP08-081425	SDG No.:	Q2879
Lab Sample ID:	Q2879-11	Matrix:	SOIL
		% Solid:	91.3

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.20	J	1	0.046	0.22	0.27	mg/Kg	08/19/25 08:00	08/19/25 12:22	9012B

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	08/14/25 12:00
Project:	Raymark Superfund Site	Date Received:	08/15/25
Client Sample ID:	OU4-TS-GRILLO-TSCP09-081425	SDG No.:	Q2879
Lab Sample ID:	Q2879-13	Matrix:	SOIL
		% Solid:	92.8

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.13	J	1	0.044	0.21	0.26	mg/Kg	08/19/25 08:00	08/19/25 12:23	9012B

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	08/14/25 12:05
Project:	Raymark Superfund Site	Date Received:	08/15/25
Client Sample ID:	OU4-TS-GRILLO-TSCP10-081425	SDG No.:	Q2879
Lab Sample ID:	Q2879-15	Matrix:	SOIL
		% Solid:	91.3

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.15	J	1	0.045	0.21	0.27	mg/Kg	08/19/25 08:00	08/19/25 12:23	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	08/14/25 12:10
Project:	Raymark Superfund Site	Date Received:	08/15/25
Client Sample ID:	OU4-TS-GRILLO-TSCP11-081425	SDG No.:	Q2879
Lab Sample ID:	Q2879-17	Matrix:	SOIL
		% Solid:	77

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.15	J	1	0.053	0.25	0.32	mg/Kg	08/19/25 08:00	08/19/25 12:30	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits



QC RESULT SUMMARY

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Initial and Continuing Calibration Verification

Client: Nobis Group

SDG No.: Q2879

Project: Raymark Superfund Site

RunNo.: LB136877

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID: ICV1 Cyanide	mg/L	0.096	0.099	97	90-110	08/19/2025
Sample ID: CCV1 Cyanide	mg/L	0.24	0.25	96	90-110	08/19/2025
Sample ID: CCV2 Cyanide	mg/L	0.25	0.25	100	90-110	08/19/2025
Sample ID: CCV3 Cyanide	mg/L	0.24	0.25	96	90-110	08/19/2025
Sample ID: CCV4 Cyanide	mg/L	0.25	0.25	100	90-110	08/19/2025

Initial and Continuing Calibration Blank Summary

Client: Nobis Group

SDG No.: Q2879

Project: Raymark Superfund Site

RunNo.: LB136877

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: ICB1 Cyanide	mg/L	< 0.0025	0.0025	U	0.00096	0.005	08/19/2025
Sample ID: CCB1 Cyanide	mg/L	< 0.0025	0.0025	U	0.00096	0.005	08/19/2025
Sample ID: CCB2 Cyanide	mg/L	< 0.0025	0.0025	U	0.00096	0.005	08/19/2025
Sample ID: CCB3 Cyanide	mg/L	< 0.0025	0.0025	U	0.00096	0.005	08/19/2025
Sample ID: CCB4 Cyanide	mg/L	< 0.0025	0.0025	U	0.00096	0.005	08/19/2025

Preparation Blank Summary

Client: Nobis Group

SDG No.: Q2879

Project: Raymark Superfund Site

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: Cyanide	PB169307BL mg/Kg	< 0.1250	0.1250	U	0.042	0.25	08/19/2025

Matrix Spike Summary

Client:	Nobis Group	SDG No.:	Q2879
Project:	Raymark Superfund Site	Sample ID:	Q2879-17
Client ID:	OU4-TS-GRILLO-TSCP11-081425MS	Percent Solids for Spike Sample:	77

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Cyanide	mg/Kg	75-125	2.20		0.15	J	2.5	1	82		08/19/2025

Matrix Spike Summary

Client:	Nobis Group	SDG No.:	Q2879
Project:	Raymark Superfund Site	Sample ID:	Q2879-17
Client ID:	OU4-TS-GRILLO-TSCP11-081425MSD	Percent Solids for Spike Sample:	77

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Cyanide	mg/Kg	75-125	2.40		0.15	J	2.6	1	87		08/19/2025

Duplicate Sample Summary

Client:	Nobis Group	SDG No.:	Q2879
Project:	Raymark Superfund Site	Sample ID:	Q2879-17
Client ID:	OU4-TS-GRILLO-TSCP11-081425DUP	Percent Solids for Spike Sample:	77

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
Cyanide	mg/Kg	+/-20	0.15	J	0.16	J	1	6		08/19/2025

Duplicate Sample Summary

Client: Nobis Group	SDG No.: Q2879
Project: Raymark Superfund Site	Sample ID: Q2879-17
Client ID: OU4-TS-GRILLO-TSCP11-081425MSD	Percent Solids for Spike Sample: 77

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
Cyanide	mg/Kg	+/-20	2.20		2.40		1	9		08/19/2025

Laboratory Control Sample Summary

Client:	Nobis Group	SDG No.:	Q2879
Project:	Raymark Superfund Site	Run No.:	LB136877

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	PB169307BS							
Cyanide	mg/Kg	5	4.80		96	1	85-115	08/19/2025



RAW DATA

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

LB1368

Test results

Aquakem 7.2AQ1

Page:

Alliance Technical Group
284 Sheffield Street, Mountainside, NJ 07092Reviewed by : RM

Instrument ID : Konelab

8/19/2025 12:51

Test: Total CN

Sample Id	Result	Dil. 1 +	Response	Errors
ICV1	96.491	0.0	0.080	
ICB1	0.887	0.0	0.001	
CCV1	244.715	0.0	0.201	
CCB1	0.776	0.0	0.001	
PB169307BL	0.708	0.0	0.001	
PB169307BS	96.301	0.0	0.079	
LOWPB169307	10.234	0.0	0.009	
HIGHPB169307	475.999	0.0	0.392	
Q2879-01	3.000	0.0	0.003	
Q2879-03	2.806	0.0	0.002	
Q2879-05	3.016	0.0	0.003	
Q2879-07	1.522	0.0	0.001	
Q2879-09	2.423	0.0	0.002	
Q2879-11	3.650	0.0	0.003	
CCV2	245.075	0.0	0.202	
CCB2	0.925	0.0	0.001	
Q2879-13	2.401	0.0	0.002	
Q2879-15	2.845	0.0	0.003	
Q2879-17	2.410	0.0	0.002	
Q2879-17DUP	2.468	0.0	0.002	
Q2879-17MS	35.979	0.0	0.030	
Q2879-17MSD	37.174	0.0	0.031	
Q2892-02	2.280	0.0	0.002	
Q2892-04	2.672	0.0	0.002	
Q2892-06	2.048	0.0	0.002	
Q2892-08	1.863	0.0	0.002	
CCV3	242.557	0.0	0.200	
CCB3	0.806	0.0	0.001	
Q2892-10	0.739	0.0	0.001	
Q2892-12	0.931	0.0	0.001	
CCV4	248.459	0.0	0.204	
CCB4	0.800	0.0	0.001	

102% (90-110)

95% (90-110) 08/19/2025
RM

N	32
Mean	55.467
SD	112.1778
CV%	202.24

Aquakem v. 7.2AQ1

Results from time period:

Tue Aug 19 10:02:27 2025

Tue Aug 19 12:51:23 2025

Sample Id	Sam/Ctr/c/	Test short r	Test type	Result	Result unit	Result date and time	Stat
0.0PPBCN	A	Total CN	P	0.445	µg/l	8/19/2025 10:19:15	
5.0PPBCN	A	Total CN	P	5.7209	µg/l	8/19/2025 10:19:16	
10PPBCN	A	Total CN	P	10.6149	µg/l	8/19/2025 10:19:17	
50PPBCN	A	Total CN	P	48.7733	µg/l	8/19/2025 10:19:18	
100PPBCN	A	Total CN	P	99.9029	µg/l	8/19/2025 10:19:19	
250PPBCN	A	Total CN	P	248.841	µg/l	8/19/2025 10:19:20	
500PPBCN	A	Total CN	P	500.7021	µg/l	8/19/2025 10:19:21	
ICV1	S	Total CN	P	96.4915	µg/l	8/19/2025 12:07:42	
ICB1	S	Total CN	P	0.8866	µg/l	8/19/2025 12:07:44	
CCV1	S	Total CN	P	244.7146	µg/l	8/19/2025 12:07:46	
CCB1	S	Total CN	P	0.7756	µg/l	8/19/2025 12:07:49	
PB169307BL	S	Total CN	P	0.7081	µg/l	8/19/2025 12:07:50	
PB169307BS	S	Total CN	P	96.3011	µg/l	8/19/2025 12:15:17	
LOWPB169307	S	Total CN	P	10.2344	µg/l	8/19/2025 12:15:20	
HIGHPB169307	S	Total CN	P	475.9987	µg/l	8/19/2025 12:15:23	
Q2879-01	S	Total CN	P	3	µg/l	8/19/2025 12:15:24	
Q2879-03	S	Total CN	P	2.8063	µg/l	8/19/2025 12:15:25	
Q2879-05	S	Total CN	P	3.0158	µg/l	8/19/2025 12:15:26	
Q2879-07	S	Total CN	P	1.5218	µg/l	8/19/2025 12:15:27	
Q2879-09	S	Total CN	P	2.4225	µg/l	8/19/2025 12:22:52	
Q2879-11	S	Total CN	P	3.6496	µg/l	8/19/2025 12:22:53	
CCV2	S	Total CN	P	245.075	µg/l	8/19/2025 12:22:58	
CCB2	S	Total CN	P	0.9255	µg/l	8/19/2025 12:23:00	
Q2879-13	S	Total CN	P	2.4006	µg/l	8/19/2025 12:23:01	
Q2879-15	S	Total CN	P	2.845	µg/l	8/19/2025 12:23:02	
Q2879-17	S	Total CN	P	2.41	µg/l	8/19/2025 12:30:28	
Q2879-17DUP	S	Total CN	P	2.4676	µg/l	8/19/2025 12:30:29	
Q2879-17MS	S	Total CN	P	35.9795	µg/l	8/19/2025 12:30:33	
Q2879-17MSD	S	Total CN	P	37.1739	µg/l	8/19/2025 12:30:34	
Q2892-02	S	Total CN	P	2.2798	µg/l	8/19/2025 12:30:35	
Q2892-04	S	Total CN	P	2.6716	µg/l	8/19/2025 12:30:36	
Q2892-06	S	Total CN	P	2.0483	µg/l	8/19/2025 12:30:37	
Q2892-08	S	Total CN	P	1.863	µg/l	8/19/2025 12:38:01	
CCV3	S	Total CN	P	242.5572	µg/l	8/19/2025 12:38:04	
CCB3	S	Total CN	P	0.8056	µg/l	8/19/2025 12:38:07	
Q2892-10	S	Total CN	P	0.7385	µg/l	8/19/2025 12:38:08	
Q2892-12	S	Total CN	P	0.9307	µg/l	8/19/2025 12:38:09	
CCV4	S	Total CN	P	248.4586	µg/l	8/19/2025 12:51:21	
CCB4	S	Total CN	P	0.7999	µg/l	8/19/2025 12:51:23	

=====
Calibration results Aquakem 7.2AQ1 Page: 1

Alliance Technical Group
284 Sheffield Street, Mountainside, NJ 07092

8/19/2025 10:34 Reviewed by : RM Instrument ID : Konelab


Test Total CN

Accepted 8/19/2025 10:34

Factor 1216
Bias 0

Coeff. of det. 0.999978

Errors



	Calibrator	Response	Calc. con.	Conc.	Errors
1	0.0PPBCN	0.001	0.4450	0.0000	-
2	5.0PPBCN	0.005	5.7209	5.0000	14.4
3	10PPBCN	0.009	10.6149	10.0000	6.1
4	50PPBCN	0.040	48.7733	50.0000	-2.5
5	100PPBCN	0.082	99.9029	100.0000	-0.1
6	250PPBCN	0.205	248.8410	250.0000	-0.5
7	500PPBCN	0.412	500.7021	500.0000	0.1

08/19/2025
RM

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-21

SDG No : N/A

Start Digest Date: 08/19/2025 Time : 08:00 Temp : 123 °C

Matrix : SOIL

End Digest Date: 08/19/2025 Time : 09:30 Temp : 126 °C

Pipette ID : WC

TI held 08/19/2025 10:00 124.2 } 126.2
08/19/2025 11:30

Balance ID : WC SC-7

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : WC CYANIDE

Block ID : MC-1,MC-2

Filter paper ID : N/A

Prep Technician Signature: *RB*

Weigh By : JP

pH Meter ID : N/A

Supervisor Signature: *RM*

Standard Name	MLS USED	STD REF. # FROM LOG
LCSS	1.0ML	WP113838
MS/MSD SPIKE SOL.	0.40ML	WP113837
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP113836
50% v/v H2SO4	5.0ML	WP112826
51% w/v MgCL2	2.0ML	WP112827
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Wt(g)/Vol(ml)	Comment
S0	S0	N/A	N/A
S5.0	S5.0	N/A	N/A
S10.0	S10.0	N/A	N/A
S100.0	S100.0	N/A	N/A
S250.0	S250.0	N/A	N/A
S500.0	S500.0	N/A	N/A
ICV	ICV	0.5ML	W3012
ICB	ICB	N/A	N/A
CCV	CCV	N/A	N/A
CCB	CCB	N/A	N/A
Midrange	Midrange	N/A	N/A
HIGHSTD	HIGHSTD	5.0ML	WP113837
LOWSTD	LOWSTD	0.1ML	WP113837

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
08/19/2025 11:40	<i>TR</i> <i>1WE</i>	<i>RM</i> <i>(WC)</i>
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB169307BL	PBS307	1.00	50	N/A	N/A	N/A	N/A	N/A	N/A
PB169307BS	LCS307	1.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2879-01	OU4-TS-GRILLO-TSCP03-081 425	1.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2879-03	OU4-TS-GRILLO-TSCP04-081 425	1.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2879-05	OU4-TS-GRILLO-TSCP05-081 425	1.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2879-07	OU4-TS-GRILLO-TSCP06-081 425	1.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2879-09	OU4-TS-GRILLO-TSCP07-081 425	1.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2879-11	OU4-TS-GRILLO-TSCP08-081 425	1.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2879-13	OU4-TS-GRILLO-TSCP09-081 425	1.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2879-15	OU4-TS-GRILLO-TSCP10-081 425	1.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2879-17	OU4-TS-GRILLO-TSCP11-081 425	1.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2879-17DUP	OU4-TS-GRILLO-TSCP11-081 425DUP	1.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2879-17MS	OU4-TS-GRILLO-TSCP11-081 425MS	1.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2879-17MSD	OU4-TS-GRILLO-TSCP11-081 425MSD	1.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2892-02	1-FLOOR-NORTH-EAST-CONR NER-BACK-A	1.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2892-04	1-FLOOR-DRILL-B-BACK	1.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2892-06	BACK-1-FLOOR-CENTER-MID DLE-C	1.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2892-08	3-FLOOR-NORTH-D	1.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2892-10	3-FLOOR-SOUTH-E	1.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2892-12	FRONT-1-FLOOR-F	1.04	50	N/A	N/A	N/A	N/A	N/A	N/A

WORKLIST(Hardcopy Internal Chain)

WorkList Name : CN Q2879 WorkList ID : 191307 Department : Distillation Date : 08-15-2025 13:39:07

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2879-01	OU4-TS-GRILLO-TSCP03-0814	Solid	Cyanide	Cool 4 deg C	NOBI03	J23	08/14/2025	9012B
Q2879-03	OU4-TS-GRILLO-TSCP04-0814	Solid	Cyanide	Cool 4 deg C	NOBI03	J23	08/14/2025	9012B
Q2879-05	OU4-TS-GRILLO-TSCP05-0814	Solid	Cyanide	Cool 4 deg C	NOBI03	J23	08/14/2025	9012B
Q2879-07	OU4-TS-GRILLO-TSCP06-0814	Solid	Cyanide	Cool 4 deg C	NOBI03	J23	08/14/2025	9012B
Q2879-09	OU4-TS-GRILLO-TSCP07-0814	Solid	Cyanide	Cool 4 deg C	NOBI03	J23	08/14/2025	9012B
Q2879-11	OU4-TS-GRILLO-TSCP08-0814	Solid	Cyanide	Cool 4 deg C	NOBI03	J23	08/14/2025	9012B
Q2879-13	OU4-TS-GRILLO-TSCP09-0814	Solid	Cyanide	Cool 4 deg C	NOBI03	J23	08/14/2025	9012B
Q2879-15	OU4-TS-GRILLO-TSCP10-0814	Solid	Cyanide	Cool 4 deg C	NOBI03	J23	08/14/2025	9012B
Q2879-17	OU4-TS-GRILLO-TSCP11-0814	Solid	Cyanide	Cool 4 deg C	NOBI03	J23	08/14/2025	9012B

Date/Time 08/19/2025 07:30
 Raw Sample Received by: [Signature]
 Raw Sample Relinquished by: [Signature]

Date/Time 08/19/2025 10:20
 Raw Sample Received by: [Signature]
 Raw Sample Relinquished by: [Signature]

WORKLIST(Hardcopy Internal Chain)

WorkList Name : CN Q2892

WorkList ID : 191312

Department : Distillation

Date : 08-18-2025 07:38:55

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2892-02	1ST-FLOOR-NORTH-EAST-CC	Solid	Cyanide	Cool 4 deg C	BAPS03	D31	08/15/2025	9012B
Q2892-04	1ST-FLOOR-DRILL-B-BACK	Solid	Cyanide	Cool 4 deg C	BAPS03	D31	08/15/2025	9012B
Q2892-06	BACK-1-FLOOR-CENTER-MID	Solid	Cyanide	Cool 4 deg C	BAPS03	D31	08/15/2025	9012B
Q2892-08	3-FLOOR-NORTH-D	Solid	Cyanide	Cool 4 deg C	BAPS03	D31	08/15/2025	9012B
Q2892-10	3-FLOOR-SOUTH-E	Solid	Cyanide	Cool 4 deg C	BAPS03	D31	08/15/2025	9012B
Q2892-12	FRONT-1-FLOOR-F	Solid	Cyanide	Cool 4 deg C	BAPS03	D31	08/15/2025	9012B

Date/Time 08/18/2025 07:30
Raw Sample Received by: [Signature]
Raw Sample Relinquished by: [Signature]

Date/Time 08/19/2025 10:20
Raw Sample Received by: [Signature]
Raw Sample Relinquished by: [Signature]

Instrument ID: KONELAB

Daily Analysis Runlog For Sequence/QC Batch ID # LB136877

Review By	rubina	Review On	8/19/2025 5:00:07 PM
Supervise By	Sohil	Supervise On	8/20/2025 11:21:37 AM
SubDirectory	LB136877	Test	Cyanide
STD. NAME	STD REF.#		
ICAL Standard	WP114315,WP114316,WP114317,WP114318,WP114319,WP114320,WP114321		
ICV Standard	W3012		
CCV Standard	WP114316		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	WP113838		
Chk Standard	WP112643,WP114324,WP114323		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	0.0PPBCN	0.0PPBCN	CAL1	08/19/25 10:19		rubina	OK
2	5.0PPBCN	5.0PPBCN	CAL2	08/19/25 10:19		rubina	OK
3	10PPBCN	10PPBCN	CAL3	08/19/25 10:19		rubina	OK
4	50PPBCN	50PPBCN	CAL4	08/19/25 10:19		rubina	OK
5	100PPBCN	100PPBCN	CAL5	08/19/25 10:19		rubina	OK
6	250PPBCN	250PPBCN	CAL6	08/19/25 10:19		rubina	OK
7	500PPBCN	500PPBCN	CAL7	08/19/25 10:19		rubina	OK
8	ICV1	ICV1	ICV	08/19/25 12:07		rubina	OK
9	ICB1	ICB1	ICB	08/19/25 12:07		rubina	OK
10	CCV1	CCV1	CCV	08/19/25 12:07		rubina	OK
11	CCB1	CCB1	CCB	08/19/25 12:07		rubina	OK
12	PB169307BL	PB169307BL	MB	08/19/25 12:07		rubina	OK
13	PB169307BS	PB169307BS	LCS	08/19/25 12:15		rubina	OK
14	LOWPB169307	LOWPB169307	SAM	08/19/25 12:15		rubina	OK
15	HIGHPB169307	HIGHPB169307	SAM	08/19/25 12:15		rubina	OK
16	Q2879-01	OU4-TS-GRILLO-TSC	SAM	08/19/25 12:15		rubina	OK
17	Q2879-03	OU4-TS-GRILLO-TSC	SAM	08/19/25 12:15		rubina	OK
18	Q2879-05	OU4-TS-GRILLO-TSC	SAM	08/19/25 12:15		rubina	OK

Instrument ID: KONELAB

Daily Analysis Runlog For Sequence/QC Batch ID # LB136877

Review By	rubina	Review On	8/19/2025 5:00:07 PM
Supervise By	Sohil	Supervise On	8/20/2025 11:21:37 AM
SubDirectory	LB136877	Test	Cyanide
STD. NAME	STD REF.#		
ICAL Standard	WP114315,WP114316,WP114317,WP114318,WP114319,WP114320,WP114321		
ICV Standard	W3012		
CCV Standard	WP114316		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	WP113838		
Chk Standard	WP112643,WP114324,WP114323		

19	Q2879-07	OU4-TS-GRILLO-TSC	SAM	08/19/25 12:15		rubina	OK
20	Q2879-09	OU4-TS-GRILLO-TSC	SAM	08/19/25 12:22		rubina	OK
21	Q2879-11	OU4-TS-GRILLO-TSC	SAM	08/19/25 12:22		rubina	OK
22	CCV2	CCV2	CCV	08/19/25 12:22		rubina	OK
23	CCB2	CCB2	CCB	08/19/25 12:23		rubina	OK
24	Q2879-13	OU4-TS-GRILLO-TSC	SAM	08/19/25 12:23		rubina	OK
25	Q2879-15	OU4-TS-GRILLO-TSC	SAM	08/19/25 12:23		rubina	OK
26	Q2879-17	OU4-TS-GRILLO-TSC	SAM	08/19/25 12:30		rubina	OK
27	Q2879-17DUP	OU4-TS-GRILLO-TSC	DUP	08/19/25 12:30		rubina	OK
28	Q2879-17MS	OU4-TS-GRILLO-TSC	MS	08/19/25 12:30		rubina	OK
29	Q2879-17MSD	OU4-TS-GRILLO-TSC	MSD	08/19/25 12:30		rubina	OK
30	Q2892-02	1-FLOOR-NORTH-EA	SAM	08/19/25 12:30		rubina	OK
31	Q2892-04	1-FLOOR-DRILL-B-B	SAM	08/19/25 12:30		rubina	OK
32	Q2892-06	BACK-1-FLOOR-CEN	SAM	08/19/25 12:30		rubina	OK
33	Q2892-08	3-FLOOR-NORTH-D	SAM	08/19/25 12:38		rubina	OK
34	CCV3	CCV3	CCV	08/19/25 12:38		rubina	OK
35	CCB3	CCB3	CCB	08/19/25 12:38		rubina	OK
36	Q2892-10	3-FLOOR-SOUTH-E	SAM	08/19/25 12:38		rubina	OK
37	Q2892-12	FRONT-1-FLOOR-F	SAM	08/19/25 12:38		rubina	OK
38	CCV4	CCV4	CCV	08/19/25 12:51		rubina	OK

Instrument ID: KONELAB

Daily Analysis Runlog For Sequence/QC Batch ID # LB136877

Review By	rubina	Review On	8/19/2025 5:00:07 PM
Supervise By	Sohil	Supervise On	8/20/2025 11:21:37 AM
SubDirectory	LB136877	Test	Cyanide

STD. NAME	STD REF.#
ICAL Standard	WP114315,WP114316,WP114317,WP114318,WP114319,WP114320,WP114321
ICV Standard	W3012
CCV Standard	WP114316
ICSA Standard	N/A
CRI Standard	N/A
LCS Standard	WP113838
Chk Standard	WP112643,WP114324,WP114323

39	CCB4	CCB4	CCB	08/19/25 12:51		rubina	OK
----	------	------	-----	----------------	--	--------	----

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Prep Standard - Chemical Standard Summary

Order ID : Q2879
Test : Cyanide,Percent Solids

Prepbatch ID : PB169307,
Sequence ID/Qc Batch ID: LB136877,

Standard ID :
WP112643,WP112826,WP112827,WP113836,WP113837,WP113838,WP114314,WP114315,WP114316,WP114317,WP114318,WP114319,WP114320,WP114321,WP114323,WP114324,

Chemical ID :
M6041,M6151,W2668,W3012,W3019,W3112,W3113,W3139,W3152,W3203,W3214,W3224,

Wet Chemistry STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
539	CN BUFFER	WP112643	04/09/2025	10/09/2025	Niha Farheen Shaik	WETCHEM_SCALE_5 (WC SC-5)	None	Iwona Zarych 04/09/2025
FROM 138.00000gram of W2668 + 862.00000ml of W3112 = Final Quantity: 1000.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1714	Sulfuric Acid, 50% (v/v)	WP112826	04/25/2025	10/25/2025	Rubina Mughal	None	None	Iwona Zarych 04/25/2025
FROM 1000.00000ml of M6041 + 1000.00000ml of W3112 = Final Quantity: 2000.000 ml								

Wet Chemistry STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3214	Magnesium Chloride For Cyanide 2.5M(51%W/V)	WP112827	04/25/2025	10/25/2025	Rubina Mughal	WETCHEM_SCALE_8 (WC SC-7)	None	Iwona Zarych 04/25/2025
FROM 500.00000ml of W3112 + 510.00000gram of W3152 = Final Quantity: 1000.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
11	Sodium hydroxide absorbing solution 0.25 N	WP113836	07/08/2025	12/31/2025	Rubina Mughal	WETCHEM_SCALE_8 (WC SC-7)	None	Iwona Zarych 07/08/2025
FROM 21.00000L of W3112 + 210.00000gram of W3113 = Final Quantity: 21.000 L								

Wet Chemistry STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3850	Cyanide MS-MSD spiking solution, 5PPM	WP113837	07/08/2025	11/30/2025	Rubina Mughal	None	WETCHEM_FIPETTE_3 (WC)	Iwona Zarych 07/08/2025
FROM 1.00000ml of W3214 + 199.00000ml of WP113836 = Final Quantity: 200.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3371	Cyanide LCS Spike Solution, 5PPM	WP113838	07/08/2025	12/24/2025	Rubina Mughal	None	WETCHEM_FIPETTE_3 (WC)	Iwona Zarych 07/08/2025
FROM 1.00000ml of W3224 + 199.00000ml of WP113836 = Final Quantity: 200.000 ml								

Wet Chemistry STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3456	Cyanide Intermediate Working Std, 5PPM	WP114314	08/19/2025	08/20/2025	Rubina Mughal	None	WETCHEM_FIPETTE_3 (WC)	Jignesh Parikh 08/19/2025
FROM 0.25000ml of W3214 + 49.75000ml of WP113836 = Final Quantity: 50.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
4	Calibration standard 500 ppb	WP114315	08/19/2025	08/20/2025	Rubina Mughal	None	WETCHEM_FIPETTE_3 (WC)	Jignesh Parikh 08/19/2025
FROM 45.00000ml of WP113836 + 5.00000ml of WP114314 = Final Quantity: 50.000 ml								

Wet Chemistry STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3761	Calibration-CCV CN Standard 250 ppb	WP114316	08/19/2025	08/20/2025	Rubina Mughal	None	WETCHEM_FIPETTE_3 (WC)	Jignesh Parikh 08/19/2025
FROM 2.50000ml of WP114314 + 47.50000ml of WP113836 = Final Quantity: 50.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
6	Calibration Standard 100 ppb	WP114317	08/19/2025	08/20/2025	Rubina Mughal	None	WETCHEM_FIPETTE_3 (WC)	Jignesh Parikh 08/19/2025
FROM 1.00000ml of WP114314 + 49.00000ml of WP113836 = Final Quantity: 50.000 ml								

Wet Chemistry STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
7	Calibration Standard 50 ppb	WP114318	08/19/2025	08/20/2025	Rubina Mughal	None	WETCHEM_FIPETTE_3 (WC)	Jignesh Parikh 08/19/2025
FROM 0.50000ml of WP114314 + 49.50000ml of WP113836 = Final Quantity: 50.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
8	Calibration Standard 10 ppb	WP114319	08/19/2025	08/20/2025	Rubina Mughal	None	WETCHEM_FIPETTE_3 (WC)	Jignesh Parikh 08/19/2025
FROM 1.00000ml of WP114315 + 49.00000ml of WP113836 = Final Quantity: 50.000 ml								

Wet Chemistry STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
9	Calibration Standard 5 ppb	WP114320	08/19/2025	08/20/2025	Rubina Mughal	None	WETCHEM_FIPETTE_3 (WC)	Jignesh Parikh 08/19/2025
FROM 0.50000ml of WP114315 + 49.50000ml of WP113836 = Final Quantity: 50.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
167	0 ppb CN calibration std	WP114321	08/19/2025	08/20/2025	Rubina Mughal	None	None	Jignesh Parikh 08/19/2025
FROM 50.00000ml of WP113836 = Final Quantity: 50.000 ml								

Wet Chemistry STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1582	Chloramine T solution, 0.014M	WP114323	08/19/2025	08/20/2025	Rubina Mughal	WETCHEM_SCALE_5 (WC SC-5)	Glass Pipette-A	Jignesh Parikh 08/19/2025
FROM 0.08000gram of W3139 + 20.00000ml of W3112 = Final Quantity: 20.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
607	PYRIDINE-BARBITURIC ACID	WP114324	08/19/2025	02/17/2026	Rubina Mughal	WETCHEM_SCALE_5 (WC SC-5)	Glass Pipette-A	Jignesh Parikh 08/19/2025
FROM 145.00000ml of W3112 + 15.00000gram of W3203 + 15.00000ml of M6151 + 75.00000ml of W3019 = Final Quantity: 250.000 ml								

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9673-33 / Sulfuric Acid, Instra-Analyzed (cs/6c2.5L)	23D2462010	03/20/2028	08/16/2024 / mohan	08/16/2024 / mohan	M6041

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9530-33 / Hydrochloric Acid, Instra-Analyzed (cs/6x2.5L)	22G2862015	02/17/2026	02/18/2025 / Sagar	01/15/2025 / Sagar	M6151

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	J3818-5 / SODIUM PHOSPHATE, MONOBAS/HYD, CRYST, ACS, 2.5 KG	0000225799	12/03/2025	04/05/2021 / Alexander	02/10/2020 / apatel	W2668

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
EPA	/ ICV-CN	ICV6-400	12/31/2025	01/08/2025 / Iwona	02/20/2020 / Iwona	W3012

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
SIGMA ALDRICH	270970-1L / Pyridine 1L	SHBQ2113	04/03/2028	04/03/2023 / Iwona	04/03/2023 / Iwona	W3019

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	DIW / DI Water	Daily Lab-Certified	07/03/2029	07/03/2024 / Iwona	07/03/2024 / Iwona	W3112

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	PC19510-7 / Sodium Hydroxide Pellets 12 Kg	23B1556310	12/31/2025	07/08/2024 / lwona	07/08/2024 / lwona	W3113

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	JTE494-6 / CHLORAMINE-T BAKER 250GM	10239484	09/09/2029	09/09/2024 / lwona	09/09/2024 / lwona	W3139

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	01237-10KG / Megnasium Chloride Hexahydrate ACS 10KG	002126-2019-201	11/25/2029	11/25/2024 / lwona	11/25/2024 / lwona	W3152

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	EM-BX0035-3 / Barbituric Acid, 100 gms	WXBFB3271V	05/16/2029	04/21/2025 / lwona	04/21/2025 / lwona	W3203

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	RC2543-4 / CYANIDE STD 1000PPM 4OZ	1505H73	11/30/2025	05/21/2025 / lwona	05/21/2025 / lwona	W3214

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	LC135457 / Cyanide Standard, 1000 PPM, Second Source	45060288	12/24/2025	07/07/2025 / lwona	07/07/2025 / lwona	W3224

W3019
rec 4/3/23

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.comEmail USA: techserv@sial.comOutside USA: eurtechserv@sial.com

Certificate of Analysis

Product Name:

Pyridine - anhydrous, 99.8%

Product Number:

270970

Batch Number:

SHBQ2113

Brand:

SIAL

CAS Number:

110-86-1

MDL Number:

MFCD00011732

Formula:


C₅H₅N

Formula Weight:

79.10 g/mol

Quality Release Date:

15 DEC 2022



Test	Specification	Result
Appearance (Color)	Colorless	Colorless
Appearance (Form)	Liquid	Liquid
Infrared Spectrum	Conforms to Structure	Conforms
Purity (GC)	≥ 99.75 %	99.99 %
Water (by Karl Fischer)	≤ 0.003 %	0.002 %
Residue on Evaporation	≤ 0.0005 %	< 0.0001 %


Larry Coers, Director
Quality Control
Sheboygan Falls, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.





QUALITY ASSURANCE TECHNICAL SUPPORT LABORATORY
"An ISO 9001:2015 Certified Program"

Instructions for QATS Reference Material: *Inorganic ICV Solutions*

QATS LABORATORY INORGANIC REFERENCE MATERIAL
INITIAL CALIBRATION VERIFICATION SOLUTIONS
(ICV1, ICV5, AND ICV6)

NOTE: These instructions are for advisory purposes only. If any apparent conflict exists between these instructions and the analytical protocol or your contract, disregard these instructions.

APPLICATION: For use with the CLP SFAM01.0 SOW and revisions.

CAUTION: Read instructions carefully before opening bottle(s) and proceeding with the analyses.

Contains Metals in Dilute Acidic or
Cyanide in Basic Aqueous Solutions
HAZARDOUS MATERIAL

Safety Data Sheets
Available Upon Request

W2160, W2161, W2162,
W2163, W2164 Receive by
AP on 9/2/2016

(A) SAMPLE DESCRIPTION

Enclosed is a set of one (1) or more Aqueous Inorganic Reference Materials containing various analyte concentrations. ICV1 and ICV5 are in a matrix of dilute nitric acid. ICV6 is in a matrix of dilute basic solution. **For the reference material source in reporting ICVs use "USEPA". For the reference material lot number for the ICV1, ICV5, and ICV6 solutions use "ICV1-1014", "ICV5-0415", and "ICV6-0400", respectively.**

(B) BREAKAGE OR MISSING ITEMS

Check the contents of the shipment carefully for any broken, leaking, or missing items. Check that the seal is intact on each bottle. Refer to the enclosed chain of custody record. Report any problems to Mr. Keith Strout, APTIM Federal Services, LLC, at (702) 895-8722. If requested, return the chain-of-custody record with appropriate annotations and signatures to the address provided below.

QUALITY ASSURANCE TECHNICAL SUPPORT LABORATORY
APTIM Federal Services, LLC
2700 Chandler Avenue - Building C
Las Vegas, NV 89120

(C) ANALYSIS OF SAMPLES

The Initial Calibration Verification Solutions (ICVs) are to be used to evaluate the accuracy of the initial calibrations of ICP, AA, and Cyanide colorimetric instruments, and are to be used with the CLP SOWs and revisions. The values for each element in the ICVs are listed below in µg/L (ppb) for the resulting solution(s) after the dilution of the concentrate(s) according to the following instructions. Use Class 'A' glassware to prepare the solution(s).

ICV1-1014 For ICP-AES analysis, use a 10-fold dilution by pipetting 10 mL of the ICV1 concentrate into a 100 mL volumetric flask and dilute to volume with 2% (v/v) nitric acid.



Instructions for QATS Reference Material: *Inorganic ICV Solutions*

- ICV1-1014** For ICP-MS analysis, use a 50-fold dilution by pipetting 2 mL of the ICV1 concentrate into a 100 mL volumetric flask and dilute to volume with 1% (v/v) nitric acid.
- ICV5-0415** For the cold vapor analysis of mercury by AA, use a 100-fold dilution by pipetting 1 mL of the ICV5 concentrate into a 100 mL volumetric flask and dilute to volume with 2% (v/v) nitric acid. The ICV5 concentrate is prepared in 0.05% (w/v) $K_2Cr_2O_7$ and 5% (v/v) nitric acid.
- ICV6-0400** For the analysis of cyanide, use a 100-fold dilution by pipetting 1 mL of the ICV6 concentrate into a 100 mL volumetric flask and dilute to volume with Type II water. Distill this solution along with the samples before analysis. The cyanide concentrate is prepared from $K_3Fe(CN)_6$, Type II water, and 0.1 % sodium hydroxide, and will decompose rapidly if exposed to light.

NOTE: USE TYPE II WATER AND HIGH-PURITY ACIDS FOR ALL DILUTIONS.

(D) **CERTIFIED CONCENTRATIONS OF QATS ICV1, ICV5, AND ICV6 SOLUTIONS**

ICV1-1014		
Element	Concentration (µg/L) (after 10-fold dilution)	Concentration (µg/L) (after 50-fold dilution)
Al	2500	500
Sb	1000	200
As	1000	200
Ba	520	100
Be	510	100
Cd	510	100
Ca	10000	2000
Cr	520	100
Co	520	100
Cu	510	100
Fe	10000	2000
Pb	1000	200
Mg	6000	1200
Mn	520	100
Ni	530	110
K	9900	2000
Se	1000	200
Ag	250	50
Na	10000	2000
Tl	1000	210
V	500	100
Zn	1000	200

ICV5-0415		ICV6-0400	
Element	Concentration (µg/L) (after 100-fold dilution)	Analyte	Concentration (µg/L) (after 100-fold dilution)
Hg	4.0	CN ⁻	99

Sulfuric Acid
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis
Low Selenium

avantor™



M 6041-4b
MS

Material No.: 9673-33
Batch No.: 23D2462010
Manufactured Date: 2023-03-22
Retest Date: 2028-03-20
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
ACS – Assay (H ₂ SO ₄)	95.0 – 98.0 %	96.1 %
Appearance	Passes Test	Passes Test
ACS – Color (APHA)	≤ 10	5
ACS – Residue after Ignition	≤ 3 ppm	< 1 ppm
ACS – Substances Reducing Permanganate (as SO ₂)	≤ 2 ppm	< 2 ppm
Ammonium (NH ₄)	≤ 1 ppm	1 ppm
Chloride (Cl)	≤ 0.1 ppm	< 0.1 ppm
Nitrate (NO ₃)	≤ 0.2 ppm	< 0.1 ppm
Phosphate (PO ₄)	≤ 0.5 ppm	< 0.1 ppm
Trace Impurities – Aluminum (Al)	≤ 30.0 ppb	< 5.0 ppb
Arsenic and Antimony (as As)	≤ 4.0 ppb	< 2.0 ppb
Trace Impurities – Boron (B)	≤ 10.0 ppb	8.5 ppb
Trace Impurities – Cadmium (Cd)	≤ 2.0 ppb	< 0.3 ppb
Trace Impurities – Chromium (Cr)	≤ 6.0 ppb	< 0.4 ppb
Trace Impurities – Cobalt (Co)	≤ 0.5 ppb	< 0.3 ppb
Trace Impurities – Copper (Cu)	≤ 1.0 ppb	< 0.1 ppb
Trace Impurities – Gold (Au)	≤ 10.0 ppb	0.5 ppb
Heavy Metals (as Pb)	≤ 500.0 ppb	< 100.0 ppb
Trace Impurities – Iron (Fe)	≤ 50.0 ppb	1.3 ppb
Trace Impurities – Lead (Pb)	≤ 0.5 ppb	< 0.5 ppb
Trace Impurities – Magnesium (Mg)	≤ 7.0 ppb	0.8 ppb
Trace Impurities – Manganese (Mn)	≤ 1.0 ppb	< 0.4 ppb
Trace Impurities – Mercury (Hg)	≤ 0.5 ppb	< 0.1 ppb
Trace Impurities – Nickel (Ni)	≤ 2.0 ppb	0.3 ppb
Trace Impurities – Potassium (K)	≤ 500.0 ppb	< 2.0 ppb
Trace Impurities – Selenium (Se)	≤ 50.0 ppb	< 0.1 ppb
Trace Impurities – Silicon (Si)	≤ 100.0 ppb	31.5 ppb
Trace Impurities – Silver (Ag)	≤ 1.0 ppb	< 0.3 ppb

>>> Continued on page 2 >>>

Sulfuric Acid
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis
Low Selenium

 **avantor™**




Material No.: 9673-33
Batch No.: 23D2462010

Test	Specification	Result
Trace Impurities – Sodium (Na)	≤ 500.0 ppb	5.4 ppb
Trace Impurities – Strontium (Sr)	≤ 5.0 ppb	< 0.2 ppb
Trace Impurities – Tin (Sn)	≤ 5.0 ppb	< 0.8 ppb
Trace Impurities – Zinc (Zn)	≤ 5.0 ppb	0.4 ppb

For Laboratory, Research, or Manufacturing Use

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC



Jamie Ethier
Vice President Global Quality

Hydrochloric Acid, 36.5–38.0%
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis

avantor™



M6151

R → 11/15/25

Material No.: 9530-33
Batch No.: 22G2862015
Manufactured Date: 2022-06-15
Retest Date: 2027-06-14
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
ACS – Assay (as HCl) (by acid–base titrn)	36.5 – 38.0 %	37.9 %
ACS – Color (APHA)	≤ 10	5
ACS – Residue after Ignition	≤ 3 ppm	< 1 ppm
ACS – Specific Gravity at 60°/60°F	1.185 – 1.192	1.191
ACS – Bromide (Br)	≤ 0.005 %	< 0.005 %
ACS – Extractable Organic Substances	≤ 5 ppm	< 1 ppm
ACS – Free Chlorine (as Cl ₂)	≤ 0.5 ppm	< 0.5 ppm
Phosphate (PO ₄)	≤ 0.05 ppm	< 0.03 ppm
Sulfate (SO ₄)	≤ 0.5 ppm	< 0.3 ppm
Sulfite (SO ₃)	≤ 0.8 ppm	0.3 ppm
Ammonium (NH ₄)	≤ 3 ppm	< 1 ppm
Trace Impurities – Arsenic (As)	≤ 0.010 ppm	< 0.003 ppm
Trace Impurities – Aluminum (Al)	≤ 10.0 ppb	1.3 ppb
Arsenic and Antimony (as As)	≤ 5.0 ppb	< 3.0 ppb
Trace Impurities – Barium (Ba)	≤ 1.0 ppb	0.2 ppb
Trace Impurities – Beryllium (Be)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Bismuth (Bi)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Boron (B)	≤ 20.0 ppb	< 5.0 ppb
Trace Impurities – Cadmium (Cd)	≤ 1.0 ppb	< 0.3 ppb
Trace Impurities – Calcium (Ca)	≤ 50.0 ppb	163.0 ppb
Trace Impurities – Chromium (Cr)	≤ 1.0 ppb	0.7 ppb
Trace Impurities – Cobalt (Co)	≤ 1.0 ppb	< 0.3 ppb
Trace Impurities – Copper (Cu)	≤ 1.0 ppb	< 0.1 ppb
Trace Impurities – Gallium (Ga)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Germanium (Ge)	≤ 3.0 ppb	< 2.0 ppb
Trace Impurities – Gold (Au)	≤ 4.0 ppb	0.6 ppb
Heavy Metals (as Pb)	≤ 100 ppb	< 50 ppb
Trace Impurities – Iron (Fe)	≤ 15 ppb	6 ppb

>>> Continued on page 2 >>>

Hydrochloric Acid, 36.5–38.0%
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis

avantor™



Material No.: 9530-33
Batch No.: 22G2862015

Test	Specification	Result
Trace Impurities – Lead (Pb)	≤ 1.0 ppb	< 0.5 ppb
Trace Impurities – Lithium (Li)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Magnesium (Mg)	≤ 10.0 ppb	2.9 ppb
Trace Impurities – Manganese (Mn)	≤ 1.0 ppb	< 0.4 ppb
Trace Impurities – Mercury (Hg)	≤ 0.5 ppb	0.1 ppb
Trace Impurities – Molybdenum (Mo)	≤ 10.0 ppb	< 3.0 ppb
Trace Impurities – Nickel (Ni)	≤ 4.0 ppb	< 0.3 ppb
Trace Impurities – Niobium (Nb)	≤ 1.0 ppb	0.8 ppb
Trace Impurities – Potassium (K)	≤ 9.0 ppb	< 2.0 ppb
Trace Impurities – Selenium (Se), For Information Only		< 1.0 ppb
Trace Impurities – Silicon (Si)	≤ 100.0 ppb	< 10.0 ppb
Trace Impurities – Silver (Ag)	≤ 1.0 ppb	0.5 ppb
Trace Impurities – Sodium (Na)	≤ 100.0 ppb	2.3 ppb
Trace Impurities – Strontium (Sr)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Tantalum (Ta)	≤ 1.0 ppb	1.6 ppb
Trace Impurities – Thallium (Tl)	≤ 5.0 ppb	< 2.0 ppb
Trace Impurities – Tin (Sn)	≤ 5.0 ppb	4.0 ppb
Trace Impurities – Titanium (Ti)	≤ 1.0 ppb	1.5 ppb
Trace Impurities – Vanadium (V)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Zinc (Zn)	≤ 5.0 ppb	0.8 ppb
Trace Impurities – Zirconium (Zr)	≤ 1.0 ppb	0.3 ppb

>>> Continued on page 3 >>>

Hydrochloric Acid, 36.5–38.0%
BAKER INSTRA–ANALYZED® Reagent
For Trace Metal Analysis

 **avantor™**




Material No.: 9530-33
Batch No.: 22G2862015

Test	Specification	Result
------	---------------	--------

For Laboratory, Research, or Manufacturing Use
Product Information (not specifications):
Appearance (clear, fuming liquid)
Meets ACS Specifications
Storage Condition: Store below 25 °C.

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC


Jamie Ethier
Vice President Global Quality

Sodium Phosphate, Monobasic, Monohydrate,
Crystal
BAKER ANALYZED® A.C.S. Reagent

(sodium dihydrogen phosphate, monohydrate)



Material No.: 3818-05
Batch No.: 0000225799
Manufactured Date: 2018/12/05
Retest Date: 2025/12/03
Revision No: 1

Certificate of Analysis

Meets ACS Reagent Chemical Requirements,

Test	Specification	Result
Assay ($\text{NaH}_2\text{PO}_4 \cdot \text{H}_2\text{O}$)	98.0 – 102.0 %	99.5
pH of 5% Solution at 25°C	4.1 – 4.5	4.3
Insoluble Matter	≤ 0.01 %	< 0.01
Chloride (Cl)	≤ 5 ppm	< 5
ACS – Sulfate (SO_4)	≤ 0.003 %	< 0.003
Calcium (Ca)	≤ 0.005 %	< 0.005
Potassium (K)	≤ 0.01 %	< 0.01
Heavy Metals (as Pb)	≤ 0.001 %	< 0.001
Trace Impurities – Iron (Fe)	≤ 0.001 %	< 0.001

For Laboratory, Research or Manufacturing Use
Meets Reagent Specifications for testing USP/NF monographs

Country of Origin: IN
Packaging Site: Paris Mfg Ctr & DC


Jamie Ethier
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700
Avantor Performance Materials, LLC
100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700

Sodium Hydroxide (Pellets)

Material: 0583
Grade: ACS GRADE
Batch Number: 23B1556310

Chemical Formula: NaOH
Molecular Weight: 40
CAS #: 1310-73-2
Appearance:

Manufacture Date: 12/14/2022
Expiration Date: 12/31/2025

Storage: Room Temperature

Pellets

TEST	SPECIFICATION	ANALYSIS	DISPOSITION
Calcium	<= 0.005 %	<0.005 %	PASS
Chloride	<= 0.005 %	0.002 %	PASS
Heavy Metals	<= 0.002 %	<0.002 %	PASS
Iron	<= 0.001 %	<0.001 %	PASS
Magnesium	<= 0.002 %	<0.002 %	PASS
Mercury	<= 0.1 ppm	<0.1 ppm	PASS
Nickel	<= 0.001 %	<0.001 %	PASS
Nitrogen Compounds	<= 0.001 %	<0.001 %	PASS
Phosphate	<= 0.001 %	<0.001 %	PASS
Potassium	<= 0.02 %	<0.02 %	PASS
Purity	>= 97.0 %	99.2 %	PASS
Sodium Carbonate	<= 1.0 %	0.5 %	PASS
Sulfate	<= 0.003 %	<0.003 %	PASS

Internal ID #: 710

Signature

We certify that this batch conforms to the specifications listed.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon
VWR Chemicals, LLC.
28600 Fountain Parkway, Solon OH 44139 USA

Additional Information

Analysis may have been rounded to significant digits in specification limits.

Product meets analytical specifications of the grades listed.



Sodium Hydroxide (Pellets)

Material: 0583
Grade: ACS GRADE
Batch Number: 23B1556310

Chemical Formula:	NaOH	Manufacture Date:	12/14/2022
Molecular Weight:	40	Expiration Date:	12/31/2025
CAS #:	1310-73-2		
Appearance:		Storage:	Room Temperature

Pellets

Spec Set: 0583ACS

Internal ID #: 710

Signature	Additional Information
We certify that this batch conforms to the specifications listed.	Analysis may have been rounded to significant digits in specification limits.
This document has been electronically produced and is valid without a signature.	Product meets analytical specifications of the grades listed.
Leona Edwardson, Quality Control Sr. Manager - Solon VWR Chemicals, LLC. 28600 Fountain Parkway, Solon OH 44139 USA	

W3139 Received on 9/9/24 by IZ

Product No.: A12044
Product: Chloramine-T trihydrate, 98%
Lot No.: 10239484

Appearance:	White powder
Melting Point:	166°C(dec)
Assay (Iodometric titration):	100.5%
Identification (FTIR):	Conforms

Order our products online thermofisher.com/chemicals

This document has been electronically generated and does not require a signature.

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Chem-Impex International, Inc.

Tel: (630) 766-2112

E-mail: sales@chemimpex.com

Shipping and Correspondence:

935 Dillon Drive

Wood Dale, IL 60191

Fax: (630) 766-2218

Web site: www.chemimpex.com

Manufacturing site:

825 Dillon Drive

Wood Dale, IL 60191

Certificate of Analysis

Catalogue Number	01237
Lot Number	002126-2019-201
Product	Magnesium chloride hexahydrate

Magnesium chloride•6H₂O

CAS Number	7791-18-6
Molecular Formula	MgCl ₂ •6H ₂ O

Molecular Weight	203.3
-------------------------	-------

Appearance	White crystals
Solubility	167 g in 100 mL water
Melting Point	~ 115 °C
Heavy Metals	4.393 ppm
Anion	Nitrate (NO ₃) : < 0.001% Phosphate (PO ₄) : < 5 ppm Sulfate (SO ₄) : < 0.002%
Cation	Ammonium (NH ₄) : < 0.002% Barium (Ba) : 0.005% Calcium (Ca) : 0.01% Iron (Fe) : 4.5 ppm Manganese (Mn) : 0.624 ppm Potassium (K) : 0.004% Sodium (Na) : 0.000003% Strontium (Sr) : 0.005%
Insoluble material	0.0021%
Assay by titration	100.83%
Grade	ACS reagent
Storage	Store at RT

Certificate of Analysis

Catalog Number: 01237

Lot Number: 002126-2019-201

Remarks

See material safety data sheet for additional information
For laboratory use only

The foregoing is a copy of the Certificate of Analysis as provided by our supplier



Bala Kumar
Quality Control Manager


1
2
3
4
5
6
7
8
9
10
11
12
13
14

Certificate of Analysis

Product Name:

Barbituric acid - ReagentPlus® , 99%

Product Number: 185698
Batch Number: WXBFB3271V
Brand: SIAL
CAS Number: 67-52-7
Formula: C₄H₄N₂O₃
Formula Weight: 128,09 g/mol
Quality Release Date: 16 MAY 2024



Test	Specification	Result
Appearance (Colour)	White to Off-White	White
Appearance (Form)	Powder	Powder
Infrared spectrum	Conforms to Structure	Conforms
Purity (Titration by NaOH)	98.5 - 101.5 %	100.4 %
GC (area %)	≥ 98 %	100 %
VPCT		



Kang Chen
Quality Manager
Wuxi , China CN

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.



Certificate of Analysis

Cyanide Standard, 1000 ppm CN⁻

Lot Number: 1505H73

Product Number: 2543

Manufacture Date: MAY 08, 2025

Expiration Date: NOV 2025

This standard is prepared using accurate volumetric techniques from material that has been assayed against Silver Nitrate solution certified traceable to NIST Standard Reference Material 999. The certified value reported is the prepared value based upon the method of preparation of the material. The uncertainty in the prepared value is the combined uncertainty based on the stability of the assayed Potassium Cyanide, and the uncertainty in the mass and volume measurements.

Use 0.16% (w/v) (0.04 N) Sodium Hydroxide or 0.225 % (w/v) (0.04 N) Potassium Hydroxide to make dilutions of this standard. Restandardize weekly if extreme accuracy is required.

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Potassium Cyanide	151-50-8	ACS
Sodium Hydroxide	1310-73-2	Reagent (from ACS)

Test	Specification	Result
Appearance	Colorless liquid	Passed
Cyanide (CN ⁻)	995-1005 ppm	1000 ppm

Specification	Reference
Stock Standard Cyanide Solution	APHA (4500-CN- F)
Stock Cyanide Solution	APHA (4500-CN- E)
Stock Cyanide Solution	APHA (4500-CN- K)
Stock Cyanide Solution	APHA (4500-CN- H)
Cyanide Reference Solution (1000 mg/L)	EPA (SW-846) (7.3.3.2)
Cyanide Calibration Stock Solution (1,000 mg/L CN ⁻)	EPA (SW-846) (9213)
Stock Cyanide Solution	EPA (335.3)
Stock Cyanide Solution	EPA (335.2)
Cyanide Solution Stock	ASTM (D 4282)
Simple Cyanide Solution, Stock (1.0 g/L CN ⁻)	ASTM (D 4374)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
2543-16	500 mL amber poly	6 months
2543-32	1 L amber poly	6 months
2543-4	120 mL amber poly	6 months

Recommended Storage: 2°C - 8°C (36°F - 46°F)



Ernest Mahan (05/08/2025)
Plant Manager

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Certificate of Analysis

Cyanide Standard 1000 ppm (1ml = 1mg CN)

Product Code: **LC13545**

Manufacture Date: June 25, 2025

Lot Number: **45060288**

Expiration Date: December 24, 2025

Test	Specification	Result
Appearance (clarity)	clear solution	clear solution
Appearance (color)	colorless	colorless
Concentration (CN)	0.990 - 1.010mg/mL	1.000mg/mL
Concentration (CN)	990 - 1,010ppm	1,000ppm
Traceable to NIST SRM	Report	999b

Intended Use - Product is intended for use in manufacturing procedures and laboratory procedures and protocols.

Storage Information - Unless noted on the product label, store the product under normal lab conditions in its tightly closed, original container. Do not pipet directly from the container or return unused portions to the container.

Instructions for Handling and Use - Please refer to the associated product label and Safety Data Sheet (SDS) for information regarding safety and handling of this product.

Preparation - All products are manufactured and tested according to established, documented procedures and methodology. Production documentation records manufacturing data, raw material traceability and testing history on a per lot basis. Balances, thermometers, and glassware are calibrated before first use and on a regular schedule with references traceable to NIST

The suffix of the product code may differ from what is on your product label. The suffix will designate the size and be associated with a numeric digit(s). Visit LabChem.com for more information

Suffix	1	2	3/3S/36/36S	4/4C	5	6	7	8	9	20	44	200	246	486
Size	500mL org	1L or 1kg	2.5L/2.5L Coated/6x2.5L/6x2.5L Coated	4L	20L	10L	125mL	25g	100g	20x20mL	4x4L	200L	24x6mL	48x6mL



Michael Monteleone
Chemistry Supervisor - Quality Control

ISO9001:2015 Registration #0306-01

PERCENT SOLID

Supervisor: rubina
Analyst: jignesh
Date: 8/18/2025

OVENTEMP IN Celsius(°C): 107
Time IN: 17:25
In Date: 08/15/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 104
Time OUT: 08:25
Out Date: 08/16/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID-OVEN

QC:LB136842

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
Q2879-01	OU4-TS-GRILLO-TSCP03-081425	1	1.18	10.28	11.46	10.34	89.1	
Q2879-03	OU4-TS-GRILLO-TSCP04-081425	2	1.18	10.24	11.42	10.1	87.1	
Q2879-05	OU4-TS-GRILLO-TSCP05-081425	3	1.16	10.04	11.2	10.51	93.1	
Q2879-07	OU4-TS-GRILLO-TSCP06-081425	4	1.17	10.46	11.63	10.67	90.8	
Q2879-09	OU4-TS-GRILLO-TSCP07-081425	5	1.18	10.09	11.27	10.61	93.5	
Q2879-11	OU4-TS-GRILLO-TSCP08-081425	6	1.16	10.83	11.99	11.05	91.3	
Q2879-13	OU4-TS-GRILLO-TSCP09-081425	7	1.18	10.47	11.65	10.9	92.8	
Q2879-15	OU4-TS-GRILLO-TSCP10-081425	8	1.19	10.58	11.77	10.85	91.3	
Q2879-17	OU4-TS-GRILLO-TSCP11-081425	9	1.12	10.76	11.88	9.4	77.0	
Q2880-05	SVOC-GPC-BLANK	10	1.00	1.00	2.00	2.00	100.0	
Q2880-06	PEST-GPC-BLANK	11	1.00	1.00	2.00	2.00	100.0	
Q2880-07	PEST-GPC-BLANK-SPIKE	12	1.00	1.00	2.00	2.00	100.0	
Q2880-08	SVOC-GPC2-BLANK	13	1.00	1.00	2.00	2.00	100.0	
Q2880-09	PEST-GPC2-BLANK	14	1.00	1.00	2.00	2.00	100.0	
Q2880-10	PEST -GPC2-BLANK-SPIKE	15	1.00	1.00	2.00	2.00	100.0	
Q2883-01	RBR2520553	16	1.15	10.43	11.58	10.48	89.5	
Q2883-02	RBR2520553-E2	17	1.14	10.75	11.89	10.77	89.6	
Q2884-01	VNJ-232	18	1.12	10.11	11.23	10.8	95.7	
Q2884-02	VNJ-232	19	1.19	10.39	11.58	11.15	95.9	
Q2884-03	302	20	1.19	10.34	11.53	10.6	91.0	
Q2888-01	VNJ-210	21	1.18	10.04	11.22	10.71	94.9	
Q2889-01	PL-02-081525-	22	1.14	10.22	11.36	10.67	93.2	
Q2889-02	EO-02-081525-E2	23	1.19	10.42	11.61	10.68	91.1	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WORKLIST(Hardcopy Internal Chain)

136842

WorkList Name : %1-081525

WorkList ID : 191293

Department : Wet-Chemistry

Date : 08-15-2025 08:56:56

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2879-01	OU4-TS-GRILLO-TSCP03-0814	Solid	Percent Solids	Cool 4 deg C	NOBI03	J23	08/14/2025	Chemtech -SO
Q2879-03	OU4-TS-GRILLO-TSCP04-0814	Solid	Percent Solids	Cool 4 deg C	NOBI03	J23	08/14/2025	Chemtech -SO
Q2879-05	OU4-TS-GRILLO-TSCP05-0814	Solid	Percent Solids	Cool 4 deg C	NOBI03	J23	08/14/2025	Chemtech -SO
Q2879-07	OU4-TS-GRILLO-TSCP06-0814	Solid	Percent Solids	Cool 4 deg C	NOBI03	J23	08/14/2025	Chemtech -SO
Q2879-09	OU4-TS-GRILLO-TSCP07-0814	Solid	Percent Solids	Cool 4 deg C	NOBI03	J23	08/14/2025	Chemtech -SO
Q2879-11	OU4-TS-GRILLO-TSCP08-0814	Solid	Percent Solids	Cool 4 deg C	NOBI03	J23	08/14/2025	Chemtech -SO
Q2879-13	OU4-TS-GRILLO-TSCP09-0814	Solid	Percent Solids	Cool 4 deg C	NOBI03	J23	08/14/2025	Chemtech -SO
Q2879-15	OU4-TS-GRILLO-TSCP10-0814	Solid	Percent Solids	Cool 4 deg C	NOBI03	J23	08/14/2025	Chemtech -SO
Q2879-17	OU4-TS-GRILLO-TSCP11-0814	Solid	Percent Solids	Cool 4 deg C	NOBI03	J23	08/14/2025	Chemtech -SO
Q2880-05	SVOC-GPC-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	08/08/2025	Chemtech -SO
Q2880-06	PEST-GPC-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	08/08/2025	Chemtech -SO
Q2880-07	PEST-GPC-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	08/08/2025	Chemtech -SO
Q2880-08	SVOC-GPC2-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	08/08/2025	Chemtech -SO
Q2880-09	PEST-GPC2-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	08/08/2025	Chemtech -SO
Q2880-10	PEST -GPC2-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	QA Of	08/08/2025	Chemtech -SO
Q2883-01	RBR2520553	Solid	Percent Solids	Cool 4 deg C	PSEG03	D21	08/15/2025	Chemtech -SO
Q2883-02	RBR2520553-E2	Solid	Percent Solids	Cool 4 deg C	PSEG03	D21	08/15/2025	Chemtech -SO
Q2884-01	VNJ-232	Solid	Percent Solids	Cool 4 deg C	PSEG03	D31	08/15/2025	Chemtech -SO
Q2884-02	VNJ-232	Solid	Percent Solids	Cool 4 deg C	PSEG03	D31	08/15/2025	Chemtech -SO
Q2884-03	302	Solid	Percent Solids	Cool 4 deg C	PSEG03	D31	08/15/2025	Chemtech -SO
Q2888-01	VNJ-210	Solid	Percent Solids	Cool 4 deg C	PSEG03	D21	08/15/2025	Chemtech -SO

Date/Time 08/15/25 15:00

Raw Sample Received by: 100201

Raw Sample Relinquished by: 08/15/25

Date/Time

Raw Sample Received by:

Raw Sample Relinquished by:

WORKLIST(Hardcopy Internal Chain)

V2196842

WorkList Name : %1-081525

WorkList ID : 191293

Department : Wet-Chemistry

Date : 08-15-2025 08:56:56

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2889-01	PL-02-081525-	Solid	Percent Solids	Cool 4 deg C	PSEG05	D21	08/15/2025	Chemtech -SO
Q2889-02	EO-02-081525-E2	Solid	Percent Solids	Cool 4 deg C	PSEG05	D21	08/15/2025	Chemtech -SO

Date/Time 08/15/25 15:00
Raw Sample Received by: SO WCR
Raw Sample Relinquished by: AL SM

Date/Time 08/15/25 17:35
Raw Sample Received by: CP SM
Raw Sample Relinquished by: J. Sule



SHIPPING DOCUMENTS

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Q 2879

Chemtech

Phone: (908) 789-8900

Fax: (908) 789-8922

284 Sheffield Street, Mountainside, NJ 07092

Company Name: Nobis Group

Address: 55 Technology Dr Suite 101, Lowell, MA 01851

Phone: 978-703-6014

Project Name: Raymark

Project Location: Stratford, CT

Project Number: 95700

Project Manager: Adam Roy

Con-Test Quote Name/Numbr

Invoice Recipient:

Sampled By: A. Brittingham

http://www.contestlabs.com

CHAIN OF CUSTODY RECORD

39 Spruce Street
East Longmeadow, MA 01028

Doc # 381 Rev 4_01/08/2020

Page 1 of 1

Requested Turnaround Time		Dissolved Metals Samples		ANALYSIS REQUESTED												Preservation Code						
5-Day	☒	10-Day	☐	☐ Field Filtered	M/O	I	I	I	I	I	I	I	I	I	I	I	2	Preservation Code				
PFAS 10-Day (std)	☐	Due Date:		☐ Lab to Filter														Total Number Of:				
Rush-Approval Required				Orthophosphate Samples																		
1-Day	☐	3-Day	☒	☐ Field Filtered																		
2-Day	☐	4-Day	☐	☐ Lab to Filter																		
Data Delivery				PCB ONLY																		
Format: PDF ☒ EXCEL ☒				SOXHLET ☒																		
Other: CLP Like Data Pkg Required: ☐ No				NON SOXHLET ☐																		
Email To: arroy@nobis-group.com																						
Fax To #:																						
Con-Test Work Order#	Client Sample ID / Description	Beginning Date/Time	Ending Date/Time	COMP/GRAB	Matrix Code	Conc Code	VIALS	GLASS	PLASTIC	BACTERIA	ENCORE	RCP VOCs	% Solids	PAHs	Herbicides	Pesticides	PCBs	Metals ICP + Hg - 6010	Cyanide	SPLP RCP Metals - 6020		
	OU4-TS-Grillo-TSCP03-081425	8/14/25	11:30	G	SO		3	2	1			X	X	X	X	X	X	X	X	X	X	Glassware in the fridge? Y / N
	OU4-TS-Grillo-TSCP04-081425	8/14/25	11:35	G	SO		3	2	1			X	X	X	X	X	X	X	X	X	X	Glassware in freezer? Y / N
	OU4-TS-Grillo-TSCP05-081425	8/14/25	11:40	G	SO		3	2	1			X	X	X	X	X	X	X	X	X	X	Prepackaged Cooler? Y / N
	OU4-TS-Grillo-TSCP06-081425	8/14/25	11:45	G	SO		3	2	1			X	X	X	X	X	X	X	X	X	X	*Contest is not responsible for missing samples from prepacked coolers
	OU4-TS-Grillo-TSCP07-081425	8/14/25	11:50	G	SO		3	2	1			X	X	X	X	X	X	X	X	X	X	1 Matrix Codes:
	OU4-TS-Grillo-TSCP08-081425	8/14/25	11:55	G	SO		3	2	1			X	X	X	X	X	X	X	X	X	X	GW = Ground Water
	OU4-TS-Grillo-TSCP09-081425	8/14/25	12:00	G	SO		3	2	1			X	X	X	X	X	X	X	X	X	X	WW = Waste Water
	OU4-TS-Grillo-TSCP10-081425	8/14/25	12:05	G	SO		3	2	1			X	X	X	X	X	X	X	X	X	X	DW = Drinking Water
	OU4-TS-Grillo-TSCP11-081425	8/14/25	12:10	G	SO		3	2	1			X	X	X	X	X	X	X	X	X	X	A = Air
																						S = Soil
																						SL = Sludge
																						SOL = Solid
																						O = Other (please define)
Relinquished by: (signature)	Date/Time:	Client Comments:																				
Received by: (signature)	Date/Time:	3-2																				
Relinquished by: (signature)	Date/Time:	Detection Limit Requirements																				
Received by: (signature)	Date/Time:	Special Requirements																				
Relinquished by: (signature)	Date/Time:	MA MCP Required																				
Received by: (signature)	Date/Time:	MCP Certification Form Required																				
Relinquished by: (signature)	Date/Time:	CT RCP Required																				
Received by: (signature)	Date/Time:	RCP Certification Form Required																				
Relinquished by: (signature)	Date/Time:	MA State DW Required																				
Received by: (signature)	Date/Time:	Other: PWSID #																				
Relinquished by: (signature)	Date/Time:	Project Entity																				
Received by: (signature)	Date/Time:	Government ☐ Municipality ☐ MWRA ☐ WRTA ☐ Other ☐ Chromatogram ☐ AIHA-LAP, LLC ☐																				
Relinquished by: (signature)	Date/Time:	Federal ☐ 21 J ☐ School ☐ MBTA ☐																				
Received by: (signature)	Date/Time:	City ☐ Brownfield ☐																				
Lab Comments:		Disclaimer: Con-Test Labs is not responsible for any omitted information on the Chain of Custody. The Chain of Custody is a legal document that must be complete and accurate and is used to determine what analyses the laboratory will perform. Any missing information is not the laboratory's responsibility. Con-Test values your partnership on each project and will try to assist with missing information, but will not be held accountable.																				

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q2879	NOBI03	Order Date : 8/15/2025 9:15:00 AM	Project Mgr :
Client Name : Nobis Group		Project Name : Raymark Superfund Site	Report Type : Level 4
Client Contact : Adam Roy		Receive DateTime : 8/15/2025 9:09:00 AM	EDD Type : EQUIS
Invoice Name : Nobis Group		Purchase Order :	Hard Copy Date :
Invoice Contact : Adam Roy			Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
Q2879-01	OU4-TS-GRILLO-TSCP03-081425	Solid	08/14/2025	11:30					
					VOCMS Group3		8260D	5 Bus. Days	
Q2879-03	OU4-TS-GRILLO-TSCP04-081425	Solid	08/14/2025	11:35					
					VOCMS Group3		8260D	5 Bus. Days	
Q2879-05	OU4-TS-GRILLO-TSCP05-081425	Solid	08/14/2025	11:40					
					VOCMS Group3		8260D	5 Bus. Days	
Q2879-07	OU4-TS-GRILLO-TSCP06-081425	Solid	08/14/2025	11:45					
					VOCMS Group3		8260D	5 Bus. Days	
Q2879-09	OU4-TS-GRILLO-TSCP07-081425	Solid	08/14/2025	11:50					
					VOCMS Group3		8260D	5 Bus. Days	
Q2879-11	OU4-TS-GRILLO-TSCP08-081425	Solid	08/14/2025	11:55					
					VOCMS Group3		8260D	5 Bus. Days	
Q2879-13	OU4-TS-GRILLO-TSCP09-081425	Solid	08/14/2025	12:00					
					VOCMS Group3		8260D	5 Bus. Days	
Q2879-15	OU4-TS-GRILLO-TSCP10-081425	Solid	08/14/2025	12:05					

LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q2879	NOBI03	Order Date : 8/15/2025 9:15:00 AM	Project Mgr :
Client Name : Nobis Group		Project Name : Raymark Superfund Site	Report Type : Level 4
Client Contact : Adam Roy		Receive DateTime : 8/15/2025 9:09:00 AM	EDD Type : EQUIS
Invoice Name : Nobis Group		Purchase Order :	Hard Copy Date :
Invoice Contact : Adam Roy			Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
					VOCMS Group3		8260D	5 Bus. Days	
Q2879-17	OU4-TS-GRILLO-TSCP11-081425	Solid	08/14/2025	12:10					
					VOCMS Group3		8260D	5 Bus. Days	

Relinquished By :

Date / Time : 8/15/25 1230

Received By :

Date / Time :

Storage Area : VOA Refridgerator Room