



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 2b -

CRDL STANDARD FOR AA & ICP

Client: Nobis Group

SDG No.: Q2879

Contract: NOBI03

Lab Code: ACE

Initial Calibration Source: _____

Continuing Calibration Source: _____

Sample ID	Analyte	Result ug/L	True Value ug/L	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CRA	Mercury	0.23	0.2	117	70 - 130	CV	08/18/2025	14:03	LB136858
CRI01	Aluminum	110	100	110	65 - 135	P	08/19/2025	12:38	LB136886
	Antimony	53.1	50.0	106	65 - 135	P	08/19/2025	12:38	LB136886
	Arsenic	20.5	20.0	103	65 - 135	P	08/19/2025	12:38	LB136886
	Barium	98.1	100	98	65 - 135	P	08/19/2025	12:38	LB136886
	Beryllium	6.06	6.0	101	65 - 135	P	08/19/2025	12:38	LB136886
	Cadmium	5.77	6.0	96	65 - 135	P	08/19/2025	12:38	LB136886
	Calcium	2050	2000	102	65 - 135	P	08/19/2025	12:38	LB136886
	Chromium	10.1	10.0	101	65 - 135	P	08/19/2025	12:38	LB136886
	Cobalt	29.4	30.0	98	65 - 135	P	08/19/2025	12:38	LB136886
	Copper	21.2	20.0	106	65 - 135	P	08/19/2025	12:38	LB136886
	Iron	103	100	103	65 - 135	P	08/19/2025	12:38	LB136886
	Lead	12.1	12.0	101	65 - 135	P	08/19/2025	12:38	LB136886
	Magnesium	2120	2000	106	65 - 135	P	08/19/2025	12:38	LB136886
	Manganese	21.6	20.0	108	65 - 135	P	08/19/2025	12:38	LB136886
	Nickel	39.2	40.0	98	65 - 135	P	08/19/2025	12:38	LB136886
	Potassium	1800	2000	90	65 - 135	P	08/19/2025	12:38	LB136886
	Selenium	19.6	20.0	98	65 - 135	P	08/19/2025	12:38	LB136886
	Silver	9.92	10.0	99	65 - 135	P	08/19/2025	12:38	LB136886
	Sodium	1980	2000	99	65 - 135	P	08/19/2025	12:38	LB136886
	Thallium	43.6	40.0	109	65 - 135	P	08/19/2025	12:38	LB136886
	Vanadium	39.6	40.0	99	65 - 135	P	08/19/2025	12:38	LB136886
	Zinc	42.1	40.0	105	65 - 135	P	08/19/2025	12:38	LB136886