

Hit Summary Sheet SW-846

SDG No.: Q2879

Order ID: Q2879

Client: Nobis Group

Project ID: Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID : OU4-TS-GRILLO-TSCP03-081425									
Q2879-02	OU4-TS-GRILLO-TSCP03-0814	Water	Antimony	1.05	JD	0.55	1.25	10.0	ug/L
Q2879-02	OU4-TS-GRILLO-TSCP03-0814	Water	Arsenic	30.2	D	0.45	1.25	5.00	ug/L
Q2879-02	OU4-TS-GRILLO-TSCP03-0814	Water	Barium	112	D	1.05	6.25	50.0	ug/L
Q2879-02	OU4-TS-GRILLO-TSCP03-0814	Water	Beryllium	14.4	D	1.60	3.75	5.00	ug/L
Q2879-02	OU4-TS-GRILLO-TSCP03-0814	Water	Cadmium	11.1	D	1.70	2.50	5.00	ug/L
Q2879-02	OU4-TS-GRILLO-TSCP03-0814	Water	Chromium	53.3	D	1.05	3.75	10.0	ug/L
Q2879-02	OU4-TS-GRILLO-TSCP03-0814	Water	Copper	194	D	1.50	7.50	10.0	ug/L
Q2879-02	OU4-TS-GRILLO-TSCP03-0814	Water	Lead	203	D	1.05	3.75	5.00	ug/L
Q2879-02	OU4-TS-GRILLO-TSCP03-0814	Water	Nickel	103	D	1.35	3.75	5.00	ug/L
Q2879-02	OU4-TS-GRILLO-TSCP03-0814	Water	Silver	0.30	JD	0.30	2.50	5.00	ug/L
Q2879-02	OU4-TS-GRILLO-TSCP03-0814	Water	Thallium	0.65	JD	0.30	2.50	5.00	ug/L
Q2879-02	OU4-TS-GRILLO-TSCP03-0814	Water	Vanadium	264	D	0.39	1.25	25.0	ug/L
Q2879-02	OU4-TS-GRILLO-TSCP03-0814	Water	Zinc	2440	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-GRILLO-TSCP04-081425									
Q2879-04	OU4-TS-GRILLO-TSCP04-0814	Water	Antimony	0.90	JD	0.55	1.25	10.0	ug/L
Q2879-04	OU4-TS-GRILLO-TSCP04-0814	Water	Arsenic	38.2	D	0.45	1.25	5.00	ug/L
Q2879-04	OU4-TS-GRILLO-TSCP04-0814	Water	Barium	136	D	1.05	6.25	50.0	ug/L
Q2879-04	OU4-TS-GRILLO-TSCP04-0814	Water	Beryllium	13.8	D	1.60	3.75	5.00	ug/L
Q2879-04	OU4-TS-GRILLO-TSCP04-0814	Water	Cadmium	11.1	D	1.70	2.50	5.00	ug/L
Q2879-04	OU4-TS-GRILLO-TSCP04-0814	Water	Chromium	52.7	D	1.05	3.75	10.0	ug/L
Q2879-04	OU4-TS-GRILLO-TSCP04-0814	Water	Copper	190	D	1.50	7.50	10.0	ug/L
Q2879-04	OU4-TS-GRILLO-TSCP04-0814	Water	Lead	179	D	1.05	3.75	5.00	ug/L
Q2879-04	OU4-TS-GRILLO-TSCP04-0814	Water	Nickel	103	D	1.35	3.75	5.00	ug/L
Q2879-04	OU4-TS-GRILLO-TSCP04-0814	Water	Thallium	0.65	JD	0.30	2.50	5.00	ug/L
Q2879-04	OU4-TS-GRILLO-TSCP04-0814	Water	Vanadium	261	D	0.39	1.25	25.0	ug/L
Q2879-04	OU4-TS-GRILLO-TSCP04-0814	Water	Zinc	2010	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-GRILLO-TSCP05-081425									
Q2879-06	OU4-TS-GRILLO-TSCP05-0814	Water	Antimony	0.95	JD	0.55	1.25	10.0	ug/L
Q2879-06	OU4-TS-GRILLO-TSCP05-0814	Water	Arsenic	29.6	D	0.45	1.25	5.00	ug/L
Q2879-06	OU4-TS-GRILLO-TSCP05-0814	Water	Barium	133	D	1.05	6.25	50.0	ug/L
Q2879-06	OU4-TS-GRILLO-TSCP05-0814	Water	Beryllium	14.3	D	1.60	3.75	5.00	ug/L
Q2879-06	OU4-TS-GRILLO-TSCP05-0814	Water	Cadmium	11.4	D	1.70	2.50	5.00	ug/L
Q2879-06	OU4-TS-GRILLO-TSCP05-0814	Water	Chromium	57.2	D	1.05	3.75	10.0	ug/L
Q2879-06	OU4-TS-GRILLO-TSCP05-0814	Water	Copper	230	D	1.50	7.50	10.0	ug/L
Q2879-06	OU4-TS-GRILLO-TSCP05-0814	Water	Lead	268	D	1.05	3.75	5.00	ug/L
Q2879-06	OU4-TS-GRILLO-TSCP05-0814	Water	Nickel	97.0	D	1.35	3.75	5.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q2879

Order ID: Q2879

Client: Nobis Group

Project ID: Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q2879-06	OU4-TS-GRILLO-TSCP05-0814	Water	Thallium	0.70	JD	0.30	2.50	5.00	ug/L
Q2879-06	OU4-TS-GRILLO-TSCP05-0814	Water	Vanadium	284	D	0.39	1.25	25.0	ug/L
Q2879-06	OU4-TS-GRILLO-TSCP05-0814	Water	Zinc	1810	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-GRILLO-TSCP06-081425									
Q2879-08	OU4-TS-GRILLO-TSCP06-0814	Water	Antimony	0.90	JD	0.55	1.25	10.0	ug/L
Q2879-08	OU4-TS-GRILLO-TSCP06-0814	Water	Arsenic	33.8	D	0.45	1.25	5.00	ug/L
Q2879-08	OU4-TS-GRILLO-TSCP06-0814	Water	Barium	124	D	1.05	6.25	50.0	ug/L
Q2879-08	OU4-TS-GRILLO-TSCP06-0814	Water	Beryllium	14.3	D	1.60	3.75	5.00	ug/L
Q2879-08	OU4-TS-GRILLO-TSCP06-0814	Water	Cadmium	11.6	D	1.70	2.50	5.00	ug/L
Q2879-08	OU4-TS-GRILLO-TSCP06-0814	Water	Chromium	60.5	D	1.05	3.75	10.0	ug/L
Q2879-08	OU4-TS-GRILLO-TSCP06-0814	Water	Copper	216	D	1.50	7.50	10.0	ug/L
Q2879-08	OU4-TS-GRILLO-TSCP06-0814	Water	Lead	210	D	1.05	3.75	5.00	ug/L
Q2879-08	OU4-TS-GRILLO-TSCP06-0814	Water	Nickel	109	D	1.35	3.75	5.00	ug/L
Q2879-08	OU4-TS-GRILLO-TSCP06-0814	Water	Mercury	0.20	J	0.076	0.16	0.20	ug/L
Q2879-08	OU4-TS-GRILLO-TSCP06-0814	Water	Thallium	0.75	JD	0.30	2.50	5.00	ug/L
Q2879-08	OU4-TS-GRILLO-TSCP06-0814	Water	Vanadium	282	D	0.39	1.25	25.0	ug/L
Q2879-08	OU4-TS-GRILLO-TSCP06-0814	Water	Zinc	2000	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-GRILLO-TSCP07-081425									
Q2879-10	OU4-TS-GRILLO-TSCP07-0814	Water	Antimony	0.75	JD	0.55	1.25	10.0	ug/L
Q2879-10	OU4-TS-GRILLO-TSCP07-0814	Water	Arsenic	10.2	D	0.45	1.25	5.00	ug/L
Q2879-10	OU4-TS-GRILLO-TSCP07-0814	Water	Barium	104	D	1.05	6.25	50.0	ug/L
Q2879-10	OU4-TS-GRILLO-TSCP07-0814	Water	Beryllium	4.80	JD	1.60	3.75	5.00	ug/L
Q2879-10	OU4-TS-GRILLO-TSCP07-0814	Water	Cadmium	7.35	D	1.70	2.50	5.00	ug/L
Q2879-10	OU4-TS-GRILLO-TSCP07-0814	Water	Chromium	9.95	JD	1.05	3.75	10.0	ug/L
Q2879-10	OU4-TS-GRILLO-TSCP07-0814	Water	Copper	26.4	D	1.50	7.50	10.0	ug/L
Q2879-10	OU4-TS-GRILLO-TSCP07-0814	Water	Lead	25.2	D	1.05	3.75	5.00	ug/L
Q2879-10	OU4-TS-GRILLO-TSCP07-0814	Water	Nickel	59.7	D	1.35	3.75	5.00	ug/L
Q2879-10	OU4-TS-GRILLO-TSCP07-0814	Water	Mercury	0.20		0.076	0.16	0.20	ug/L
Q2879-10	OU4-TS-GRILLO-TSCP07-0814	Water	Thallium	0.40	JD	0.30	2.50	5.00	ug/L
Q2879-10	OU4-TS-GRILLO-TSCP07-0814	Water	Vanadium	15.8	JD	0.39	1.25	25.0	ug/L
Q2879-10	OU4-TS-GRILLO-TSCP07-0814	Water	Zinc	1610	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-GRILLO-TSCP08-081425									
Q2879-12	OU4-TS-GRILLO-TSCP08-0814	Water	Antimony	0.75	JD	0.55	1.25	10.0	ug/L
Q2879-12	OU4-TS-GRILLO-TSCP08-0814	Water	Arsenic	31.1	D	0.45	1.25	5.00	ug/L
Q2879-12	OU4-TS-GRILLO-TSCP08-0814	Water	Barium	120	D	1.05	6.25	50.0	ug/L
Q2879-12	OU4-TS-GRILLO-TSCP08-0814	Water	Beryllium	13.2	D	1.60	3.75	5.00	ug/L
Q2879-12	OU4-TS-GRILLO-TSCP08-0814	Water	Cadmium	10.6	D	1.70	2.50	5.00	ug/L
Q2879-12	OU4-TS-GRILLO-TSCP08-0814	Water	Chromium	47.8	D	1.05	3.75	10.0	ug/L

Hit Summary Sheet SW-846

SDG No.: Q2879

Order ID: Q2879

Client: Nobis Group

Project ID: Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q2879-12	OU4-TS-GRILLO-TSCP08-0814	Water	Copper	168	D	1.50	7.50	10.0	ug/L
Q2879-12	OU4-TS-GRILLO-TSCP08-0814	Water	Lead	175	D	1.05	3.75	5.00	ug/L
Q2879-12	OU4-TS-GRILLO-TSCP08-0814	Water	Nickel	95.1	D	1.35	3.75	5.00	ug/L
Q2879-12	OU4-TS-GRILLO-TSCP08-0814	Water	Mercury	0.41		0.076	0.16	0.20	ug/L
Q2879-12	OU4-TS-GRILLO-TSCP08-0814	Water	Thallium	0.70	JD	0.30	2.50	5.00	ug/L
Q2879-12	OU4-TS-GRILLO-TSCP08-0814	Water	Vanadium	264	D	0.39	1.25	25.0	ug/L
Q2879-12	OU4-TS-GRILLO-TSCP08-0814	Water	Zinc	1850	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-GRILLO-TSCP09-081425									
Q2879-14	OU4-TS-GRILLO-TSCP09-0814	Water	Antimony	0.90	JD	0.55	1.25	10.0	ug/L
Q2879-14	OU4-TS-GRILLO-TSCP09-0814	Water	Arsenic	27.0	D	0.45	1.25	5.00	ug/L
Q2879-14	OU4-TS-GRILLO-TSCP09-0814	Water	Barium	122	D	1.05	6.25	50.0	ug/L
Q2879-14	OU4-TS-GRILLO-TSCP09-0814	Water	Beryllium	12.9	D	1.60	3.75	5.00	ug/L
Q2879-14	OU4-TS-GRILLO-TSCP09-0814	Water	Cadmium	11.3	D	1.70	2.50	5.00	ug/L
Q2879-14	OU4-TS-GRILLO-TSCP09-0814	Water	Chromium	46.5	D	1.05	3.75	10.0	ug/L
Q2879-14	OU4-TS-GRILLO-TSCP09-0814	Water	Copper	144	D	1.50	7.50	10.0	ug/L
Q2879-14	OU4-TS-GRILLO-TSCP09-0814	Water	Lead	179	D	1.05	3.75	5.00	ug/L
Q2879-14	OU4-TS-GRILLO-TSCP09-0814	Water	Nickel	101	D	1.35	3.75	5.00	ug/L
Q2879-14	OU4-TS-GRILLO-TSCP09-0814	Water	Mercury	0.26		0.076	0.16	0.20	ug/L
Q2879-14	OU4-TS-GRILLO-TSCP09-0814	Water	Thallium	0.55	JD	0.30	2.50	5.00	ug/L
Q2879-14	OU4-TS-GRILLO-TSCP09-0814	Water	Vanadium	213	D	0.39	1.25	25.0	ug/L
Q2879-14	OU4-TS-GRILLO-TSCP09-0814	Water	Zinc	2010	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-GRILLO-TSCP10-081425									
Q2879-16	OU4-TS-GRILLO-TSCP10-0814	Water	Antimony	0.90	JD	0.55	1.25	10.0	ug/L
Q2879-16	OU4-TS-GRILLO-TSCP10-0814	Water	Arsenic	30.4	D	0.45	1.25	5.00	ug/L
Q2879-16	OU4-TS-GRILLO-TSCP10-0814	Water	Barium	115	D	1.05	6.25	50.0	ug/L
Q2879-16	OU4-TS-GRILLO-TSCP10-0814	Water	Beryllium	14.5	D	1.60	3.75	5.00	ug/L
Q2879-16	OU4-TS-GRILLO-TSCP10-0814	Water	Cadmium	11.6	D	1.70	2.50	5.00	ug/L
Q2879-16	OU4-TS-GRILLO-TSCP10-0814	Water	Chromium	56.9	D	1.05	3.75	10.0	ug/L
Q2879-16	OU4-TS-GRILLO-TSCP10-0814	Water	Copper	204	D	1.50	7.50	10.0	ug/L
Q2879-16	OU4-TS-GRILLO-TSCP10-0814	Water	Lead	263	D	1.05	3.75	5.00	ug/L
Q2879-16	OU4-TS-GRILLO-TSCP10-0814	Water	Nickel	107	D	1.35	3.75	5.00	ug/L
Q2879-16	OU4-TS-GRILLO-TSCP10-0814	Water	Mercury	0.21		0.076	0.16	0.20	ug/L
Q2879-16	OU4-TS-GRILLO-TSCP10-0814	Water	Thallium	0.60	JD	0.30	2.50	5.00	ug/L
Q2879-16	OU4-TS-GRILLO-TSCP10-0814	Water	Vanadium	288	D	0.39	1.25	25.0	ug/L
Q2879-16	OU4-TS-GRILLO-TSCP10-0814	Water	Zinc	2060	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-GRILLO-TSCP11-081425									
Q2879-18	OU4-TS-GRILLO-TSCP11-0814	Water	Antimony	0.75	JD	0.55	1.25	10.0	ug/L
Q2879-18	OU4-TS-GRILLO-TSCP11-0814	Water	Arsenic	31.9	D	0.45	1.25	5.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q2879

Order ID: Q2879

Client: Nobis Group

Project ID: Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q2879-18	OU4-TS-GRILLO-TSCP11-0814	Water	Barium	132	D	1.05	6.25	50.0	ug/L
Q2879-18	OU4-TS-GRILLO-TSCP11-0814	Water	Beryllium	12.2	D	1.60	3.75	5.00	ug/L
Q2879-18	OU4-TS-GRILLO-TSCP11-0814	Water	Cadmium	9.70	D	1.70	2.50	5.00	ug/L
Q2879-18	OU4-TS-GRILLO-TSCP11-0814	Water	Chromium	64.5	D	1.05	3.75	10.0	ug/L
Q2879-18	OU4-TS-GRILLO-TSCP11-0814	Water	Copper	248	D	1.50	7.50	10.0	ug/L
Q2879-18	OU4-TS-GRILLO-TSCP11-0814	Water	Lead	280	D	1.05	3.75	5.00	ug/L
Q2879-18	OU4-TS-GRILLO-TSCP11-0814	Water	Nickel	100	D	1.35	3.75	5.00	ug/L
Q2879-18	OU4-TS-GRILLO-TSCP11-0814	Water	Thallium	0.65	JD	0.30	2.50	5.00	ug/L
Q2879-18	OU4-TS-GRILLO-TSCP11-0814	Water	Vanadium	302	D	0.39	1.25	25.0	ug/L
Q2879-18	OU4-TS-GRILLO-TSCP11-0814	Water	Zinc	1750	D	6.25	7.50	25.0	ug/L