

Hit Summary Sheet SW-846

SDG No.: Q2879 **Order ID:** Q2879
Client: Nobis Group **Project ID:** Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID : OU4-TS-GRILLO-TSCP03-081425									
Q2879-02	OU4-TS-GRILLO-TSCP03-0814	Water	Antimony	1.05	JD	0.55	1.25	10.0	ug/L
Q2879-02	OU4-TS-GRILLO-TSCP03-0814	Water	Arsenic	30.2	D	0.45	1.25	5.00	ug/L
Q2879-02	OU4-TS-GRILLO-TSCP03-0814	Water	Barium	112	D	1.05	6.25	50.0	ug/L
Q2879-02	OU4-TS-GRILLO-TSCP03-0814	Water	Beryllium	14.4	D	1.60	3.75	5.00	ug/L
Q2879-02	OU4-TS-GRILLO-TSCP03-0814	Water	Cadmium	11.1	D	1.70	2.50	5.00	ug/L
Q2879-02	OU4-TS-GRILLO-TSCP03-0814	Water	Chromium	53.3	D	1.05	3.75	10.0	ug/L
Q2879-02	OU4-TS-GRILLO-TSCP03-0814	Water	Copper	194	D	1.50	7.50	10.0	ug/L
Q2879-02	OU4-TS-GRILLO-TSCP03-0814	Water	Lead	203	D	1.05	3.75	5.00	ug/L
Q2879-02	OU4-TS-GRILLO-TSCP03-0814	Water	Nickel	103	D	1.35	3.75	5.00	ug/L
Q2879-02	OU4-TS-GRILLO-TSCP03-0814	Water	Silver	0.30	JD	0.30	2.50	5.00	ug/L
Q2879-02	OU4-TS-GRILLO-TSCP03-0814	Water	Thallium	0.65	JD	0.30	2.50	5.00	ug/L
Q2879-02	OU4-TS-GRILLO-TSCP03-0814	Water	Vanadium	264	D	0.39	1.25	25.0	ug/L
Q2879-02	OU4-TS-GRILLO-TSCP03-0814	Water	Zinc	2440	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-GRILLO-TSCP04-081425									
Q2879-04	OU4-TS-GRILLO-TSCP04-0814	Water	Antimony	0.90	JD	0.55	1.25	10.0	ug/L
Q2879-04	OU4-TS-GRILLO-TSCP04-0814	Water	Arsenic	38.2	D	0.45	1.25	5.00	ug/L
Q2879-04	OU4-TS-GRILLO-TSCP04-0814	Water	Barium	136	D	1.05	6.25	50.0	ug/L
Q2879-04	OU4-TS-GRILLO-TSCP04-0814	Water	Beryllium	13.8	D	1.60	3.75	5.00	ug/L
Q2879-04	OU4-TS-GRILLO-TSCP04-0814	Water	Cadmium	11.1	D	1.70	2.50	5.00	ug/L
Q2879-04	OU4-TS-GRILLO-TSCP04-0814	Water	Chromium	52.7	D	1.05	3.75	10.0	ug/L
Q2879-04	OU4-TS-GRILLO-TSCP04-0814	Water	Copper	190	D	1.50	7.50	10.0	ug/L
Q2879-04	OU4-TS-GRILLO-TSCP04-0814	Water	Lead	179	D	1.05	3.75	5.00	ug/L
Q2879-04	OU4-TS-GRILLO-TSCP04-0814	Water	Nickel	103	D	1.35	3.75	5.00	ug/L
Q2879-04	OU4-TS-GRILLO-TSCP04-0814	Water	Thallium	0.65	JD	0.30	2.50	5.00	ug/L
Q2879-04	OU4-TS-GRILLO-TSCP04-0814	Water	Vanadium	261	D	0.39	1.25	25.0	ug/L
Q2879-04	OU4-TS-GRILLO-TSCP04-0814	Water	Zinc	2010	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-GRILLO-TSCP05-081425									
Q2879-06	OU4-TS-GRILLO-TSCP05-0814	Water	Antimony	0.95	JD	0.55	1.25	10.0	ug/L
Q2879-06	OU4-TS-GRILLO-TSCP05-0814	Water	Arsenic	29.6	D	0.45	1.25	5.00	ug/L
Q2879-06	OU4-TS-GRILLO-TSCP05-0814	Water	Barium	133	D	1.05	6.25	50.0	ug/L
Q2879-06	OU4-TS-GRILLO-TSCP05-0814	Water	Beryllium	14.3	D	1.60	3.75	5.00	ug/L
Q2879-06	OU4-TS-GRILLO-TSCP05-0814	Water	Cadmium	11.4	D	1.70	2.50	5.00	ug/L
Q2879-06	OU4-TS-GRILLO-TSCP05-0814	Water	Chromium	57.2	D	1.05	3.75	10.0	ug/L
Q2879-06	OU4-TS-GRILLO-TSCP05-0814	Water	Copper	230	D	1.50	7.50	10.0	ug/L
Q2879-06	OU4-TS-GRILLO-TSCP05-0814	Water	Lead	268	D	1.05	3.75	5.00	ug/L
Q2879-06	OU4-TS-GRILLO-TSCP05-0814	Water	Nickel	97.0	D	1.35	3.75	5.00	ug/L

Hit Summary Sheet SW-846

SDG No.: Q2879

Order ID: Q2879

Client: Nobis Group

Project ID: Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q2879-06	OU4-TS-GRILLO-TSCP05-0814	Water	Thallium	0.70	JD	0.30	2.50	5.00	ug/L
Q2879-06	OU4-TS-GRILLO-TSCP05-0814	Water	Vanadium	284	D	0.39	1.25	25.0	ug/L
Q2879-06	OU4-TS-GRILLO-TSCP05-0814	Water	Zinc	1810	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-GRILLO-TSCP06-081425									
Q2879-08	OU4-TS-GRILLO-TSCP06-0814	Water	Antimony	0.90	JD	0.55	1.25	10.0	ug/L
Q2879-08	OU4-TS-GRILLO-TSCP06-0814	Water	Arsenic	33.8	D	0.45	1.25	5.00	ug/L
Q2879-08	OU4-TS-GRILLO-TSCP06-0814	Water	Barium	124	D	1.05	6.25	50.0	ug/L
Q2879-08	OU4-TS-GRILLO-TSCP06-0814	Water	Beryllium	14.3	D	1.60	3.75	5.00	ug/L
Q2879-08	OU4-TS-GRILLO-TSCP06-0814	Water	Cadmium	11.6	D	1.70	2.50	5.00	ug/L
Q2879-08	OU4-TS-GRILLO-TSCP06-0814	Water	Chromium	60.5	D	1.05	3.75	10.0	ug/L
Q2879-08	OU4-TS-GRILLO-TSCP06-0814	Water	Copper	216	D	1.50	7.50	10.0	ug/L
Q2879-08	OU4-TS-GRILLO-TSCP06-0814	Water	Lead	210	D	1.05	3.75	5.00	ug/L
Q2879-08	OU4-TS-GRILLO-TSCP06-0814	Water	Nickel	109	D	1.35	3.75	5.00	ug/L
Q2879-08	OU4-TS-GRILLO-TSCP06-0814	Water	Mercury	0.20	J	0.076	0.16	0.20	ug/L
Q2879-08	OU4-TS-GRILLO-TSCP06-0814	Water	Thallium	0.75	JD	0.30	2.50	5.00	ug/L
Q2879-08	OU4-TS-GRILLO-TSCP06-0814	Water	Vanadium	282	D	0.39	1.25	25.0	ug/L
Q2879-08	OU4-TS-GRILLO-TSCP06-0814	Water	Zinc	2000	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-GRILLO-TSCP07-081425									
Q2879-10	OU4-TS-GRILLO-TSCP07-0814	Water	Antimony	0.75	JD	0.55	1.25	10.0	ug/L
Q2879-10	OU4-TS-GRILLO-TSCP07-0814	Water	Arsenic	10.2	D	0.45	1.25	5.00	ug/L
Q2879-10	OU4-TS-GRILLO-TSCP07-0814	Water	Barium	104	D	1.05	6.25	50.0	ug/L
Q2879-10	OU4-TS-GRILLO-TSCP07-0814	Water	Beryllium	4.80	JD	1.60	3.75	5.00	ug/L
Q2879-10	OU4-TS-GRILLO-TSCP07-0814	Water	Cadmium	7.35	D	1.70	2.50	5.00	ug/L
Q2879-10	OU4-TS-GRILLO-TSCP07-0814	Water	Chromium	9.95	JD	1.05	3.75	10.0	ug/L
Q2879-10	OU4-TS-GRILLO-TSCP07-0814	Water	Copper	26.4	D	1.50	7.50	10.0	ug/L
Q2879-10	OU4-TS-GRILLO-TSCP07-0814	Water	Lead	25.2	D	1.05	3.75	5.00	ug/L
Q2879-10	OU4-TS-GRILLO-TSCP07-0814	Water	Nickel	59.7	D	1.35	3.75	5.00	ug/L
Q2879-10	OU4-TS-GRILLO-TSCP07-0814	Water	Mercury	0.20		0.076	0.16	0.20	ug/L
Q2879-10	OU4-TS-GRILLO-TSCP07-0814	Water	Thallium	0.40	JD	0.30	2.50	5.00	ug/L
Q2879-10	OU4-TS-GRILLO-TSCP07-0814	Water	Vanadium	15.8	JD	0.39	1.25	25.0	ug/L
Q2879-10	OU4-TS-GRILLO-TSCP07-0814	Water	Zinc	1610	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-GRILLO-TSCP08-081425									
Q2879-12	OU4-TS-GRILLO-TSCP08-0814	Water	Antimony	0.75	JD	0.55	1.25	10.0	ug/L
Q2879-12	OU4-TS-GRILLO-TSCP08-0814	Water	Arsenic	31.1	D	0.45	1.25	5.00	ug/L
Q2879-12	OU4-TS-GRILLO-TSCP08-0814	Water	Barium	120	D	1.05	6.25	50.0	ug/L
Q2879-12	OU4-TS-GRILLO-TSCP08-0814	Water	Beryllium	13.2	D	1.60	3.75	5.00	ug/L
Q2879-12	OU4-TS-GRILLO-TSCP08-0814	Water	Cadmium	10.6	D	1.70	2.50	5.00	ug/L
Q2879-12	OU4-TS-GRILLO-TSCP08-0814	Water	Chromium	47.8	D	1.05	3.75	10.0	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q2879

Order ID: Q2879

Client: Nobis Group

Project ID: Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q2879-12	OU4-TS-GRILLO-TSCP08-0814	Water	Copper	168	D	1.50	7.50	10.0	ug/L
Q2879-12	OU4-TS-GRILLO-TSCP08-0814	Water	Lead	175	D	1.05	3.75	5.00	ug/L
Q2879-12	OU4-TS-GRILLO-TSCP08-0814	Water	Nickel	95.1	D	1.35	3.75	5.00	ug/L
Q2879-12	OU4-TS-GRILLO-TSCP08-0814	Water	Mercury	0.41		0.076	0.16	0.20	ug/L
Q2879-12	OU4-TS-GRILLO-TSCP08-0814	Water	Thallium	0.70	JD	0.30	2.50	5.00	ug/L
Q2879-12	OU4-TS-GRILLO-TSCP08-0814	Water	Vanadium	264	D	0.39	1.25	25.0	ug/L
Q2879-12	OU4-TS-GRILLO-TSCP08-0814	Water	Zinc	1850	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-GRILLO-TSCP09-081425									
Q2879-14	OU4-TS-GRILLO-TSCP09-0814	Water	Antimony	0.90	JD	0.55	1.25	10.0	ug/L
Q2879-14	OU4-TS-GRILLO-TSCP09-0814	Water	Arsenic	27.0	D	0.45	1.25	5.00	ug/L
Q2879-14	OU4-TS-GRILLO-TSCP09-0814	Water	Barium	122	D	1.05	6.25	50.0	ug/L
Q2879-14	OU4-TS-GRILLO-TSCP09-0814	Water	Beryllium	12.9	D	1.60	3.75	5.00	ug/L
Q2879-14	OU4-TS-GRILLO-TSCP09-0814	Water	Cadmium	11.3	D	1.70	2.50	5.00	ug/L
Q2879-14	OU4-TS-GRILLO-TSCP09-0814	Water	Chromium	46.5	D	1.05	3.75	10.0	ug/L
Q2879-14	OU4-TS-GRILLO-TSCP09-0814	Water	Copper	144	D	1.50	7.50	10.0	ug/L
Q2879-14	OU4-TS-GRILLO-TSCP09-0814	Water	Lead	179	D	1.05	3.75	5.00	ug/L
Q2879-14	OU4-TS-GRILLO-TSCP09-0814	Water	Nickel	101	D	1.35	3.75	5.00	ug/L
Q2879-14	OU4-TS-GRILLO-TSCP09-0814	Water	Mercury	0.26		0.076	0.16	0.20	ug/L
Q2879-14	OU4-TS-GRILLO-TSCP09-0814	Water	Thallium	0.55	JD	0.30	2.50	5.00	ug/L
Q2879-14	OU4-TS-GRILLO-TSCP09-0814	Water	Vanadium	213	D	0.39	1.25	25.0	ug/L
Q2879-14	OU4-TS-GRILLO-TSCP09-0814	Water	Zinc	2010	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-GRILLO-TSCP10-081425									
Q2879-16	OU4-TS-GRILLO-TSCP10-0814	Water	Antimony	0.90	JD	0.55	1.25	10.0	ug/L
Q2879-16	OU4-TS-GRILLO-TSCP10-0814	Water	Arsenic	30.4	D	0.45	1.25	5.00	ug/L
Q2879-16	OU4-TS-GRILLO-TSCP10-0814	Water	Barium	115	D	1.05	6.25	50.0	ug/L
Q2879-16	OU4-TS-GRILLO-TSCP10-0814	Water	Beryllium	14.5	D	1.60	3.75	5.00	ug/L
Q2879-16	OU4-TS-GRILLO-TSCP10-0814	Water	Cadmium	11.6	D	1.70	2.50	5.00	ug/L
Q2879-16	OU4-TS-GRILLO-TSCP10-0814	Water	Chromium	56.9	D	1.05	3.75	10.0	ug/L
Q2879-16	OU4-TS-GRILLO-TSCP10-0814	Water	Copper	204	D	1.50	7.50	10.0	ug/L
Q2879-16	OU4-TS-GRILLO-TSCP10-0814	Water	Lead	263	D	1.05	3.75	5.00	ug/L
Q2879-16	OU4-TS-GRILLO-TSCP10-0814	Water	Nickel	107	D	1.35	3.75	5.00	ug/L
Q2879-16	OU4-TS-GRILLO-TSCP10-0814	Water	Mercury	0.21		0.076	0.16	0.20	ug/L
Q2879-16	OU4-TS-GRILLO-TSCP10-0814	Water	Thallium	0.60	JD	0.30	2.50	5.00	ug/L
Q2879-16	OU4-TS-GRILLO-TSCP10-0814	Water	Vanadium	288	D	0.39	1.25	25.0	ug/L
Q2879-16	OU4-TS-GRILLO-TSCP10-0814	Water	Zinc	2060	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-GRILLO-TSCP11-081425									
Q2879-18	OU4-TS-GRILLO-TSCP11-0814	Water	Antimony	0.75	JD	0.55	1.25	10.0	ug/L
Q2879-18	OU4-TS-GRILLO-TSCP11-0814	Water	Arsenic	31.9	D	0.45	1.25	5.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q2879

Order ID: Q2879

Client: Nobis Group

Project ID: Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q2879-18	OU4-TS-GRILLO-TSCP11-0814	Water	Barium	132	D	1.05	6.25	50.0	ug/L
Q2879-18	OU4-TS-GRILLO-TSCP11-0814	Water	Beryllium	12.2	D	1.60	3.75	5.00	ug/L
Q2879-18	OU4-TS-GRILLO-TSCP11-0814	Water	Cadmium	9.70	D	1.70	2.50	5.00	ug/L
Q2879-18	OU4-TS-GRILLO-TSCP11-0814	Water	Chromium	64.5	D	1.05	3.75	10.0	ug/L
Q2879-18	OU4-TS-GRILLO-TSCP11-0814	Water	Copper	248	D	1.50	7.50	10.0	ug/L
Q2879-18	OU4-TS-GRILLO-TSCP11-0814	Water	Lead	280	D	1.05	3.75	5.00	ug/L
Q2879-18	OU4-TS-GRILLO-TSCP11-0814	Water	Nickel	100	D	1.35	3.75	5.00	ug/L
Q2879-18	OU4-TS-GRILLO-TSCP11-0814	Water	Thallium	0.65	JD	0.30	2.50	5.00	ug/L
Q2879-18	OU4-TS-GRILLO-TSCP11-0814	Water	Vanadium	302	D	0.39	1.25	25.0	ug/L
Q2879-18	OU4-TS-GRILLO-TSCP11-0814	Water	Zinc	1750	D	6.25	7.50	25.0	ug/L



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Nobis Group	Date Collected:	08/14/25
Project:	Raymark Superfund Site	Date Received:	08/15/25
Client Sample ID:	OU4-TS-GRILLO-TSCP03-081425	SDG No.:	Q2879
Lab Sample ID:	Q2879-02	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.05	JD	5	0.55	1.25	10.0	ug/L	08/18/25 12:30	08/20/25 12:28	6020B	3010A
7440-38-2	Arsenic	30.2	DN	5	0.45	1.25	5.00	ug/L	08/18/25 12:30	08/20/25 12:28	6020B	3010A
7440-39-3	Barium	112	DN	5	1.05	6.25	50.0	ug/L	08/18/25 12:30	08/20/25 12:28	6020B	3010A
7440-41-7	Beryllium	14.4	D	5	1.60	3.75	5.00	ug/L	08/18/25 12:30	08/20/25 12:28	6020B	3010A
7440-43-9	Cadmium	11.1	D	5	1.70	2.50	5.00	ug/L	08/18/25 12:30	08/20/25 12:28	6020B	3010A
7440-47-3	Chromium	53.3	D	5	1.05	3.75	10.0	ug/L	08/18/25 12:30	08/20/25 12:28	6020B	3010A
7440-50-8	Copper	194	D	5	1.50	7.50	10.0	ug/L	08/18/25 12:30	08/20/25 12:28	6020B	3010A
7439-92-1	Lead	203	D	5	1.05	3.75	5.00	ug/L	08/18/25 12:30	08/20/25 12:28	6020B	3010A
7439-97-6	Mercury	0.16	U	1	0.076	0.16	0.20	ug/L	08/19/25 11:30	08/19/25 14:38	7470A	
7440-02-0	Nickel	103	D	5	1.35	3.75	5.00	ug/L	08/18/25 12:30	08/20/25 12:28	6020B	3010A
7782-49-2	Selenium	22.5	UD	5	14.5	22.5	25.0	ug/L	08/18/25 12:30	08/20/25 12:28	6020B	3010A
7440-22-4	Silver	0.30	JDN	5	0.30	2.50	5.00	ug/L	08/18/25 12:30	08/20/25 12:28	6020B	3010A
7440-28-0	Thallium	0.65	JD	5	0.30	2.50	5.00	ug/L	08/18/25 12:30	08/20/25 12:28	6020B	3010A
7440-62-2	Vanadium	264	D	5	0.39	1.25	25.0	ug/L	08/18/25 12:30	08/20/25 12:28	6020B	3010A
7440-66-6	Zinc	2440	D	5	6.25	7.50	25.0	ug/L	08/18/25 12:30	08/20/25 12:28	6020B	3010A

Color Before:	Light Yellow	Clarity Before:	Clear	Texture:
Color After:	Light Yellow	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	08/14/25
Project:	Raymark Superfund Site	Date Received:	08/15/25
Client Sample ID:	OU4-TS-GRILLO-TSCP04-081425	SDG No.:	Q2879
Lab Sample ID:	Q2879-04	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	0.90	JD	5	0.55	1.25	10.0	ug/L	08/18/25 12:30	08/20/25 12:32	6020B	3010A
7440-38-2	Arsenic	38.2	DN	5	0.45	1.25	5.00	ug/L	08/18/25 12:30	08/20/25 12:32	6020B	3010A
7440-39-3	Barium	136	DN	5	1.05	6.25	50.0	ug/L	08/18/25 12:30	08/20/25 12:32	6020B	3010A
7440-41-7	Beryllium	13.8	D	5	1.60	3.75	5.00	ug/L	08/18/25 12:30	08/20/25 12:32	6020B	3010A
7440-43-9	Cadmium	11.1	D	5	1.70	2.50	5.00	ug/L	08/18/25 12:30	08/20/25 12:32	6020B	3010A
7440-47-3	Chromium	52.7	D	5	1.05	3.75	10.0	ug/L	08/18/25 12:30	08/20/25 12:32	6020B	3010A
7440-50-8	Copper	190	D	5	1.50	7.50	10.0	ug/L	08/18/25 12:30	08/20/25 12:32	6020B	3010A
7439-92-1	Lead	179	D	5	1.05	3.75	5.00	ug/L	08/18/25 12:30	08/20/25 12:32	6020B	3010A
7439-97-6	Mercury	0.16	U	1	0.076	0.16	0.20	ug/L	08/19/25 11:30	08/19/25 14:40	7470A	
7440-02-0	Nickel	103	D	5	1.35	3.75	5.00	ug/L	08/18/25 12:30	08/20/25 12:32	6020B	3010A
7782-49-2	Selenium	22.5	UD	5	14.5	22.5	25.0	ug/L	08/18/25 12:30	08/20/25 12:32	6020B	3010A
7440-22-4	Silver	2.50	UDN	5	0.30	2.50	5.00	ug/L	08/18/25 12:30	08/20/25 12:32	6020B	3010A
7440-28-0	Thallium	0.65	JD	5	0.30	2.50	5.00	ug/L	08/18/25 12:30	08/20/25 12:32	6020B	3010A
7440-62-2	Vanadium	261	D	5	0.39	1.25	25.0	ug/L	08/18/25 12:30	08/20/25 12:32	6020B	3010A
7440-66-6	Zinc	2010	D	5	6.25	7.50	25.0	ug/L	08/18/25 12:30	08/20/25 12:32	6020B	3010A

Color Before:	Light Yellow	Clarity Before:	Clear	Texture:
Color After:	Light Yellow	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	08/14/25
Project:	Raymark Superfund Site	Date Received:	08/15/25
Client Sample ID:	OU4-TS-GRILLO-TSCP05-081425	SDG No.:	Q2879
Lab Sample ID:	Q2879-06	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	0.95	JD	5	0.55	1.25	10.0	ug/L	08/18/25 12:30	08/20/25 12:35	6020B	3010A
7440-38-2	Arsenic	29.6	DN	5	0.45	1.25	5.00	ug/L	08/18/25 12:30	08/20/25 12:35	6020B	3010A
7440-39-3	Barium	133	DN	5	1.05	6.25	50.0	ug/L	08/18/25 12:30	08/20/25 12:35	6020B	3010A
7440-41-7	Beryllium	14.3	D	5	1.60	3.75	5.00	ug/L	08/18/25 12:30	08/20/25 12:35	6020B	3010A
7440-43-9	Cadmium	11.4	D	5	1.70	2.50	5.00	ug/L	08/18/25 12:30	08/20/25 12:35	6020B	3010A
7440-47-3	Chromium	57.2	D	5	1.05	3.75	10.0	ug/L	08/18/25 12:30	08/20/25 12:35	6020B	3010A
7440-50-8	Copper	230	D	5	1.50	7.50	10.0	ug/L	08/18/25 12:30	08/20/25 12:35	6020B	3010A
7439-92-1	Lead	268	D	5	1.05	3.75	5.00	ug/L	08/18/25 12:30	08/20/25 12:35	6020B	3010A
7439-97-6	Mercury	0.16	U	1	0.076	0.16	0.20	ug/L	08/19/25 11:30	08/19/25 14:43	7470A	
7440-02-0	Nickel	97.0	D	5	1.35	3.75	5.00	ug/L	08/18/25 12:30	08/20/25 12:35	6020B	3010A
7782-49-2	Selenium	22.5	UD	5	14.5	22.5	25.0	ug/L	08/18/25 12:30	08/20/25 12:35	6020B	3010A
7440-22-4	Silver	2.50	UDN5		0.30	2.50	5.00	ug/L	08/18/25 12:30	08/20/25 12:35	6020B	3010A
7440-28-0	Thallium	0.70	JD	5	0.30	2.50	5.00	ug/L	08/18/25 12:30	08/20/25 12:35	6020B	3010A
7440-62-2	Vanadium	284	D	5	0.39	1.25	25.0	ug/L	08/18/25 12:30	08/20/25 12:35	6020B	3010A
7440-66-6	Zinc	1810	D	5	6.25	7.50	25.0	ug/L	08/18/25 12:30	08/20/25 12:35	6020B	3010A

Color Before:	Light Yellow	Clarity Before:	Clear	Texture:
Color After:	Light Yellow	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	08/14/25
Project:	Raymark Superfund Site	Date Received:	08/15/25
Client Sample ID:	OU4-TS-GRILLO-TSCP06-081425	SDG No.:	Q2879
Lab Sample ID:	Q2879-08	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	0.90	JD	5	0.55	1.25	10.0	ug/L	08/18/25 12:30	08/20/25 12:38	6020B	3010A
7440-38-2	Arsenic	33.8	DN	5	0.45	1.25	5.00	ug/L	08/18/25 12:30	08/20/25 12:38	6020B	3010A
7440-39-3	Barium	124	DN	5	1.05	6.25	50.0	ug/L	08/18/25 12:30	08/20/25 12:38	6020B	3010A
7440-41-7	Beryllium	14.3	D	5	1.60	3.75	5.00	ug/L	08/18/25 12:30	08/20/25 12:38	6020B	3010A
7440-43-9	Cadmium	11.6	D	5	1.70	2.50	5.00	ug/L	08/18/25 12:30	08/20/25 12:38	6020B	3010A
7440-47-3	Chromium	60.5	D	5	1.05	3.75	10.0	ug/L	08/18/25 12:30	08/20/25 12:38	6020B	3010A
7440-50-8	Copper	216	D	5	1.50	7.50	10.0	ug/L	08/18/25 12:30	08/20/25 12:38	6020B	3010A
7439-92-1	Lead	210	D	5	1.05	3.75	5.00	ug/L	08/18/25 12:30	08/20/25 12:38	6020B	3010A
7439-97-6	Mercury	0.20	J	1	0.076	0.16	0.20	ug/L	08/19/25 11:30	08/19/25 14:50	7470A	
7440-02-0	Nickel	109	D	5	1.35	3.75	5.00	ug/L	08/18/25 12:30	08/20/25 12:38	6020B	3010A
7782-49-2	Selenium	22.5	UD	5	14.5	22.5	25.0	ug/L	08/18/25 12:30	08/20/25 12:38	6020B	3010A
7440-22-4	Silver	2.50	UDN5		0.30	2.50	5.00	ug/L	08/18/25 12:30	08/20/25 12:38	6020B	3010A
7440-28-0	Thallium	0.75	JD	5	0.30	2.50	5.00	ug/L	08/18/25 12:30	08/20/25 12:38	6020B	3010A
7440-62-2	Vanadium	282	D	5	0.39	1.25	25.0	ug/L	08/18/25 12:30	08/20/25 12:38	6020B	3010A
7440-66-6	Zinc	2000	D	5	6.25	7.50	25.0	ug/L	08/18/25 12:30	08/20/25 12:38	6020B	3010A

Color Before:	Light Yellow	Clarity Before:	Clear	Texture:
Color After:	Light Yellow	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	08/14/25
Project:	Raymark Superfund Site	Date Received:	08/15/25
Client Sample ID:	OU4-TS-GRILLO-TSCP07-081425	SDG No.:	Q2879
Lab Sample ID:	Q2879-10	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	0.75	JD	5	0.55	1.25	10.0	ug/L	08/18/25 12:30	08/20/25 12:41	6020B	3010A
7440-38-2	Arsenic	10.2	DN	5	0.45	1.25	5.00	ug/L	08/18/25 12:30	08/20/25 12:41	6020B	3010A
7440-39-3	Barium	104	DN	5	1.05	6.25	50.0	ug/L	08/18/25 12:30	08/20/25 12:41	6020B	3010A
7440-41-7	Beryllium	4.80	JD	5	1.60	3.75	5.00	ug/L	08/18/25 12:30	08/20/25 12:41	6020B	3010A
7440-43-9	Cadmium	7.35	D	5	1.70	2.50	5.00	ug/L	08/18/25 12:30	08/20/25 12:41	6020B	3010A
7440-47-3	Chromium	9.95	JD	5	1.05	3.75	10.0	ug/L	08/18/25 12:30	08/20/25 12:41	6020B	3010A
7440-50-8	Copper	26.4	D	5	1.50	7.50	10.0	ug/L	08/18/25 12:30	08/20/25 12:41	6020B	3010A
7439-92-1	Lead	25.2	D	5	1.05	3.75	5.00	ug/L	08/18/25 12:30	08/20/25 12:41	6020B	3010A
7439-97-6	Mercury	0.20		1	0.076	0.16	0.20	ug/L	08/19/25 11:30	08/19/25 14:52	7470A	
7440-02-0	Nickel	59.7	D	5	1.35	3.75	5.00	ug/L	08/18/25 12:30	08/20/25 12:41	6020B	3010A
7782-49-2	Selenium	22.5	UD	5	14.5	22.5	25.0	ug/L	08/18/25 12:30	08/20/25 12:41	6020B	3010A
7440-22-4	Silver	2.50	UDN5		0.30	2.50	5.00	ug/L	08/18/25 12:30	08/20/25 12:41	6020B	3010A
7440-28-0	Thallium	0.40	JD	5	0.30	2.50	5.00	ug/L	08/18/25 12:30	08/20/25 12:41	6020B	3010A
7440-62-2	Vanadium	15.8	JD	5	0.39	1.25	25.0	ug/L	08/18/25 12:30	08/20/25 12:41	6020B	3010A
7440-66-6	Zinc	1610	D	5	6.25	7.50	25.0	ug/L	08/18/25 12:30	08/20/25 12:41	6020B	3010A

Color Before:	Light Yellow	Clarity Before:	Clear	Texture:
Color After:	Light Yellow	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	08/14/25
Project:	Raymark Superfund Site	Date Received:	08/15/25
Client Sample ID:	OU4-TS-GRILLO-TSCP08-081425	SDG No.:	Q2879
Lab Sample ID:	Q2879-12	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	0.75	JD	5	0.55	1.25	10.0	ug/L	08/18/25 12:30	08/20/25 12:44	6020B	3010A
7440-38-2	Arsenic	31.1	DN	5	0.45	1.25	5.00	ug/L	08/18/25 12:30	08/20/25 12:44	6020B	3010A
7440-39-3	Barium	120	DN	5	1.05	6.25	50.0	ug/L	08/18/25 12:30	08/20/25 12:44	6020B	3010A
7440-41-7	Beryllium	13.2	D	5	1.60	3.75	5.00	ug/L	08/18/25 12:30	08/20/25 12:44	6020B	3010A
7440-43-9	Cadmium	10.6	D	5	1.70	2.50	5.00	ug/L	08/18/25 12:30	08/20/25 12:44	6020B	3010A
7440-47-3	Chromium	47.8	D	5	1.05	3.75	10.0	ug/L	08/18/25 12:30	08/20/25 12:44	6020B	3010A
7440-50-8	Copper	168	D	5	1.50	7.50	10.0	ug/L	08/18/25 12:30	08/20/25 12:44	6020B	3010A
7439-92-1	Lead	175	D	5	1.05	3.75	5.00	ug/L	08/18/25 12:30	08/20/25 12:44	6020B	3010A
7439-97-6	Mercury	0.41		1	0.076	0.16	0.20	ug/L	08/19/25 11:30	08/19/25 14:54	7470A	
7440-02-0	Nickel	95.1	D	5	1.35	3.75	5.00	ug/L	08/18/25 12:30	08/20/25 12:44	6020B	3010A
7782-49-2	Selenium	22.5	UD	5	14.5	22.5	25.0	ug/L	08/18/25 12:30	08/20/25 12:44	6020B	3010A
7440-22-4	Silver	2.50	UDN5		0.30	2.50	5.00	ug/L	08/18/25 12:30	08/20/25 12:44	6020B	3010A
7440-28-0	Thallium	0.70	JD	5	0.30	2.50	5.00	ug/L	08/18/25 12:30	08/20/25 12:44	6020B	3010A
7440-62-2	Vanadium	264	D	5	0.39	1.25	25.0	ug/L	08/18/25 12:30	08/20/25 12:44	6020B	3010A
7440-66-6	Zinc	1850	D	5	6.25	7.50	25.0	ug/L	08/18/25 12:30	08/20/25 12:44	6020B	3010A

Color Before:	Light Yellow	Clarity Before:	Clear	Texture:
Color After:	Light Yellow	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	08/14/25
Project:	Raymark Superfund Site	Date Received:	08/15/25
Client Sample ID:	OU4-TS-GRILLO-TSCP09-081425	SDG No.:	Q2879
Lab Sample ID:	Q2879-14	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	0.90	JD	5	0.55	1.25	10.0	ug/L	08/18/25 12:30	08/20/25 12:56	6020B	3010A
7440-38-2	Arsenic	27.0	DN	5	0.45	1.25	5.00	ug/L	08/18/25 12:30	08/20/25 12:56	6020B	3010A
7440-39-3	Barium	122	DN	5	1.05	6.25	50.0	ug/L	08/18/25 12:30	08/20/25 12:56	6020B	3010A
7440-41-7	Beryllium	12.9	D	5	1.60	3.75	5.00	ug/L	08/18/25 12:30	08/20/25 12:56	6020B	3010A
7440-43-9	Cadmium	11.3	D	5	1.70	2.50	5.00	ug/L	08/18/25 12:30	08/20/25 12:56	6020B	3010A
7440-47-3	Chromium	46.5	D	5	1.05	3.75	10.0	ug/L	08/18/25 12:30	08/20/25 12:56	6020B	3010A
7440-50-8	Copper	144	D	5	1.50	7.50	10.0	ug/L	08/18/25 12:30	08/20/25 12:56	6020B	3010A
7439-92-1	Lead	179	D	5	1.05	3.75	5.00	ug/L	08/18/25 12:30	08/20/25 12:56	6020B	3010A
7439-97-6	Mercury	0.26		1	0.076	0.16	0.20	ug/L	08/19/25 11:30	08/19/25 14:57	7470A	
7440-02-0	Nickel	101	D	5	1.35	3.75	5.00	ug/L	08/18/25 12:30	08/20/25 12:56	6020B	3010A
7782-49-2	Selenium	22.5	UD	5	14.5	22.5	25.0	ug/L	08/18/25 12:30	08/20/25 12:56	6020B	3010A
7440-22-4	Silver	2.50	UDN	5	0.30	2.50	5.00	ug/L	08/18/25 12:30	08/20/25 12:56	6020B	3010A
7440-28-0	Thallium	0.55	JD	5	0.30	2.50	5.00	ug/L	08/18/25 12:30	08/20/25 12:56	6020B	3010A
7440-62-2	Vanadium	213	D	5	0.39	1.25	25.0	ug/L	08/18/25 12:30	08/20/25 12:56	6020B	3010A
7440-66-6	Zinc	2010	D	5	6.25	7.50	25.0	ug/L	08/18/25 12:30	08/20/25 12:56	6020B	3010A

Color Before:	Light Yellow	Clarity Before:	Clear	Texture:
Color After:	Light Yellow	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	08/14/25
Project:	Raymark Superfund Site	Date Received:	08/15/25
Client Sample ID:	OU4-TS-GRILLO-TSCP10-081425	SDG No.:	Q2879
Lab Sample ID:	Q2879-16	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	0.90	JD	5	0.55	1.25	10.0	ug/L	08/18/25 12:30	08/20/25 12:59	6020B	3010A
7440-38-2	Arsenic	30.4	DN	5	0.45	1.25	5.00	ug/L	08/18/25 12:30	08/20/25 12:59	6020B	3010A
7440-39-3	Barium	115	DN	5	1.05	6.25	50.0	ug/L	08/18/25 12:30	08/20/25 12:59	6020B	3010A
7440-41-7	Beryllium	14.5	D	5	1.60	3.75	5.00	ug/L	08/18/25 12:30	08/20/25 12:59	6020B	3010A
7440-43-9	Cadmium	11.6	D	5	1.70	2.50	5.00	ug/L	08/18/25 12:30	08/20/25 12:59	6020B	3010A
7440-47-3	Chromium	56.9	D	5	1.05	3.75	10.0	ug/L	08/18/25 12:30	08/20/25 12:59	6020B	3010A
7440-50-8	Copper	204	D	5	1.50	7.50	10.0	ug/L	08/18/25 12:30	08/20/25 12:59	6020B	3010A
7439-92-1	Lead	263	D	5	1.05	3.75	5.00	ug/L	08/18/25 12:30	08/20/25 12:59	6020B	3010A
7439-97-6	Mercury	0.21		1	0.076	0.16	0.20	ug/L	08/19/25 11:30	08/19/25 14:59	7470A	
7440-02-0	Nickel	107	D	5	1.35	3.75	5.00	ug/L	08/18/25 12:30	08/20/25 12:59	6020B	3010A
7782-49-2	Selenium	22.5	UD	5	14.5	22.5	25.0	ug/L	08/18/25 12:30	08/20/25 12:59	6020B	3010A
7440-22-4	Silver	2.50	UDN5		0.30	2.50	5.00	ug/L	08/18/25 12:30	08/20/25 12:59	6020B	3010A
7440-28-0	Thallium	0.60	JD	5	0.30	2.50	5.00	ug/L	08/18/25 12:30	08/20/25 12:59	6020B	3010A
7440-62-2	Vanadium	288	D	5	0.39	1.25	25.0	ug/L	08/18/25 12:30	08/20/25 12:59	6020B	3010A
7440-66-6	Zinc	2060	D	5	6.25	7.50	25.0	ug/L	08/18/25 12:30	08/20/25 12:59	6020B	3010A

Color Before:	Light Yellow	Clarity Before:	Clear	Texture:
Color After:	Light Yellow	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	08/14/25
Project:	Raymark Superfund Site	Date Received:	08/15/25
Client Sample ID:	OU4-TS-GRILLO-TSCP11-081425	SDG No.:	Q2879
Lab Sample ID:	Q2879-18	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	0.75	JD	5	0.55	1.25	10.0	ug/L	08/18/25 12:30	08/20/25 13:02	6020B	3010A
7440-38-2	Arsenic	31.9	DN	5	0.45	1.25	5.00	ug/L	08/18/25 12:30	08/20/25 13:02	6020B	3010A
7440-39-3	Barium	132	DN	5	1.05	6.25	50.0	ug/L	08/18/25 12:30	08/20/25 13:02	6020B	3010A
7440-41-7	Beryllium	12.2	D	5	1.60	3.75	5.00	ug/L	08/18/25 12:30	08/20/25 13:02	6020B	3010A
7440-43-9	Cadmium	9.70	D	5	1.70	2.50	5.00	ug/L	08/18/25 12:30	08/20/25 13:02	6020B	3010A
7440-47-3	Chromium	64.5	D	5	1.05	3.75	10.0	ug/L	08/18/25 12:30	08/20/25 13:02	6020B	3010A
7440-50-8	Copper	248	D	5	1.50	7.50	10.0	ug/L	08/18/25 12:30	08/20/25 13:02	6020B	3010A
7439-92-1	Lead	280	D	5	1.05	3.75	5.00	ug/L	08/18/25 12:30	08/20/25 13:02	6020B	3010A
7439-97-6	Mercury	0.16	U	1	0.076	0.16	0.20	ug/L	08/19/25 11:30	08/19/25 15:01	7470A	
7440-02-0	Nickel	100	D	5	1.35	3.75	5.00	ug/L	08/18/25 12:30	08/20/25 13:02	6020B	3010A
7782-49-2	Selenium	22.5	UD	5	14.5	22.5	25.0	ug/L	08/18/25 12:30	08/20/25 13:02	6020B	3010A
7440-22-4	Silver	2.50	UDN	5	0.30	2.50	5.00	ug/L	08/18/25 12:30	08/20/25 13:02	6020B	3010A
7440-28-0	Thallium	0.65	JD	5	0.30	2.50	5.00	ug/L	08/18/25 12:30	08/20/25 13:02	6020B	3010A
7440-62-2	Vanadium	302	D	5	0.39	1.25	25.0	ug/L	08/18/25 12:30	08/20/25 13:02	6020B	3010A
7440-66-6	Zinc	1750	D	5	6.25	7.50	25.0	ug/L	08/18/25 12:30	08/20/25 13:02	6020B	3010A

Color Before:	Light Yellow	Clarity Before:	Clear	Texture:
Color After:	Light Yellow	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q2879	OrderDate:	8/15/2025 9:15:00 AM
Client:	Nobis Group	Project:	Raymark Superfund Site
Contact:	Adam Roy	Location:	J23,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2879-01	OU4-TS-GRILLO-TSCP 03-081425	SOIL			08/14/25			08/15/25
			Mercury	7471B		08/18/25	08/18/25	
			Metals ICP-TAL	6010D		08/18/25	08/19/25	
Q2879-02	OU4-TS-GRILLO-TSCP 03-081425	Water			08/14/25			08/15/25
			SPLP Mercury	7470A		08/19/25	08/19/25	
			SPLP MetalGroup3	6020B		08/18/25	08/20/25	
Q2879-03	OU4-TS-GRILLO-TSCP 04-081425	SOIL			08/14/25			08/15/25
			Mercury	7471B		08/18/25	08/18/25	
			Metals ICP-TAL	6010D		08/18/25	08/19/25	
Q2879-04	OU4-TS-GRILLO-TSCP 04-081425	Water			08/14/25			08/15/25
			SPLP Mercury	7470A		08/19/25	08/19/25	
			SPLP MetalGroup3	6020B		08/18/25	08/20/25	
Q2879-05	OU4-TS-GRILLO-TSCP 05-081425	SOIL			08/14/25			08/15/25
			Mercury	7471B		08/18/25	08/18/25	
			Metals ICP-TAL	6010D		08/18/25	08/19/25	
Q2879-06	OU4-TS-GRILLO-TSCP 05-081425	Water			08/14/25			08/15/25
			SPLP Mercury	7470A		08/19/25	08/19/25	
			SPLP MetalGroup3	6020B		08/18/25	08/20/25	
Q2879-07	OU4-TS-GRILLO-TSCP 06-081425	SOIL			08/14/25			08/15/25
			Mercury	7471B		08/18/25	08/18/25	
			Metals ICP-TAL	6010D		08/18/25	08/19/25	

LAB CHRONICLE

Q2879-08	OU4-TS-GRILLO-TSCP 06-081425	Water			08/14/25		08/15/25
			SPLP Mercury	7470A	08/19/25	08/19/25	
			SPLP MetalGroup3	6020B	08/18/25	08/20/25	
Q2879-09	OU4-TS-GRILLO-TSCP 07-081425	SOIL			08/14/25		08/15/25
			Mercury	7471B	08/18/25	08/18/25	
			Metals ICP-TAL	6010D	08/18/25	08/19/25	
Q2879-10	OU4-TS-GRILLO-TSCP 07-081425	Water			08/14/25		08/15/25
			SPLP Mercury	7470A	08/19/25	08/19/25	
			SPLP MetalGroup3	6020B	08/18/25	08/20/25	
Q2879-11	OU4-TS-GRILLO-TSCP 08-081425	SOIL			08/14/25		08/15/25
			Mercury	7471B	08/18/25	08/18/25	
			Metals ICP-TAL	6010D	08/18/25	08/19/25	
Q2879-12	OU4-TS-GRILLO-TSCP 08-081425	Water			08/14/25		08/15/25
			SPLP Mercury	7470A	08/19/25	08/19/25	
			SPLP MetalGroup3	6020B	08/18/25	08/20/25	
Q2879-13	OU4-TS-GRILLO-TSCP 09-081425	SOIL			08/14/25		08/15/25
			Mercury	7471B	08/18/25	08/18/25	
			Metals ICP-TAL	6010D	08/18/25	08/19/25	
Q2879-14	OU4-TS-GRILLO-TSCP 09-081425	Water			08/14/25		08/15/25
			SPLP Mercury	7470A	08/19/25	08/19/25	
			SPLP MetalGroup3	6020B	08/18/25	08/20/25	
Q2879-15	OU4-TS-GRILLO-TSCP 10-081425	SOIL			08/14/25		08/15/25
			Mercury	7471B	08/18/25	08/18/25	
			Metals ICP-TAL	6010D	08/18/25	08/19/25	
Q2879-16	OU4-TS-GRILLO-TSCP 10-081425	Water			08/14/25		08/15/25

LAB CHRONICLE

Q2879-17	OU4-TS-GRILLO-TSCP 11-081425	SOIL	SPLP Mercury	7470A	08/19/25	08/19/25	08/14/25	08/15/25
			SPLP MetalGroup3	6020B	08/18/25	08/20/25		
Q2879-18	OU4-TS-GRILLO-TSCP 11-081425	Water	Mercury	7471B	08/18/25	08/18/25	08/14/25	08/15/25
			Metals ICP-TAL	6010D	08/18/25	08/19/25		
			SPLP Mercury	7470A	08/19/25	08/19/25		
			SPLP MetalGroup3	6020B	08/18/25	08/20/25		