

Analytical Sequence

Client: Nobis Group

SDG No.: Q2879

Project: Raymark Superfund Site

Instrument ID: ECD_S

GC Column: RTX-CLP

ID: 0.32 (mm)

Inst. Calib. Date(s): 08/07/2025 08/07/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
IBLK	IBLK	08/07/2025	11:38	PS031378.D	7.30	0.00
HSTDICC200	HSTDICC200	08/07/2025	12:02	PS031379.D	7.30	0.00
HSTDICC500	HSTDICC500	08/07/2025	12:26	PS031380.D	7.30	0.00
HSTDICC750	HSTDICC750	08/07/2025	12:50	PS031381.D	7.30	0.00
HSTDICC1000	HSTDICC1000	08/07/2025	13:14	PS031382.D	7.29	0.00
HSTDICC1500	HSTDICC1500	08/07/2025	13:38	PS031383.D	7.29	0.00
IBLK	IBLK	08/19/2025	12:45	PS031493.D	7.29	0.00
HSTDCCC750	HSTDCCC750	08/19/2025	13:09	PS031494.D	7.29	0.00
PB169287BL	PB169287BL	08/19/2025	17:08	PS031495.D	7.29	0.00
PB169287BS	PB169287BS	08/19/2025	17:32	PS031496.D	7.29	0.00
OU4-TS-GRILLO-TSCP03-081425	Q2879-01	08/19/2025	17:56	PS031497.D	7.29	0.00
OU4-TS-GRILLO-TSCP04-081425	Q2879-03	08/19/2025	18:20	PS031498.D	7.29	0.00
OU4-TS-GRILLO-TSCP05-081425	Q2879-05	08/19/2025	18:44	PS031499.D	7.29	0.00
OU4-TS-GRILLO-TSCP06-081425	Q2879-07	08/19/2025	19:08	PS031500.D	7.29	0.00
IBLK	IBLK	08/19/2025	19:57	PS031502.D	7.29	0.00
HSTDCCC750	HSTDCCC750	08/19/2025	20:21	PS031503.D	7.29	0.00
OU4-TS-GRILLO-TSCP09-081425	Q2879-13	08/19/2025	21:57	PS031505.D	7.27	0.00
OU4-TS-GRILLO-TSCP10-081425	Q2879-15	08/19/2025	22:22	PS031506.D	7.29	0.00
IBLK	IBLK	08/20/2025	00:46	PS031512.D	7.29	0.00
HSTDCCC750	HSTDCCC750	08/20/2025	01:10	PS031513.D	7.29	0.00
IBLK	IBLK	08/20/2025	08:41	PS031515.D	7.29	0.00
HSTDCCC750	HSTDCCC750	08/20/2025	09:05	PS031516.D	7.29	0.00
OU4-TS-GRILLO-TSCP04-081425RE	Q2879-03RE	08/20/2025	09:29	PS031517.D	7.29	0.00
OU4-TS-GRILLO-TSCP07-081425	Q2879-09	08/20/2025	09:53	PS031518.D	7.29	0.00
OU4-TS-GRILLO-TSCP08-081425	Q2879-11	08/20/2025	10:21	PS031519.D	7.29	0.00
OU4-TS-GRILLO-TSCP09-081425RE	Q2879-13RE	08/20/2025	10:45	PS031520.D	7.27	0.00
OU4-TS-GRILLO-TSCP11-081425	Q2879-17	08/20/2025	11:10	PS031521.D	7.29	0.00
VNJ-210MS	Q2888-01MS	08/20/2025	11:59	PS031522.D	7.28	0.00
VNJ-210MSD	Q2888-01MSD	08/20/2025	12:24	PS031523.D	7.29	0.00
IBLK	IBLK	08/20/2025	14:47	PS031524.D	7.29	0.00
HSTDCCC750	HSTDCCC750	08/20/2025	15:11	PS031525.D	7.29	0.00

Analytical Sequence

Client: Nobis Group	SDG No.: Q2879
Project: Raymark Superfund Site	Instrument ID: ECD_S
GC Column: RTX-CLP2	ID: 0.32 (mm) Inst. Calib. Date(s): 08/07/2025 08/07/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
IBLK	IBLK	08/07/2025	11:38	PS031378.D	7.75	0.00
HSTDICC200	HSTDICC200	08/07/2025	12:02	PS031379.D	7.75	0.00
HSTDICC500	HSTDICC500	08/07/2025	12:26	PS031380.D	7.75	0.00
HSTDICC750	HSTDICC750	08/07/2025	12:50	PS031381.D	7.75	0.00
HSTDICC1000	HSTDICC1000	08/07/2025	13:14	PS031382.D	7.75	0.00
HSTDICC1500	HSTDICC1500	08/07/2025	13:38	PS031383.D	7.75	0.00
IBLK	IBLK	08/19/2025	12:45	PS031493.D	7.75	0.00
HSTDCCC750	HSTDCCC750	08/19/2025	13:09	PS031494.D	7.74	0.00
PB169287BL	PB169287BL	08/19/2025	17:08	PS031495.D	7.74	0.00
PB169287BS	PB169287BS	08/19/2025	17:32	PS031496.D	7.74	0.00
OU4-TS-GRILLO-TSCP03-081425	Q2879-01	08/19/2025	17:56	PS031497.D	7.74	0.00
OU4-TS-GRILLO-TSCP04-081425	Q2879-03	08/19/2025	18:20	PS031498.D	7.75	0.00
OU4-TS-GRILLO-TSCP05-081425	Q2879-05	08/19/2025	18:44	PS031499.D	7.74	0.00
OU4-TS-GRILLO-TSCP06-081425	Q2879-07	08/19/2025	19:08	PS031500.D	7.74	0.00
IBLK	IBLK	08/19/2025	19:57	PS031502.D	7.74	0.00
HSTDCCC750	HSTDCCC750	08/19/2025	20:21	PS031503.D	7.74	0.00
OU4-TS-GRILLO-TSCP09-081425	Q2879-13	08/19/2025	21:57	PS031505.D	7.75	0.00
OU4-TS-GRILLO-TSCP10-081425	Q2879-15	08/19/2025	22:22	PS031506.D	7.74	0.00
IBLK	IBLK	08/20/2025	00:46	PS031512.D	7.74	0.00
HSTDCCC750	HSTDCCC750	08/20/2025	01:10	PS031513.D	7.74	0.00
IBLK	IBLK	08/20/2025	08:41	PS031515.D	7.74	0.00
HSTDCCC750	HSTDCCC750	08/20/2025	09:05	PS031516.D	7.74	0.00
OU4-TS-GRILLO-TSCP04-081425RE	Q2879-03RE	08/20/2025	09:29	PS031517.D	7.75	0.00
OU4-TS-GRILLO-TSCP07-081425	Q2879-09	08/20/2025	09:53	PS031518.D	7.74	0.00
OU4-TS-GRILLO-TSCP08-081425	Q2879-11	08/20/2025	10:21	PS031519.D	7.74	0.00
OU4-TS-GRILLO-TSCP09-081425RE	Q2879-13RE	08/20/2025	10:45	PS031520.D	7.75	0.00
OU4-TS-GRILLO-TSCP11-081425	Q2879-17	08/20/2025	11:10	PS031521.D	7.74	0.00
VNJ-210MS	Q2888-01MS	08/20/2025	11:59	PS031522.D	7.74	0.00
VNJ-210MSD	Q2888-01MSD	08/20/2025	12:24	PS031523.D	7.74	0.00
IBLK	IBLK	08/20/2025	14:47	PS031524.D	7.74	0.00
HSTDCCC750	HSTDCCC750	08/20/2025	15:11	PS031525.D	7.74	0.00