



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.:

Q2879

Order ID:

Q2879

Client:

Nobis Group

Project ID:

Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID :				Total Concentration:	0.000				



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Nobis Group		Date Collected:	08/14/25	
Project:	Raymark Superfund Site		Date Received:	08/15/25	
Client Sample ID:	OU4-TS-GRILLO-TSCP03-081425		SDG No.:	Q2879	
Lab Sample ID:	Q2879-01		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	89.1	Decanted:
Sample Wt/Vol:	30.06	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP074449.D	1	08/18/25 08:05	08/18/25 12:52	PB169282

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units(Dry Weight)
TARGETS							
12674-11-2	Aroclor-1016	9.30	U	4.40	9.30	19.0	ug/kg
11104-28-2	Aroclor-1221	14.6	U	4.50	14.6	19.0	ug/kg
11141-16-5	Aroclor-1232	9.30	U	4.20	9.30	19.0	ug/kg
53469-21-9	Aroclor-1242	9.30	U	4.50	9.30	19.0	ug/kg
12672-29-6	Aroclor-1248	14.6	U	6.60	14.6	19.0	ug/kg
11097-69-1	Aroclor-1254	9.30	U	3.60	9.30	19.0	ug/kg
37324-23-5	Aroclor-1262	14.6	U	5.60	14.6	19.0	ug/kg
11100-14-4	Aroclor-1268	9.30	U	4.00	9.30	19.0	ug/kg
11096-82-5	Aroclor-1260	9.30	U	3.60	9.30	19.0	ug/kg
SURROGATES							
877-09-8	Tetrachloro-m-xylene	23.3		44 - 130		116%	SPK: 20
2051-24-3	Decachlorobiphenyl	19.8		60 - 125		99%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Nobis Group		Date Collected:	08/14/25	
Project:	Raymark Superfund Site		Date Received:	08/15/25	
Client Sample ID:	OU4-TS-GRILLO-TSCP04-081425		SDG No.:	Q2879	
Lab Sample ID:	Q2879-03		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	87.1	Decanted:
Sample Wt/Vol:	30.09	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP074450.D	1	08/18/25 08:05	08/18/25 13:09	PB169282

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units(Dry Weight)
TARGETS							
12674-11-2	Aroclor-1016	9.50	U	4.50	9.50	19.5	ug/kg
11104-28-2	Aroclor-1221	14.9	U	4.60	14.9	19.5	ug/kg
11141-16-5	Aroclor-1232	9.50	U	4.30	9.50	19.5	ug/kg
53469-21-9	Aroclor-1242	9.50	U	4.60	9.50	19.5	ug/kg
12672-29-6	Aroclor-1248	14.9	U	6.80	14.9	19.5	ug/kg
11097-69-1	Aroclor-1254	9.50	U	3.70	9.50	19.5	ug/kg
37324-23-5	Aroclor-1262	14.9	U	5.70	14.9	19.5	ug/kg
11100-14-4	Aroclor-1268	9.50	U	4.10	9.50	19.5	ug/kg
11096-82-5	Aroclor-1260	9.50	U	3.70	9.50	19.5	ug/kg
SURROGATES							
877-09-8	Tetrachloro-m-xylene	22.1		44 - 130		111%	SPK: 20
2051-24-3	Decachlorobiphenyl	16.7		60 - 125		84%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Nobis Group		Date Collected:	08/14/25	
Project:	Raymark Superfund Site		Date Received:	08/15/25	
Client Sample ID:	OU4-TS-GRILLO-TSCP05-081425		SDG No.:	Q2879	
Lab Sample ID:	Q2879-05		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	93.1	Decanted:
Sample Wt/Vol:	30.07	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP074451.D	1	08/18/25 08:05	08/18/25 13:25	PB169282

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units(Dry Weight)
TARGETS							
12674-11-2	Aroclor-1016	8.90	U	4.20	8.90	18.2	ug/kg
11104-28-2	Aroclor-1221	13.9	U	4.30	13.9	18.2	ug/kg
11141-16-5	Aroclor-1232	8.90	U	4.00	8.90	18.2	ug/kg
53469-21-9	Aroclor-1242	8.90	U	4.30	8.90	18.2	ug/kg
12672-29-6	Aroclor-1248	13.9	U	6.30	13.9	18.2	ug/kg
11097-69-1	Aroclor-1254	8.90	U	3.40	8.90	18.2	ug/kg
37324-23-5	Aroclor-1262	13.9	U	5.40	13.9	18.2	ug/kg
11100-14-4	Aroclor-1268	8.90	U	3.90	8.90	18.2	ug/kg
11096-82-5	Aroclor-1260	8.90	U	3.50	8.90	18.2	ug/kg
SURROGATES							
877-09-8	Tetrachloro-m-xylene	22.4		44 - 130		112%	SPK: 20
2051-24-3	Decachlorobiphenyl	16.4		60 - 125		82%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Nobis Group		Date Collected:	08/14/25	
Project:	Raymark Superfund Site		Date Received:	08/15/25	
Client Sample ID:	OU4-TS-GRILLO-TSCP06-081425		SDG No.:	Q2879	
Lab Sample ID:	Q2879-07		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	90.8	Decanted:
Sample Wt/Vol:	30.04	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP074452.D	1	08/18/25 08:05	08/18/25 13:41	PB169282

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units(Dry Weight)
TARGETS							
12674-11-2	Aroclor-1016	9.10	U	4.30	9.10	18.7	ug/kg
11104-28-2	Aroclor-1221	14.3	U	4.40	14.3	18.7	ug/kg
11141-16-5	Aroclor-1232	9.10	U	4.10	9.10	18.7	ug/kg
53469-21-9	Aroclor-1242	9.10	U	4.40	9.10	18.7	ug/kg
12672-29-6	Aroclor-1248	14.3	U	6.50	14.3	18.7	ug/kg
11097-69-1	Aroclor-1254	9.10	U	3.50	9.10	18.7	ug/kg
37324-23-5	Aroclor-1262	14.3	U	5.50	14.3	18.7	ug/kg
11100-14-4	Aroclor-1268	9.10	U	4.00	9.10	18.7	ug/kg
11096-82-5	Aroclor-1260	9.10	U	3.60	9.10	18.7	ug/kg
SURROGATES							
877-09-8	Tetrachloro-m-xylene	21.6		44 - 130		108%	SPK: 20
2051-24-3	Decachlorobiphenyl	16.3		60 - 125		81%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Nobis Group		Date Collected:	08/14/25	
Project:	Raymark Superfund Site		Date Received:	08/15/25	
Client Sample ID:	OU4-TS-GRILLO-TSCP07-081425		SDG No.:	Q2879	
Lab Sample ID:	Q2879-09		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	93.5	Decanted:
Sample Wt/Vol:	30.08	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP074457.D	1	08/18/25 08:05	08/18/25 16:08	PB169282

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units(Dry Weight)
TARGETS							
12674-11-2	Aroclor-1016	8.90	U	4.20	8.90	18.1	ug/kg
11104-28-2	Aroclor-1221	13.9	U	4.30	13.9	18.1	ug/kg
11141-16-5	Aroclor-1232	8.90	U	4.00	8.90	18.1	ug/kg
53469-21-9	Aroclor-1242	8.90	U	4.30	8.90	18.1	ug/kg
12672-29-6	Aroclor-1248	13.9	U	6.30	13.9	18.1	ug/kg
11097-69-1	Aroclor-1254	8.90	U	3.40	8.90	18.1	ug/kg
37324-23-5	Aroclor-1262	13.9	U	5.40	13.9	18.1	ug/kg
11100-14-4	Aroclor-1268	8.90	U	3.80	8.90	18.1	ug/kg
11096-82-5	Aroclor-1260	8.90	U	3.40	8.90	18.1	ug/kg
SURROGATES							
877-09-8	Tetrachloro-m-xylene	21.1		44 - 130		106%	SPK: 20
2051-24-3	Decachlorobiphenyl	15.9		60 - 125		79%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit

Report of Analysis

Client:	Nobis Group		Date Collected:	08/14/25	
Project:	Raymark Superfund Site		Date Received:	08/15/25	
Client Sample ID:	OU4-TS-GRILLO-TSCP08-081425		SDG No.:	Q2879	
Lab Sample ID:	Q2879-11		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	91.3	Decanted:
Sample Wt/Vol:	30.05	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP074458.D	1	08/18/25 08:05	08/18/25 16:24	PB169282

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units(Dry Weight)
TARGETS							
12674-11-2	Aroclor-1016	9.10	U	4.30	9.10	18.6	ug/kg
11104-28-2	Aroclor-1221	14.2	U	4.40	14.2	18.6	ug/kg
11141-16-5	Aroclor-1232	9.10	U	4.10	9.10	18.6	ug/kg
53469-21-9	Aroclor-1242	9.10	U	4.40	9.10	18.6	ug/kg
12672-29-6	Aroclor-1248	14.2	U	6.50	14.2	18.6	ug/kg
11097-69-1	Aroclor-1254	9.10	U	3.50	9.10	18.6	ug/kg
37324-23-5	Aroclor-1262	14.2	U	5.50	14.2	18.6	ug/kg
11100-14-4	Aroclor-1268	9.10	U	3.90	9.10	18.6	ug/kg
11096-82-5	Aroclor-1260	9.10	U	3.50	9.10	18.6	ug/kg
SURROGATES							
877-09-8	Tetrachloro-m-xylene	24.1		44 - 130		120%	SPK: 20
2051-24-3	Decachlorobiphenyl	20.8		60 - 125		104%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Nobis Group		Date Collected:	08/14/25	
Project:	Raymark Superfund Site		Date Received:	08/15/25	
Client Sample ID:	OU4-TS-GRILLO-TSCP09-081425		SDG No.:	Q2879	
Lab Sample ID:	Q2879-13		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	92.8	Decanted:
Sample Wt/Vol:	30.02	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP074459.D	1	08/18/25 08:05	08/18/25 16:40	PB169282

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units(Dry Weight)
TARGETS							
12674-11-2	Aroclor-1016	8.90	U	4.30	8.90	18.3	ug/kg
11104-28-2	Aroclor-1221	14.0	U	4.30	14.0	18.3	ug/kg
11141-16-5	Aroclor-1232	8.90	U	4.00	8.90	18.3	ug/kg
53469-21-9	Aroclor-1242	8.90	U	4.30	8.90	18.3	ug/kg
12672-29-6	Aroclor-1248	14.0	U	6.40	14.0	18.3	ug/kg
11097-69-1	Aroclor-1254	8.90	U	3.50	8.90	18.3	ug/kg
37324-23-5	Aroclor-1262	14.0	U	5.40	14.0	18.3	ug/kg
11100-14-4	Aroclor-1268	8.90	U	3.90	8.90	18.3	ug/kg
11096-82-5	Aroclor-1260	8.90	U	3.50	8.90	18.3	ug/kg
SURROGATES							
877-09-8	Tetrachloro-m-xylene	23.1		44 - 130		115%	SPK: 20
2051-24-3	Decachlorobiphenyl	19.6		60 - 125		98%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit

Report of Analysis

Client:	Nobis Group		Date Collected:	08/14/25	
Project:	Raymark Superfund Site		Date Received:	08/15/25	
Client Sample ID:	OU4-TS-GRILLO-TSCP10-081425		SDG No.:	Q2879	
Lab Sample ID:	Q2879-15		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	91.3	Decanted:
Sample Wt/Vol:	30.06	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP074460.D	1	08/18/25 08:05	08/18/25 16:56	PB169282

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units(Dry Weight)
TARGETS							
12674-11-2	Aroclor-1016	9.10	U	4.30	9.10	18.6	ug/kg
11104-28-2	Aroclor-1221	14.2	U	4.40	14.2	18.6	ug/kg
11141-16-5	Aroclor-1232	9.10	U	4.10	9.10	18.6	ug/kg
53469-21-9	Aroclor-1242	9.10	U	4.40	9.10	18.6	ug/kg
12672-29-6	Aroclor-1248	14.2	U	6.50	14.2	18.6	ug/kg
11097-69-1	Aroclor-1254	9.10	U	3.50	9.10	18.6	ug/kg
37324-23-5	Aroclor-1262	14.2	U	5.50	14.2	18.6	ug/kg
11100-14-4	Aroclor-1268	9.10	U	3.90	9.10	18.6	ug/kg
11096-82-5	Aroclor-1260	9.10	U	3.50	9.10	18.6	ug/kg
SURROGATES							
877-09-8	Tetrachloro-m-xylene	24.6		44 - 130		123%	SPK: 20
2051-24-3	Decachlorobiphenyl	20.6		60 - 125		103%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Nobis Group		Date Collected:	08/14/25	
Project:	Raymark Superfund Site		Date Received:	08/15/25	
Client Sample ID:	OU4-TS-GRILLO-TSCP11-081425		SDG No.:	Q2879	
Lab Sample ID:	Q2879-17		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	77	Decanted:
Sample Wt/Vol:	30.09	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP074461.D	1	08/18/25 08:05	08/18/25 17:13	PB169282

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units(Dry Weight)
TARGETS							
12674-11-2	Aroclor-1016	10.7	U	5.10	10.7	22.0	ug/kg
11104-28-2	Aroclor-1221	16.8	U	5.20	16.8	22.0	ug/kg
11141-16-5	Aroclor-1232	10.7	U	4.80	10.7	22.0	ug/kg
53469-21-9	Aroclor-1242	10.7	U	5.20	10.7	22.0	ug/kg
12672-29-6	Aroclor-1248	16.8	U	7.70	16.8	22.0	ug/kg
11097-69-1	Aroclor-1254	10.7	U	4.20	10.7	22.0	ug/kg
37324-23-5	Aroclor-1262	16.8	U	6.50	16.8	22.0	ug/kg
11100-14-4	Aroclor-1268	10.7	U	4.70	10.7	22.0	ug/kg
11096-82-5	Aroclor-1260	10.7	U	4.20	10.7	22.0	ug/kg
SURROGATES							
877-09-8	Tetrachloro-m-xylene	22.6		44 - 130		113%	SPK: 20
2051-24-3	Decachlorobiphenyl	15.3		60 - 125		76%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q2879	OrderDate:	8/15/2025 9:15:00 AM
Client:	Nobis Group	Project:	Raymark Superfund Site
Contact:	Adam Roy	Location:	J23,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2879-01	OU4-TS-GRILLO-TSCP 03-081425	SOIL			08/14/25			08/15/25
			PCB	8082A		08/18/25	08/18/25	
Q2879-03	OU4-TS-GRILLO-TSCP 04-081425	SOIL			08/14/25			08/15/25
			PCB	8082A		08/18/25	08/18/25	
Q2879-05	OU4-TS-GRILLO-TSCP 05-081425	SOIL			08/14/25			08/15/25
			PCB	8082A		08/18/25	08/18/25	
Q2879-07	OU4-TS-GRILLO-TSCP 06-081425	SOIL			08/14/25			08/15/25
			PCB	8082A		08/18/25	08/18/25	
Q2879-09	OU4-TS-GRILLO-TSCP 07-081425	SOIL			08/14/25			08/15/25
			PCB	8082A		08/18/25	08/18/25	
Q2879-11	OU4-TS-GRILLO-TSCP 08-081425	SOIL			08/14/25			08/15/25
			PCB	8082A		08/18/25	08/18/25	
Q2879-13	OU4-TS-GRILLO-TSCP 09-081425	SOIL			08/14/25			08/15/25
			PCB	8082A		08/18/25	08/18/25	
Q2879-15	OU4-TS-GRILLO-TSCP 10-081425	SOIL			08/14/25			08/15/25
			PCB	8082A		08/18/25	08/18/25	
Q2879-17	OU4-TS-GRILLO-TSCP 11-081425	SOIL			08/14/25			08/15/25
			PCB	8082A		08/18/25	08/18/25	