

Analytical Sequence

Client: Nobis Group

SDG No.: Q2879

Project: Raymark Superfund Site

Instrument ID: ECD_L

GC Column: ZB-MR1

ID: 0.32 (mm)

Inst. Calib. Date(s): 07/28/2025

07/28/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	07/28/2025	16:11	PL096593.D	9.02	3.54
PEM	PEM	07/28/2025	16:25	PL096594.D	9.02	3.54
RESCHK	RESCHK	07/28/2025	16:38	PL096595.D	9.02	3.54
PSTDICCC100	PSTDICCC100	07/28/2025	16:52	PL096596.D	9.02	3.54
PSTDICCC075	PSTDICCC075	07/28/2025	17:06	PL096597.D	9.02	3.54
PSTDICCC050	PSTDICCC050	07/28/2025	17:19	PL096598.D	9.02	3.54
PSTDICCC025	PSTDICCC025	07/28/2025	17:33	PL096599.D	9.02	3.54
PSTDICCC005	PSTDICCC005	07/28/2025	17:47	PL096600.D	9.02	3.53
PCHLORICC500	PCHLORICC500	07/28/2025	18:27	PL096603.D	9.02	3.54
PTOXICC500	PTOXICC500	07/28/2025	19:36	PL096608.D	9.02	3.54
IBLK	IBLK	08/18/2025	10:12	PL096843.D	9.01	3.53
PEM	PEM	08/18/2025	10:26	PL096844.D	9.01	3.53
PSTDCCC050	PSTDCCC050	08/18/2025	11:25	PL096845.D	9.01	3.53
PB169283BL	PB169283BL	08/18/2025	11:56	PL096846.D	9.01	3.53
IBLK	IBLK	08/18/2025	12:39	PL096849.D	9.01	3.53
PSTDCCC050	PSTDCCC050	08/18/2025	12:53	PL096850.D	9.00	3.53
IBLK	IBLK	08/18/2025	16:57	PL096857.D	9.00	3.53
PSTDCCC050	PSTDCCC050	08/18/2025	17:11	PL096858.D	9.00	3.53
OU4-TS-GRILLO-TSCP03-081425	Q2879-01	08/18/2025	17:38	PL096860.D	9.00	3.53
OU4-TS-GRILLO-TSCP04-081425	Q2879-03	08/18/2025	17:52	PL096861.D	9.00	3.53
OU4-TS-GRILLO-TSCP05-081425	Q2879-05	08/18/2025	18:06	PL096862.D	9.00	3.53
OU4-TS-GRILLO-TSCP06-081425	Q2879-07	08/18/2025	18:19	PL096863.D	9.00	3.53
OU4-TS-GRILLO-TSCP07-081425	Q2879-09	08/18/2025	18:33	PL096864.D	9.00	3.53
OU4-TS-GRILLO-TSCP08-081425	Q2879-11	08/18/2025	18:46	PL096865.D	9.00	3.53
IBLK	IBLK	08/18/2025	19:00	PL096866.D	9.00	3.53
PSTDCCC050	PSTDCCC050	08/18/2025	19:41	PL096868.D	9.00	3.53
IBLK	IBLK	08/19/2025	08:48	PL096881.D	9.00	3.53
PEM	PEM	08/19/2025	10:28	PL096882.D	9.01	3.53
PSTDCCC050	PSTDCCC050	08/19/2025	11:07	PL096883.D	9.01	3.53
OU4-TS-GRILLO-TSCP09-081425	Q2879-13	08/19/2025	12:51	PL096884.D	9.01	3.53
OU4-TS-GRILLO-TSCP10-081425	Q2879-15	08/19/2025	13:04	PL096885.D	9.00	3.53
OU4-TS-GRILLO-TSCP11-081425	Q2879-17	08/19/2025	13:18	PL096886.D	9.00	3.53
VNJ-210MS	Q2888-01MS	08/19/2025	14:12	PL096890.D	9.00	3.53
VNJ-210MSD	Q2888-01MSD	08/19/2025	14:26	PL096891.D	9.00	3.53
PB169283BS	PB169283BS	08/19/2025	14:53	PL096893.D	9.00	3.53
IBLK	IBLK	08/19/2025	15:07	PL096894.D	9.00	3.53
PSTDCCC050	PSTDCCC050	08/19/2025	15:20	PL096895.D	9.00	3.53

Analytical Sequence

Client: Nobis Group

SDG No.: Q2879

Project: Raymark Superfund Site

Instrument ID: ECD_L

GC Column: ZB-MR2

ID: 0.32 (mm)

Inst. Calib. Date(s): 07/28/2025

07/28/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	07/28/2025	16:11	PL096593.D	7.99	2.83
PEM	PEM	07/28/2025	16:25	PL096594.D	7.99	2.83
RESCHK	RESCHK	07/28/2025	16:38	PL096595.D	7.99	2.83
PSTDICC100	PSTDICC100	07/28/2025	16:52	PL096596.D	7.99	2.83
PSTDICC075	PSTDICC075	07/28/2025	17:06	PL096597.D	7.99	2.83
PSTDICC050	PSTDICC050	07/28/2025	17:19	PL096598.D	7.99	2.83
PSTDICC025	PSTDICC025	07/28/2025	17:33	PL096599.D	7.99	2.83
PSTDICC005	PSTDICC005	07/28/2025	17:47	PL096600.D	7.99	2.83
PCHLORICC500	PCHLORICC500	07/28/2025	18:27	PL096603.D	7.99	2.83
PTOXICC500	PTOXICC500	07/28/2025	19:36	PL096608.D	7.99	2.83
IBLK	IBLK	08/18/2025	10:12	PL096843.D	7.99	2.82
PEM	PEM	08/18/2025	10:26	PL096844.D	7.99	2.83
PSTDCCC050	PSTDCCC050	08/18/2025	11:25	PL096845.D	7.99	2.82
PB169283BL	PB169283BL	08/18/2025	11:56	PL096846.D	7.99	2.82
IBLK	IBLK	08/18/2025	12:39	PL096849.D	7.99	2.82
PSTDCCC050	PSTDCCC050	08/18/2025	12:53	PL096850.D	7.99	2.83
IBLK	IBLK	08/18/2025	16:57	PL096857.D	7.98	2.83
PSTDCCC050	PSTDCCC050	08/18/2025	17:11	PL096858.D	7.98	2.83
OU4-TS-GRILLO-TSCP03-081425	Q2879-01	08/18/2025	17:38	PL096860.D	7.98	2.83
OU4-TS-GRILLO-TSCP04-081425	Q2879-03	08/18/2025	17:52	PL096861.D	7.99	2.83
OU4-TS-GRILLO-TSCP05-081425	Q2879-05	08/18/2025	18:06	PL096862.D	7.99	2.83
OU4-TS-GRILLO-TSCP06-081425	Q2879-07	08/18/2025	18:19	PL096863.D	7.99	2.83
OU4-TS-GRILLO-TSCP07-081425	Q2879-09	08/18/2025	18:33	PL096864.D	7.98	2.83
OU4-TS-GRILLO-TSCP08-081425	Q2879-11	08/18/2025	18:46	PL096865.D	7.99	2.83
IBLK	IBLK	08/18/2025	19:00	PL096866.D	7.99	2.83
PSTDCCC050	PSTDCCC050	08/18/2025	19:41	PL096868.D	7.99	2.83
IBLK	IBLK	08/19/2025	08:48	PL096881.D	7.99	2.83
PEM	PEM	08/19/2025	10:28	PL096882.D	7.99	2.82
PSTDCCC050	PSTDCCC050	08/19/2025	11:07	PL096883.D	7.99	2.82
OU4-TS-GRILLO-TSCP09-081425	Q2879-13	08/19/2025	12:51	PL096884.D	7.99	2.82
OU4-TS-GRILLO-TSCP10-081425	Q2879-15	08/19/2025	13:04	PL096885.D	7.98	2.82
OU4-TS-GRILLO-TSCP11-081425	Q2879-17	08/19/2025	13:18	PL096886.D	7.99	2.83
VNJ-210MS	Q2888-01MS	08/19/2025	14:12	PL096890.D	7.98	2.83
VNJ-210MSD	Q2888-01MSD	08/19/2025	14:26	PL096891.D	7.98	2.83
PB169283BS	PB169283BS	08/19/2025	14:53	PL096893.D	7.99	2.83
IBLK	IBLK	08/19/2025	15:07	PL096894.D	7.99	2.83
PSTDCCC050	PSTDCCC050	08/19/2025	15:20	PL096895.D	7.99	2.83