

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081825\
 Data File : PL096868-1.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Aug 2025 19:41
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050


Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 19 06:02:15 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL072825.M
 Quant Title : GC Extractables
 QLast Update : Fri Aug 08 15:43:38 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.531	2.825	178.6E6	256.5E6	56.149	53.681
28)	SA Decachlor...	9.004	7.987	126.1E6	218.2E6	52.860	50.285
Target Compounds							
2)	A alpha-BHC	3.978	3.330	263.3E6	379.7E6	56.917	53.651
3)	MA gamma-BHC...	4.305	3.662	246.1E6	351.1E6	55.634	53.165
4)	MA Heptachlor	4.897	4.011	235.6E6	333.0E6	56.697	49.981
5)	MB Aldrin	5.236	4.293	237.7E6	325.2E6	55.275	52.396
6)	B beta-BHC	4.492	3.958	101.0E6	150.8E6	55.947	53.467
7)	B delta-BHC	4.738	4.191	230.1E6	342.5E6	57.676	52.907
8)	B Heptachlo...	5.655	4.795	215.8E6	293.6E6	55.965	51.401
9)	A Endosulfan I	6.037	5.166	192.8E6	269.7E6	53.600	48.766
10)	B gamma-Chl...	5.909	5.047	213.0E6	307.5E6	55.969	52.288
11)	B alpha-Chl...	5.989	5.111	210.9E6	300.9E6	54.717	51.014
12)	B 4,4'-DDE	6.159	5.300	177.6E6	284.4E6	55.305	51.569
13)	MA Dieldrin	6.308	5.430	197.4E6	302.0E6	53.193	51.128
14)	MA Endrin	6.535	5.705	144.8E6	254.3E6	47.855	47.033
15)	B Endosulfa...	6.748	5.997	179.1E6	259.2E6	55.915	50.466
16)	A 4,4'-DDD	6.668	5.852	149.2E6	250.4E6	59.013	53.212
17)	MA 4,4'-DDT	6.982	6.104	137.6E6	224.5E6	47.972	44.379
18)	B Endrin al...	6.877	6.175	119.9E6	190.2E6	55.853	52.318
19)	B Endosulfa...	7.110	6.398	149.3E6	250.6E6	51.958	49.279
20)	A Methoxychlor	7.455	6.676	67468590	118.1E6	45.948	43.101
21)	B Endrin ke...	7.590	6.902	164.0E6	298.9E6	54.545	53.660
22)	Mirex	8.068	7.092	124.6E6	217.5E6	50.259	49.880
24)	Chlordane-2	5.236f	0.000	237.7E6	0	1358.460	N.D. #
25)	Chlordane-3	5.909	5.047	213.0E6	307.5E6	318.852	442.194 #
26)	Chlordane-4	5.989	5.111	210.9E6	300.9E6	254.819	483.550 #
27)	Chlordane-5	0.000	5.997	0	259.2E6	N.D.	1016.042 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.



#1 Tetrachloro-m-xylene


R.T.: 3.531 min
Delta R.T.: -0.004 min
Response: 178599430
Conc: 56.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.825 min
Delta R.T.: -0.003 min
Response: 256474907
Conc: 53.68 ng/ml




#2 alpha-BHC

R.T.: 3.978 min
Delta R.T.: -0.004 min
Response: 263318878
Conc: 56.92 ng/ml



#2 alpha-BHC


R.T.: 3.330 min
Delta R.T.: -0.003 min
Response: 379687677
Conc: 53.65 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.305 min
Delta R.T.: -0.005 min
Response: 246095556
Conc: 55.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.662 min
Delta R.T.: -0.003 min
Response: 351070422
Conc: 53.17 ng/ml




#4 Heptachlor

R.T.: 4.897 min
Delta R.T.: -0.006 min
Response: 235616089
Conc: 56.70 ng/ml



#4 Heptachlor


R.T.: 4.011 min
Delta R.T.: -0.003 min
Response: 332974057
Conc: 49.98 ng/ml



#5 Aldrin


R.T.: 5.236 min
Delta R.T.: -0.007 min
Response: 237739822
Conc: 55.28 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.293 min
Delta R.T.: -0.004 min
Response: 325227457
Conc: 52.40 ng/ml




#6 beta-BHC

R.T.: 4.492 min
Delta R.T.: -0.005 min
Response: 100983095
Conc: 55.95 ng/ml



#6 beta-BHC


R.T.: 3.958 min
Delta R.T.: -0.003 min
Response: 150824188
Conc: 53.47 ng/ml



#7 delta-BHC


R.T.: 4.738 min
Delta R.T.: -0.005 min
Response: 230120463
Conc: 57.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.191 min
Delta R.T.: -0.004 min
Response: 342497900
Conc: 52.91 ng/ml




#8 Heptachlor epoxide

R.T.: 5.655 min
Delta R.T.: -0.007 min
Response: 215830130
Conc: 55.96 ng/ml



#8 Heptachlor epoxide


R.T.: 4.795 min
Delta R.T.: -0.004 min
Response: 293569430
Conc: 51.40 ng/ml



#9 Endosulfan I


R.T.: 6.037 min
Delta R.T.: -0.007 min
Response: 192764217
Conc: 53.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.166 min
Delta R.T.: -0.003 min
Response: 269747092
Conc: 48.77 ng/ml




#10 gamma-Chlordane

R.T.: 5.909 min
Delta R.T.: -0.007 min
Response: 212973425
Conc: 55.97 ng/ml



#10 gamma-Chlordane


R.T.: 5.047 min
Delta R.T.: -0.004 min
Response: 307458344
Conc: 52.29 ng/ml



#11 alpha-Chlordane


R.T.: 5.989 min
Delta R.T.: -0.007 min
Response: 210913439
Conc: 54.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.111 min
Delta R.T.: -0.004 min
Response: 300928672
Conc: 51.01 ng/ml




#12 4,4'-DDE

R.T.: 6.159 min
Delta R.T.: -0.007 min
Response: 177598150
Conc: 55.31 ng/ml



#12 4,4'-DDE


R.T.: 5.300 min
Delta R.T.: -0.004 min
Response: 284373198
Conc: 51.57 ng/ml



#13 Dieldrin


R.T.: 6.308 min
Delta R.T.: -0.007 min
Response: 197407495
Conc: 53.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.430 min
Delta R.T.: -0.004 min
Response: 301991204
Conc: 51.13 ng/ml




#14 Endrin

R.T.: 6.535 min
Delta R.T.: -0.008 min
Response: 144846096
Conc: 47.85 ng/ml



#14 Endrin


R.T.: 5.705 min
Delta R.T.: -0.004 min
Response: 254259977
Conc: 47.03 ng/ml



#15 Endosulfan II


R.T.: 6.748 min
Delta R.T.: -0.007 min
Response: 179074671
Conc: 55.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.997 min
Delta R.T.: -0.004 min
Response: 259204361
Conc: 50.47 ng/ml




#16 4,4'-DDD

R.T.: 6.668 min
Delta R.T.: -0.007 min
Response: 149206471
Conc: 59.01 ng/ml



#16 4,4'-DDD


R.T.: 5.852 min
Delta R.T.: -0.004 min
Response: 250379970
Conc: 53.21 ng/ml



#17 4,4'-DDT


R.T.: 6.982 min
Delta R.T.: -0.007 min
Response: 137568779
Conc: 47.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.104 min
Delta R.T.: -0.005 min
Response: 224483158
Conc: 44.38 ng/ml




#18 Endrin aldehyde

R.T.: 6.877 min
Delta R.T.: -0.007 min
Response: 119854894
Conc: 55.85 ng/ml



#18 Endrin aldehyde


R.T.: 6.175 min
Delta R.T.: -0.004 min
Response: 190179426
Conc: 52.32 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.110 min
Delta R.T.: -0.007 min
Response: 149311155
Conc: 51.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.398 min
Delta R.T.: -0.004 min
Response: 250640997
Conc: 49.28 ng/ml




#20 Methoxychlor

R.T.: 7.455 min
Delta R.T.: -0.008 min
Response: 67468590
Conc: 45.95 ng/ml



#20 Methoxychlor


R.T.: 6.676 min
Delta R.T.: -0.005 min
Response: 118116893
Conc: 43.10 ng/ml



#21 Endrin ketone


R.T.: 7.590 min
Delta R.T.: -0.007 min
Response: 164002355
Conc: 54.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.902 min
Delta R.T.: -0.005 min
Response: 298874202
Conc: 53.66 ng/ml




#22 Mirex

R.T.: 8.068 min
Delta R.T.: -0.008 min
Response: 124608992
Conc: 50.26 ng/ml



#22 Mirex


R.T.: 7.092 min
Delta R.T.: -0.005 min
Response: 217520900
Conc: 49.88 ng/ml



#24 Chlordane-2


R.T.: 5.236 min
Delta R.T.: 0.022 min
Response: 237739822
Conc: 1358.46 ng/m

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.418 min
Response: 0
Conc: N.D.




#25 Chlordane-3

R.T.: 5.909 min
Delta R.T.: -0.008 min
Response: 212973425
Conc: 318.85 ng/ml



#25 Chlordane-3


R.T.: 5.047 min
Delta R.T.: -0.005 min
Response: 307458344
Conc: 442.19 ng/ml



#26 Chlordane-4


R.T.: 5.989 min
Delta R.T.: -0.012 min
Response: 210913439
Conc: 254.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.111 min
Delta R.T.: -0.004 min
Response: 300928672
Conc: 483.55 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.838 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.997 min
Delta R.T.: -0.012 min
Response: 259204361
Conc: 1016.04 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.004 min
Delta R.T.: -0.012 min
Response: 126052681
Conc: 52.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.987 min
Delta R.T.: -0.005 min
Response: 218150361
Conc: 50.28 ng/ml