

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081925\
 Data File : PL096882.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 19 Aug 2025 10:28
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PEM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 20 10:02:28 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL072825.M
 Quant Title : GC Extractables
 QLast Update : Fri Aug 08 15:43:38 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.530	2.823	72004281	108.8E6	22.637	22.779
28)	SA Decachlor...	9.008	7.987	54884245	96968457	23.016	22.352
Target Compounds							
2)	A alpha-BHC	3.977	3.328	50457866	77149679	10.907	10.901
3)	MA gamma-BHC...	4.305	3.660	50379247	72520097	11.389	10.982
4)	MA Heptachlor	4.925f	0.000	17404008	0	4.188	N.D. #
6)	B beta-BHC	4.492	3.957	19755272	33196244	10.945	11.768
14)	MA Endrin	6.537	5.704	175.6E6	306.1E6	58.023	56.622
16)	A 4,4'-DDD	6.674	0.000	6687262	0	2.645	N.D. #
17)	MA 4,4'-DDT	6.984	6.104	335.1E6	617.5E6	116.840	122.074
20)	A Methoxychlor	7.457	6.677	414.2E6	694.1E6	282.053	253.273
21)	B Endrin ke...	0.000	6.901	0	9133306	N.D.	1.640 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081925\
Data File : PL096882.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 19 Aug 2025 10:28
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PEM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 20 10:02:28 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL072825.M
Quant Title : GC Extractables
QLast Update : Fri Aug 08 15:43:38 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.530 min
Delta R.T.: -0.005 min
Response: 72004281
Conc: 22.64 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#1 Tetrachloro-m-xylene

R.T.: 2.823 min
Delta R.T.: -0.005 min
Response: 108833510
Conc: 22.78 ng/ml




#2 alpha-BHC

R.T.: 3.977 min
Delta R.T.: -0.005 min
Response: 50457866
Conc: 10.91 ng/ml



#2 alpha-BHC


R.T.: 3.328 min
Delta R.T.: -0.005 min
Response: 77149679
Conc: 10.90 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.305 min
Delta R.T.: -0.005 min
Response: 50379247
Conc: 11.39 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#3 gamma-BHC (Lindane)

R.T.: 3.660 min
Delta R.T.: -0.005 min
Response: 72520097
Conc: 10.98 ng/ml




#4 Heptachlor

R.T.: 4.925 min
Delta R.T.: 0.023 min
Response: 17404008
Conc: 4.19 ng/ml



#4 Heptachlor


R.T.: 0.000 min
Exp R.T. : 4.014 min
Response: 0
Conc: N.D.



#6 beta-BHC


R.T.: 4.492 min
Delta R.T.: -0.005 min
Response: 19755272
Conc: 10.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#6 beta-BHC

R.T.: 3.957 min
Delta R.T.: -0.004 min
Response: 33196244
Conc: 11.77 ng/ml




#14 Endrin

R.T.: 6.537 min
Delta R.T.: -0.006 min
Response: 175622387
Conc: 58.02 ng/ml



#14 Endrin


R.T.: 5.704 min
Delta R.T.: -0.005 min
Response: 306097287
Conc: 56.62 ng/ml



#16 4,4'-DDD


R.T.: 6.674 min
Delta R.T.: 0.000 min
Response: 6687262
Conc: 2.64 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#16 4,4'-DDD

R.T.: 0.000 min
Exp R.T. : 5.856 min
Response: 0
Conc: N.D.




#17 4,4'-DDT

R.T.: 6.984 min
Delta R.T.: -0.005 min
Response: 335060849
Conc: 116.84 ng/ml



#17 4,4'-DDT


R.T.: 6.104 min
Delta R.T.: -0.005 min
Response: 617484404
Conc: 122.07 ng/ml



#20 Methoxychlor


R.T.: 7.457 min
Delta R.T.: -0.005 min
Response: 414153434
Conc: 282.05 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#20 Methoxychlor

R.T.: 6.677 min
Delta R.T.: -0.004 min
Response: 694092977
Conc: 253.27 ng/ml




#21 Endrin ketone

R.T.: 0.000 min
Exp R.T. : 7.597 min
Response: 0
Conc: N.D.



#21 Endrin ketone


R.T.: 6.901 min
Delta R.T.: -0.006 min
Response: 9133306
Conc: 1.64 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.008 min
Delta R.T.: -0.008 min
Response: 54884245
Conc: 23.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM



#28 Decachlorobiphenyl

R.T.: 7.987 min
Delta R.T.: -0.005 min
Response: 96968457
Conc: 22.35 ng/ml