



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q2892
Client: BAPS North Bergen Development Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID: Q2892-03	1-FLOOR-DRILL-B-BACK 1-FLOOR-DRILL-F SOIL		Acetone	23.3	J	6.10	32.4	ug/Kg
			Total Voc :	23.3				
			Total Concentration:	23.3				



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	BAPS North Bergen Development Inc.		Date Collected:	08/15/25	
Project:	BAPS 2000 Tonnelles Ave		Date Received:	08/15/25	
Client Sample ID:	1-FLOOR-NORTH-EAST-CORNER-BACK-A		SDG No.:	Q2892	
Lab Sample ID:	Q2892-01		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	89.8	
Sample Wt/Vol:	5.92	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023174.D	1	08/20/25 14:35	VY082025

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.10	U	1.10	4.70	ug/Kg
74-87-3	Chloromethane	1.10	U	1.10	4.70	ug/Kg
75-01-4	Vinyl Chloride	0.74	U	0.74	4.70	ug/Kg
74-83-9	Bromomethane	1.00	U	1.00	4.70	ug/Kg
75-00-3	Chloroethane	1.20	U	1.20	4.70	ug/Kg
75-69-4	Trichlorofluoromethane	1.10	U	1.10	4.70	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.00	U	1.00	4.70	ug/Kg
75-35-4	1,1-Dichloroethene	0.94	U	0.94	4.70	ug/Kg
67-64-1	Acetone	4.50	U	4.50	23.5	ug/Kg
75-15-0	Carbon Disulfide	1.00	U	1.00	4.70	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.69	U	0.69	4.70	ug/Kg
79-20-9	Methyl Acetate	1.40	U	1.40	4.70	ug/Kg
75-09-2	Methylene Chloride	3.30	U	3.30	9.40	ug/Kg
156-60-5	trans-1,2-Dichloroethene	0.81	U	0.81	4.70	ug/Kg
75-34-3	1,1-Dichloroethane	0.75	U	0.75	4.70	ug/Kg
110-82-7	Cyclohexane	0.74	U	0.74	4.70	ug/Kg
78-93-3	2-Butanone	6.20	U	6.20	23.5	ug/Kg
56-23-5	Carbon Tetrachloride	0.91	U	0.91	4.70	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.71	U	0.71	4.70	ug/Kg
74-97-5	Bromochloromethane	1.10	U	1.10	4.70	ug/Kg
67-66-3	Chloroform	0.79	U	0.79	4.70	ug/Kg
71-55-6	1,1,1-Trichloroethane	0.87	U	0.87	4.70	ug/Kg
108-87-2	Methylcyclohexane	0.86	U	0.86	4.70	ug/Kg
71-43-2	Benzene	0.74	U	0.74	4.70	ug/Kg
107-06-2	1,2-Dichloroethane	0.74	U	0.74	4.70	ug/Kg
79-01-6	Trichloroethene	0.76	U	0.76	4.70	ug/Kg
78-87-5	1,2-Dichloropropane	0.86	U	0.86	4.70	ug/Kg
75-27-4	Bromodichloromethane	0.73	U	0.73	4.70	ug/Kg
108-10-1	4-Methyl-2-Pentanone	3.40	U	3.40	23.5	ug/Kg
108-88-3	Toluene	0.73	U	0.73	4.70	ug/Kg

Report of Analysis

Client:	BAPS North Bergen Development Inc.		Date Collected:	08/15/25	
Project:	BAPS 2000 Tonnelles Ave		Date Received:	08/15/25	
Client Sample ID:	1-FLOOR-NORTH-EAST-CORNER-BACK-A		SDG No.:	Q2892	
Lab Sample ID:	Q2892-01		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	89.8	
Sample Wt/Vol:	5.92	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023174.D	1	08/20/25 14:35	VY082025

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.61	U	0.61	4.70	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.58	U	0.58	4.70	ug/Kg
79-00-5	1,1,2-Trichloroethane	0.87	U	0.87	4.70	ug/Kg
591-78-6	2-Hexanone	3.50	U	3.50	23.5	ug/Kg
124-48-1	Dibromochloromethane	0.82	U	0.82	4.70	ug/Kg
106-93-4	1,2-Dibromoethane	0.83	U	0.83	4.70	ug/Kg
127-18-4	Tetrachloroethene	0.99	U	0.99	4.70	ug/Kg
108-90-7	Chlorobenzene	0.86	U	0.86	4.70	ug/Kg
100-41-4	Ethyl Benzene	0.63	U	0.63	4.70	ug/Kg
179601-23-1	m/p-Xylenes	1.20	U	1.20	9.40	ug/Kg
95-47-6	o-Xylene	0.77	U	0.77	4.70	ug/Kg
100-42-5	Styrene	0.67	U	0.67	4.70	ug/Kg
75-25-2	Bromoform	0.81	U	0.81	4.70	ug/Kg
98-82-8	Isopropylbenzene	0.73	U	0.73	4.70	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.10	U	1.10	4.70	ug/Kg
541-73-1	1,3-Dichlorobenzene	1.60	U	1.60	4.70	ug/Kg
106-46-7	1,4-Dichlorobenzene	1.50	U	1.50	4.70	ug/Kg
95-50-1	1,2-Dichlorobenzene	1.40	U	1.40	4.70	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	1.70	U	1.70	4.70	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	2.80	U	2.80	4.70	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	3.00	U	3.00	4.70	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	58.6		70 (63) - 130 (155)	117%	SPK: 50
1868-53-7	Dibromofluoromethane	53.6		70 (70) - 130 (134)	107%	SPK: 50
2037-26-5	Toluene-d8	52.0		70 (74) - 130 (123)	104%	SPK: 50
460-00-4	4-Bromofluorobenzene	42.8		70 (17) - 130 (146)	86%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	490000	7.713			
540-36-3	1,4-Difluorobenzene	930000	8.616			
3114-55-4	Chlorobenzene-d5	807000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	285000	13.347			

Report of Analysis

Client:	BAPS North Bergen Development Inc.		Date Collected:	08/15/25	
Project:	BAPS 2000 Tonnelles Ave		Date Received:	08/15/25	
Client Sample ID:	1-FLOOR-NORTH-EAST-CORNER-BACK-A		SDG No.:	Q2892	
Lab Sample ID:	Q2892-01		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	89.8	
Sample Wt/Vol:	5.92	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023174.D	1	08/20/25 14:35	VY082025

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	BAPS North Bergen Development Inc.		Date Collected:	08/15/25	
Project:	BAPS 2000 Tonnelles Ave		Date Received:	08/15/25	
Client Sample ID:	1-FLOOR-DRILL-B-BACK		SDG No.:	Q2892	
Lab Sample ID:	Q2892-03		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	89.6	
Sample Wt/Vol:	4.31	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023175.D	1	08/20/25 14:58	VY082025

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.50	U	1.50	6.50	ug/Kg
74-87-3	Chloromethane	1.50	U	1.50	6.50	ug/Kg
75-01-4	Vinyl Chloride	1.00	U	1.00	6.50	ug/Kg
74-83-9	Bromomethane	1.40	U	1.40	6.50	ug/Kg
75-00-3	Chloroethane	1.60	U	1.60	6.50	ug/Kg
75-69-4	Trichlorofluoromethane	1.60	U	1.60	6.50	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.40	U	1.40	6.50	ug/Kg
75-35-4	1,1-Dichloroethene	1.30	U	1.30	6.50	ug/Kg
67-64-1	Acetone	23.3	J	6.10	32.4	ug/Kg
75-15-0	Carbon Disulfide	1.40	U	1.40	6.50	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.95	U	0.95	6.50	ug/Kg
79-20-9	Methyl Acetate	2.00	U	2.00	6.50	ug/Kg
75-09-2	Methylene Chloride	4.60	U	4.60	12.9	ug/Kg
156-60-5	trans-1,2-Dichloroethene	1.10	U	1.10	6.50	ug/Kg
75-34-3	1,1-Dichloroethane	1.00	U	1.00	6.50	ug/Kg
110-82-7	Cyclohexane	1.00	U	1.00	6.50	ug/Kg
78-93-3	2-Butanone	8.50	U	8.50	32.4	ug/Kg
56-23-5	Carbon Tetrachloride	1.30	U	1.30	6.50	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.97	U	0.97	6.50	ug/Kg
74-97-5	Bromochloromethane	1.50	U	1.50	6.50	ug/Kg
67-66-3	Chloroform	1.10	U	1.10	6.50	ug/Kg
71-55-6	1,1,1-Trichloroethane	1.20	U	1.20	6.50	ug/Kg
108-87-2	Methylcyclohexane	1.20	U	1.20	6.50	ug/Kg
71-43-2	Benzene	1.00	U	1.00	6.50	ug/Kg
107-06-2	1,2-Dichloroethane	1.00	U	1.00	6.50	ug/Kg
79-01-6	Trichloroethene	1.00	U	1.00	6.50	ug/Kg
78-87-5	1,2-Dichloropropane	1.20	U	1.20	6.50	ug/Kg
75-27-4	Bromodichloromethane	1.00	U	1.00	6.50	ug/Kg
108-10-1	4-Methyl-2-Pentanone	4.60	U	4.60	32.4	ug/Kg
108-88-3	Toluene	1.00	U	1.00	6.50	ug/Kg

Report of Analysis

Client:	BAPS North Bergen Development Inc.		Date Collected:	08/15/25	
Project:	BAPS 2000 Tonnelles Ave		Date Received:	08/15/25	
Client Sample ID:	1-FLOOR-DRILL-B-BACK		SDG No.:	Q2892	
Lab Sample ID:	Q2892-03		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	89.6	
Sample Wt/Vol:	4.31	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023175.D	1	08/20/25 14:58	VY082025

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.84	U	0.84	6.50	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.80	U	0.80	6.50	ug/Kg
79-00-5	1,1,2-Trichloroethane	1.20	U	1.20	6.50	ug/Kg
591-78-6	2-Hexanone	4.80	U	4.80	32.4	ug/Kg
124-48-1	Dibromochloromethane	1.10	U	1.10	6.50	ug/Kg
106-93-4	1,2-Dibromoethane	1.10	U	1.10	6.50	ug/Kg
127-18-4	Tetrachloroethene	1.40	U	1.40	6.50	ug/Kg
108-90-7	Chlorobenzene	1.20	U	1.20	6.50	ug/Kg
100-41-4	Ethyl Benzene	0.87	U	0.87	6.50	ug/Kg
179601-23-1	m/p-Xylenes	1.60	U	1.60	12.9	ug/Kg
95-47-6	o-Xylene	1.10	U	1.10	6.50	ug/Kg
100-42-5	Styrene	0.92	U	0.92	6.50	ug/Kg
75-25-2	Bromoform	1.10	U	1.10	6.50	ug/Kg
98-82-8	Isopropylbenzene	1.00	U	1.00	6.50	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.60	U	1.60	6.50	ug/Kg
541-73-1	1,3-Dichlorobenzene	2.20	U	2.20	6.50	ug/Kg
106-46-7	1,4-Dichlorobenzene	2.00	U	2.00	6.50	ug/Kg
95-50-1	1,2-Dichlorobenzene	1.90	U	1.90	6.50	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	2.40	U	2.40	6.50	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	3.80	U	3.80	6.50	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	4.10	U	4.10	6.50	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	57.4		70 (63) - 130 (155)	115%	SPK: 50
1868-53-7	Dibromofluoromethane	53.9		70 (70) - 130 (134)	108%	SPK: 50
2037-26-5	Toluene-d8	51.7		70 (74) - 130 (123)	103%	SPK: 50
460-00-4	4-Bromofluorobenzene	44.0		70 (17) - 130 (146)	88%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	500000	7.713			
540-36-3	1,4-Difluorobenzene	945000	8.615			
3114-55-4	Chlorobenzene-d5	832000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	308000	13.34			

Report of Analysis

Client:	BAPS North Bergen Development Inc.		Date Collected:	08/15/25	
Project:	BAPS 2000 Tonnelle Ave		Date Received:	08/15/25	
Client Sample ID:	1-FLOOR-DRILL-B-BACK		SDG No.:	Q2892	
Lab Sample ID:	Q2892-03		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	89.6	
Sample Wt/Vol:	4.31	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023175.D	1	08/20/25 14:58	VY082025

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	BAPS North Bergen Development Inc.		Date Collected:	08/15/25	
Project:	BAPS 2000 Tonnelles Ave		Date Received:	08/15/25	
Client Sample ID:	BACK-1-FLOOR-CENTER-MIDDLE-C		SDG No.:	Q2892	
Lab Sample ID:	Q2892-05		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	88.5	
Sample Wt/Vol:	5.91	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023176.D	1	08/20/25 15:21	VY082025

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.10	U	1.10	4.80	ug/Kg
74-87-3	Chloromethane	1.10	U	1.10	4.80	ug/Kg
75-01-4	Vinyl Chloride	0.76	U	0.76	4.80	ug/Kg
74-83-9	Bromomethane	1.00	U	1.00	4.80	ug/Kg
75-00-3	Chloroethane	1.20	U	1.20	4.80	ug/Kg
75-69-4	Trichlorofluoromethane	1.20	U	1.20	4.80	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.00	U	1.00	4.80	ug/Kg
75-35-4	1,1-Dichloroethene	0.96	U	0.96	4.80	ug/Kg
67-64-1	Acetone	4.50	U	4.50	23.9	ug/Kg
75-15-0	Carbon Disulfide	1.00	U	1.00	4.80	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.70	U	0.70	4.80	ug/Kg
79-20-9	Methyl Acetate	1.50	U	1.50	4.80	ug/Kg
75-09-2	Methylene Chloride	3.40	U	3.40	9.60	ug/Kg
156-60-5	trans-1,2-Dichloroethene	0.82	U	0.82	4.80	ug/Kg
75-34-3	1,1-Dichloroethane	0.76	U	0.76	4.80	ug/Kg
110-82-7	Cyclohexane	0.76	U	0.76	4.80	ug/Kg
78-93-3	2-Butanone	6.30	U	6.30	23.9	ug/Kg
56-23-5	Carbon Tetrachloride	0.93	U	0.93	4.80	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.72	U	0.72	4.80	ug/Kg
74-97-5	Bromochloromethane	1.10	U	1.10	4.80	ug/Kg
67-66-3	Chloroform	0.80	U	0.80	4.80	ug/Kg
71-55-6	1,1,1-Trichloroethane	0.89	U	0.89	4.80	ug/Kg
108-87-2	Methylcyclohexane	0.87	U	0.87	4.80	ug/Kg
71-43-2	Benzene	0.76	U	0.76	4.80	ug/Kg
107-06-2	1,2-Dichloroethane	0.76	U	0.76	4.80	ug/Kg
79-01-6	Trichloroethene	0.77	U	0.77	4.80	ug/Kg
78-87-5	1,2-Dichloropropane	0.87	U	0.87	4.80	ug/Kg
75-27-4	Bromodichloromethane	0.75	U	0.75	4.80	ug/Kg
108-10-1	4-Methyl-2-Pentanone	3.40	U	3.40	23.9	ug/Kg
108-88-3	Toluene	0.75	U	0.75	4.80	ug/Kg

Report of Analysis

Client:	BAPS North Bergen Development Inc.		Date Collected:	08/15/25	
Project:	BAPS 2000 Tonnelles Ave		Date Received:	08/15/25	
Client Sample ID:	BACK-1-FLOOR-CENTER-MIDDLE-C		SDG No.:	Q2892	
Lab Sample ID:	Q2892-05		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	88.5	
Sample Wt/Vol:	5.91	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023176.D	1	08/20/25 15:21	VY082025

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.62	U	0.62	4.80	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.59	U	0.59	4.80	ug/Kg
79-00-5	1,1,2-Trichloroethane	0.88	U	0.88	4.80	ug/Kg
591-78-6	2-Hexanone	3.50	U	3.50	23.9	ug/Kg
124-48-1	Dibromochloromethane	0.83	U	0.83	4.80	ug/Kg
106-93-4	1,2-Dibromoethane	0.84	U	0.84	4.80	ug/Kg
127-18-4	Tetrachloroethene	1.00	U	1.00	4.80	ug/Kg
108-90-7	Chlorobenzene	0.87	U	0.87	4.80	ug/Kg
100-41-4	Ethyl Benzene	0.64	U	0.64	4.80	ug/Kg
179601-23-1	m/p-Xylenes	1.20	U	1.20	9.60	ug/Kg
95-47-6	o-Xylene	0.78	U	0.78	4.80	ug/Kg
100-42-5	Styrene	0.68	U	0.68	4.80	ug/Kg
75-25-2	Bromoform	0.82	U	0.82	4.80	ug/Kg
98-82-8	Isopropylbenzene	0.75	U	0.75	4.80	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.20	U	1.20	4.80	ug/Kg
541-73-1	1,3-Dichlorobenzene	1.60	U	1.60	4.80	ug/Kg
106-46-7	1,4-Dichlorobenzene	1.50	U	1.50	4.80	ug/Kg
95-50-1	1,2-Dichlorobenzene	1.40	U	1.40	4.80	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	1.80	U	1.80	4.80	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	2.80	U	2.80	4.80	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	3.00	U	3.00	4.80	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	58.6		70 (63) - 130 (155)	117%	SPK: 50
1868-53-7	Dibromofluoromethane	55.0		70 (70) - 130 (134)	110%	SPK: 50
2037-26-5	Toluene-d8	52.0		70 (74) - 130 (123)	104%	SPK: 50
460-00-4	4-Bromofluorobenzene	47.2		70 (17) - 130 (146)	94%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	501000	7.713			
540-36-3	1,4-Difluorobenzene	952000	8.616			
3114-55-4	Chlorobenzene-d5	867000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	348000	13.347			

Report of Analysis

Client:	BAPS North Bergen Development Inc.		Date Collected:	08/15/25	
Project:	BAPS 2000 Tonnelles Ave		Date Received:	08/15/25	
Client Sample ID:	BACK-1-FLOOR-CENTER-MIDDLE-C		SDG No.:	Q2892	
Lab Sample ID:	Q2892-05		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	88.5	
Sample Wt/Vol:	5.91	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023176.D	1	08/20/25 15:21	VY082025

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	BAPS North Bergen Development Inc.		Date Collected:	08/15/25	
Project:	BAPS 2000 Tonnelles Ave		Date Received:	08/15/25	
Client Sample ID:	3-FLOOR-NORTH-D		SDG No.:	Q2892	
Lab Sample ID:	Q2892-07		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	93.1	
Sample Wt/Vol:	5.05	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023177.D	1	08/20/25 15:45	VY082025

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.20	U	1.20	5.30	ug/Kg
74-87-3	Chloromethane	1.20	U	1.20	5.30	ug/Kg
75-01-4	Vinyl Chloride	0.84	U	0.84	5.30	ug/Kg
74-83-9	Bromomethane	1.10	U	1.10	5.30	ug/Kg
75-00-3	Chloroethane	1.30	U	1.30	5.30	ug/Kg
75-69-4	Trichlorofluoromethane	1.30	U	1.30	5.30	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.10	U	1.10	5.30	ug/Kg
75-35-4	1,1-Dichloroethene	1.10	U	1.10	5.30	ug/Kg
67-64-1	Acetone	5.00	U	5.00	26.6	ug/Kg
75-15-0	Carbon Disulfide	1.10	U	1.10	5.30	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.78	U	0.78	5.30	ug/Kg
79-20-9	Methyl Acetate	1.60	U	1.60	5.30	ug/Kg
75-09-2	Methylene Chloride	3.80	U	3.80	10.6	ug/Kg
156-60-5	trans-1,2-Dichloroethene	0.91	U	0.91	5.30	ug/Kg
75-34-3	1,1-Dichloroethane	0.85	U	0.85	5.30	ug/Kg
110-82-7	Cyclohexane	0.84	U	0.84	5.30	ug/Kg
78-93-3	2-Butanone	7.00	U	7.00	26.6	ug/Kg
56-23-5	Carbon Tetrachloride	1.00	U	1.00	5.30	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.80	U	0.80	5.30	ug/Kg
74-97-5	Bromochloromethane	1.20	U	1.20	5.30	ug/Kg
67-66-3	Chloroform	0.89	U	0.89	5.30	ug/Kg
71-55-6	1,1,1-Trichloroethane	0.99	U	0.99	5.30	ug/Kg
108-87-2	Methylcyclohexane	0.97	U	0.97	5.30	ug/Kg
71-43-2	Benzene	0.84	U	0.84	5.30	ug/Kg
107-06-2	1,2-Dichloroethane	0.84	U	0.84	5.30	ug/Kg
79-01-6	Trichloroethene	0.86	U	0.86	5.30	ug/Kg
78-87-5	1,2-Dichloropropane	0.97	U	0.97	5.30	ug/Kg
75-27-4	Bromodichloromethane	0.83	U	0.83	5.30	ug/Kg
108-10-1	4-Methyl-2-Pentanone	3.80	U	3.80	26.6	ug/Kg
108-88-3	Toluene	0.83	U	0.83	5.30	ug/Kg

Report of Analysis

Client:	BAPS North Bergen Development Inc.	Date Collected:	08/15/25
Project:	BAPS 2000 Tonnelles Ave	Date Received:	08/15/25
Client Sample ID:	3-FLOOR-NORTH-D	SDG No.:	Q2892
Lab Sample ID:	Q2892-07	Matrix:	SOIL
Analytical Method:	8260D	% Solid:	93.1
Sample Wt/Vol:	5.05 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023177.D	1	08/20/25 15:45	VY082025

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.69	U	0.69	5.30	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.66	U	0.66	5.30	ug/Kg
79-00-5	1,1,2-Trichloroethane	0.98	U	0.98	5.30	ug/Kg
591-78-6	2-Hexanone	3.90	U	3.90	26.6	ug/Kg
124-48-1	Dibromochloromethane	0.93	U	0.93	5.30	ug/Kg
106-93-4	1,2-Dibromoethane	0.94	U	0.94	5.30	ug/Kg
127-18-4	Tetrachloroethene	1.10	U	1.10	5.30	ug/Kg
108-90-7	Chlorobenzene	0.97	U	0.97	5.30	ug/Kg
100-41-4	Ethyl Benzene	0.71	U	0.71	5.30	ug/Kg
179601-23-1	m/p-Xylenes	1.30	U	1.30	10.6	ug/Kg
95-47-6	o-Xylene	0.87	U	0.87	5.30	ug/Kg
100-42-5	Styrene	0.76	U	0.76	5.30	ug/Kg
75-25-2	Bromoform	0.91	U	0.91	5.30	ug/Kg
98-82-8	Isopropylbenzene	0.83	U	0.83	5.30	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.30	U	1.30	5.30	ug/Kg
541-73-1	1,3-Dichlorobenzene	1.80	U	1.80	5.30	ug/Kg
106-46-7	1,4-Dichlorobenzene	1.70	U	1.70	5.30	ug/Kg
95-50-1	1,2-Dichlorobenzene	1.50	U	1.50	5.30	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	2.00	U	2.00	5.30	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	3.20	U	3.20	5.30	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	3.40	U	3.40	5.30	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	57.0		70 (63) - 130 (155)	114%	SPK: 50
1868-53-7	Dibromofluoromethane	52.8		70 (70) - 130 (134)	106%	SPK: 50
2037-26-5	Toluene-d8	52.1		70 (74) - 130 (123)	104%	SPK: 50
460-00-4	4-Bromofluorobenzene	46.3		70 (17) - 130 (146)	93%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	497000	7.707			
540-36-3	1,4-Difluorobenzene	948000	8.616			
3114-55-4	Chlorobenzene-d5	846000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	330000	13.34			

Report of Analysis

Client:	BAPS North Bergen Development Inc.		Date Collected:	08/15/25	
Project:	BAPS 2000 Tonnelle Ave		Date Received:	08/15/25	
Client Sample ID:	3-FLOOR-NORTH-D		SDG No.:	Q2892	
Lab Sample ID:	Q2892-07		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	93.1	
Sample Wt/Vol:	5.05	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023177.D	1	08/20/25 15:45	VY082025

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	BAPS North Bergen Development Inc.		Date Collected:	08/15/25	
Project:	BAPS 2000 Tonnelles Ave		Date Received:	08/15/25	
Client Sample ID:	3-FLOOR-SOUTH-E		SDG No.:	Q2892	
Lab Sample ID:	Q2892-09		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	91.2	
Sample Wt/Vol:	5.12	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023178.D	1	08/20/25 16:08	VY082025

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.20	U	1.20	5.40	ug/Kg
74-87-3	Chloromethane	1.20	U	1.20	5.40	ug/Kg
75-01-4	Vinyl Chloride	0.85	U	0.85	5.40	ug/Kg
74-83-9	Bromomethane	1.10	U	1.10	5.40	ug/Kg
75-00-3	Chloroethane	1.30	U	1.30	5.40	ug/Kg
75-69-4	Trichlorofluoromethane	1.30	U	1.30	5.40	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.10	U	1.10	5.40	ug/Kg
75-35-4	1,1-Dichloroethene	1.10	U	1.10	5.40	ug/Kg
67-64-1	Acetone	5.10	U	5.10	26.8	ug/Kg
75-15-0	Carbon Disulfide	1.10	U	1.10	5.40	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.78	U	0.78	5.40	ug/Kg
79-20-9	Methyl Acetate	1.60	U	1.60	5.40	ug/Kg
75-09-2	Methylene Chloride	3.80	U	3.80	10.7	ug/Kg
156-60-5	trans-1,2-Dichloroethene	0.92	U	0.92	5.40	ug/Kg
75-34-3	1,1-Dichloroethane	0.86	U	0.86	5.40	ug/Kg
110-82-7	Cyclohexane	0.85	U	0.85	5.40	ug/Kg
78-93-3	2-Butanone	7.00	U	7.00	26.8	ug/Kg
56-23-5	Carbon Tetrachloride	1.00	U	1.00	5.40	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.80	U	0.80	5.40	ug/Kg
74-97-5	Bromochloromethane	1.20	U	1.20	5.40	ug/Kg
67-66-3	Chloroform	0.90	U	0.90	5.40	ug/Kg
71-55-6	1,1,1-Trichloroethane	1.00	U	1.00	5.40	ug/Kg
108-87-2	Methylcyclohexane	0.97	U	0.97	5.40	ug/Kg
71-43-2	Benzene	0.85	U	0.85	5.40	ug/Kg
107-06-2	1,2-Dichloroethane	0.85	U	0.85	5.40	ug/Kg
79-01-6	Trichloroethene	0.87	U	0.87	5.40	ug/Kg
78-87-5	1,2-Dichloropropane	0.97	U	0.97	5.40	ug/Kg
75-27-4	Bromodichloromethane	0.84	U	0.84	5.40	ug/Kg
108-10-1	4-Methyl-2-Pentanone	3.80	U	3.80	26.8	ug/Kg
108-88-3	Toluene	0.84	U	0.84	5.40	ug/Kg

Report of Analysis

Client:	BAPS North Bergen Development Inc.		Date Collected:	08/15/25	
Project:	BAPS 2000 Tonnelles Ave		Date Received:	08/15/25	
Client Sample ID:	3-FLOOR-SOUTH-E		SDG No.:	Q2892	
Lab Sample ID:	Q2892-09		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	91.2	
Sample Wt/Vol:	5.12	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023178.D	1	08/20/25 16:08	VY082025

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.70	U	0.70	5.40	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.66	U	0.66	5.40	ug/Kg
79-00-5	1,1,2-Trichloroethane	0.99	U	0.99	5.40	ug/Kg
591-78-6	2-Hexanone	4.00	U	4.00	26.8	ug/Kg
124-48-1	Dibromochloromethane	0.93	U	0.93	5.40	ug/Kg
106-93-4	1,2-Dibromoethane	0.94	U	0.94	5.40	ug/Kg
127-18-4	Tetrachloroethene	1.10	U	1.10	5.40	ug/Kg
108-90-7	Chlorobenzene	0.97	U	0.97	5.40	ug/Kg
100-41-4	Ethyl Benzene	0.72	U	0.72	5.40	ug/Kg
179601-23-1	m/p-Xylenes	1.30	U	1.30	10.7	ug/Kg
95-47-6	o-Xylene	0.88	U	0.88	5.40	ug/Kg
100-42-5	Styrene	0.76	U	0.76	5.40	ug/Kg
75-25-2	Bromoform	0.92	U	0.92	5.40	ug/Kg
98-82-8	Isopropylbenzene	0.84	U	0.84	5.40	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.30	U	1.30	5.40	ug/Kg
541-73-1	1,3-Dichlorobenzene	1.80	U	1.80	5.40	ug/Kg
106-46-7	1,4-Dichlorobenzene	1.70	U	1.70	5.40	ug/Kg
95-50-1	1,2-Dichlorobenzene	1.60	U	1.60	5.40	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	2.00	U	2.00	5.40	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	3.20	U	3.20	5.40	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	3.40	U	3.40	5.40	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	57.4		70 (63) - 130 (155)	115%	SPK: 50
1868-53-7	Dibromofluoromethane	53.6		70 (70) - 130 (134)	107%	SPK: 50
2037-26-5	Toluene-d8	51.9		70 (74) - 130 (123)	104%	SPK: 50
460-00-4	4-Bromofluorobenzene	46.7		70 (17) - 130 (146)	93%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	495000	7.713			
540-36-3	1,4-Difluorobenzene	934000	8.616			
3114-55-4	Chlorobenzene-d5	840000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	335000	13.346			

Report of Analysis

Client:	BAPS North Bergen Development Inc.		Date Collected:	08/15/25	
Project:	BAPS 2000 Tonnelles Ave		Date Received:	08/15/25	
Client Sample ID:	3-FLOOR-SOUTH-E		SDG No.:	Q2892	
Lab Sample ID:	Q2892-09		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	91.2	
Sample Wt/Vol:	5.12	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023178.D	1	08/20/25 16:08	VY082025

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	BAPS North Bergen Development Inc.		Date Collected:	08/15/25	
Project:	BAPS 2000 Tonnelles Ave		Date Received:	08/15/25	
Client Sample ID:	FRONT-1-FLOOR-F		SDG No.:	Q2892	
Lab Sample ID:	Q2892-11		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	90.7	
Sample Wt/Vol:	5.68	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023179.D	1	08/20/25 16:32	VY082025

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.10	U	1.10	4.90	ug/Kg
74-87-3	Chloromethane	1.10	U	1.10	4.90	ug/Kg
75-01-4	Vinyl Chloride	0.77	U	0.77	4.90	ug/Kg
74-83-9	Bromomethane	1.00	U	1.00	4.90	ug/Kg
75-00-3	Chloroethane	1.20	U	1.20	4.90	ug/Kg
75-69-4	Trichlorofluoromethane	1.20	U	1.20	4.90	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.00	U	1.00	4.90	ug/Kg
75-35-4	1,1-Dichloroethene	0.97	U	0.97	4.90	ug/Kg
67-64-1	Acetone	4.60	U	4.60	24.3	ug/Kg
75-15-0	Carbon Disulfide	1.00	U	1.00	4.90	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.71	U	0.71	4.90	ug/Kg
79-20-9	Methyl Acetate	1.50	U	1.50	4.90	ug/Kg
75-09-2	Methylene Chloride	3.40	U	3.40	9.70	ug/Kg
156-60-5	trans-1,2-Dichloroethene	0.83	U	0.83	4.90	ug/Kg
75-34-3	1,1-Dichloroethane	0.78	U	0.78	4.90	ug/Kg
110-82-7	Cyclohexane	0.77	U	0.77	4.90	ug/Kg
78-93-3	2-Butanone	6.30	U	6.30	24.3	ug/Kg
56-23-5	Carbon Tetrachloride	0.94	U	0.94	4.90	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.73	U	0.73	4.90	ug/Kg
74-97-5	Bromochloromethane	1.10	U	1.10	4.90	ug/Kg
67-66-3	Chloroform	0.82	U	0.82	4.90	ug/Kg
71-55-6	1,1,1-Trichloroethane	0.90	U	0.90	4.90	ug/Kg
108-87-2	Methylcyclohexane	0.88	U	0.88	4.90	ug/Kg
71-43-2	Benzene	0.77	U	0.77	4.90	ug/Kg
107-06-2	1,2-Dichloroethane	0.77	U	0.77	4.90	ug/Kg
79-01-6	Trichloroethene	0.79	U	0.79	4.90	ug/Kg
78-87-5	1,2-Dichloropropane	0.88	U	0.88	4.90	ug/Kg
75-27-4	Bromodichloromethane	0.76	U	0.76	4.90	ug/Kg
108-10-1	4-Methyl-2-Pentanone	3.50	U	3.50	24.3	ug/Kg
108-88-3	Toluene	0.76	U	0.76	4.90	ug/Kg

Report of Analysis

Client:	BAPS North Bergen Development Inc.		Date Collected:	08/15/25	
Project:	BAPS 2000 Tonnelles Ave		Date Received:	08/15/25	
Client Sample ID:	FRONT-1-FLOOR-F		SDG No.:	Q2892	
Lab Sample ID:	Q2892-11		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	90.7	
Sample Wt/Vol:	5.68	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023179.D	1	08/20/25 16:32	VY082025

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.63	U	0.63	4.90	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.60	U	0.60	4.90	ug/Kg
79-00-5	1,1,2-Trichloroethane	0.89	U	0.89	4.90	ug/Kg
591-78-6	2-Hexanone	3.60	U	3.60	24.3	ug/Kg
124-48-1	Dibromochloromethane	0.84	U	0.84	4.90	ug/Kg
106-93-4	1,2-Dibromoethane	0.85	U	0.85	4.90	ug/Kg
127-18-4	Tetrachloroethene	1.00	U	1.00	4.90	ug/Kg
108-90-7	Chlorobenzene	0.88	U	0.88	4.90	ug/Kg
100-41-4	Ethyl Benzene	0.65	U	0.65	4.90	ug/Kg
179601-23-1	m/p-Xylenes	1.20	U	1.20	9.70	ug/Kg
95-47-6	o-Xylene	0.80	U	0.80	4.90	ug/Kg
100-42-5	Styrene	0.69	U	0.69	4.90	ug/Kg
75-25-2	Bromoform	0.83	U	0.83	4.90	ug/Kg
98-82-8	Isopropylbenzene	0.76	U	0.76	4.90	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.20	U	1.20	4.90	ug/Kg
541-73-1	1,3-Dichlorobenzene	1.70	U	1.70	4.90	ug/Kg
106-46-7	1,4-Dichlorobenzene	1.50	U	1.50	4.90	ug/Kg
95-50-1	1,2-Dichlorobenzene	1.40	U	1.40	4.90	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	1.80	U	1.80	4.90	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	2.90	U	2.90	4.90	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	3.10	U	3.10	4.90	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	56.8		70 (63) - 130 (155)	114%	SPK: 50
1868-53-7	Dibromofluoromethane	52.9		70 (70) - 130 (134)	106%	SPK: 50
2037-26-5	Toluene-d8	51.6		70 (74) - 130 (123)	103%	SPK: 50
460-00-4	4-Bromofluorobenzene	45.9		70 (17) - 130 (146)	92%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	487000	7.707			
540-36-3	1,4-Difluorobenzene	906000	8.616			
3114-55-4	Chlorobenzene-d5	806000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	313000	13.346			

Report of Analysis

Client:	BAPS North Bergen Development Inc.		Date Collected:	08/15/25	
Project:	BAPS 2000 Tonnelle Ave		Date Received:	08/15/25	
Client Sample ID:	FRONT-1-FLOOR-F		SDG No.:	Q2892	
Lab Sample ID:	Q2892-11		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	90.7	
Sample Wt/Vol:	5.68	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023179.D	1	08/20/25 16:32	VY082025

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q2892	OrderDate:	8/15/2025 3:18:33 PM
Client:	BAPS North Bergen Development Inc.	Project:	BAPS 2000 Tonnelle Ave
Contact:	Jatinkuma Patel	Location:	D31,VOA Ref. #2 Soil

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2892-01	1-FLOOR-NORTH-EAST-CORNER-BACK-A	SOIL	VOC-TCLVOA-10	8260D	08/15/25		08/20/25	08/15/25
Q2892-03	1-FLOOR-DRILL-B-BACK	SOIL	VOC-TCLVOA-10	8260D	08/15/25		08/20/25	08/15/25
Q2892-05	BACK-1-FLOOR-CENTER-MIDDLE-C	SOIL	VOC-TCLVOA-10	8260D	08/15/25		08/20/25	08/15/25
Q2892-07	3-FLOOR-NORTH-D	SOIL	VOC-TCLVOA-10	8260D	08/15/25		08/20/25	08/15/25
Q2892-09	3-FLOOR-SOUTH-E	SOIL	VOC-TCLVOA-10	8260D	08/15/25		08/20/25	08/15/25
Q2892-11	FRONT-1-FLOOR-F	SOIL	VOC-TCLVOA-10	8260D	08/15/25		08/20/25	08/15/25