

Report of Analysis

Client:	Alliance Technical Group, LLC - Newark		Date Collected:	08/25/25	
Project:	LOD-LOQ-MDL Study		Date Received:	08/25/25	
Client Sample ID:	PIBLK-FF016195.D		SDG No.:	Q2893	
Lab Sample ID:	I.BLK-FF016195.D		Matrix:	Water	
Analytical Method:	8015D DRO		% Solid:	0	Decanted:
Sample Wt/Vol:	1000	Units: mL	Final Vol:	1	mL
Soil Aliquot Vol:		uL	Test:	Diesel Range Organics	
Extraction Type:			Injection Volume :		
GPC Factor :		PH :			
Prep Method :	SW3510				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FF016195.D	1		08/25/25	FF082525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
DRO	DRO	50.0	U	6.00	50.0	ug/L
SURROGATES						
16416-32-3	Tetracosane-d50	20.5		29 - 130	102%	SPK: 20
16416-32-3	TETRACOSANE-d50	20.5		29 - 130	102%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit