

Report of Analysis

Client:	Alliance Technical Group, LLC - Newark		Date Collected:	08/18/25	
Project:	LOD-LOQ-MDL Study		Date Received:	08/18/25	
Client Sample ID:	LOD-MDL-WATER-01-QT3-2025		SDG No.:	Q2893	
Lab Sample ID:	Q2893-07		Matrix:	WATER	
Analytical Method:	8082A		% Solid:	0	Decanted:
Sample Wt/Vol:	1000	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PQ070816.D	1	09/03/25 09:28	09/10/25 16:24	PB169530

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
12674-11-2	Aroclor-1016	0.19	J	0.097	0.50	ug/L
11104-28-2	Aroclor-1221	0.50	U	0.13	0.50	ug/L
11141-16-5	Aroclor-1232	0.50	U	0.096	0.50	ug/L
53469-21-9	Aroclor-1242	0.50	U	0.12	0.50	ug/L
12672-29-6	Aroclor-1248	0.50	U	0.071	0.50	ug/L
11097-69-1	Aroclor-1254	0.50	U	0.094	0.50	ug/L
37324-23-5	Aroclor-1262	0.50	U	0.14	0.50	ug/L
11100-14-4	Aroclor-1268	0.50	U	0.11	0.50	ug/L
11096-82-5	Aroclor-1260	0.20	J	0.081	0.50	ug/L
SURROGATES						
877-09-8	Tetrachloro-m-xylene	16.3		30 - 173	81%	SPK: 20
2051-24-3	Decachlorobiphenyl	18.0		10 - 173	90%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit