

Analytical Sequence

Client: ATC Group Services LLC

SDG No.: Q2894

Project: PS 190 BK - 2025SCA056

Instrument ID: ECD_O

GC Column: ZB-MR1

ID: 0.32 (mm)

Inst. Calib. Date(s): 08/18/2025

08/18/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	08/18/2025	09:34	PO113002.D	8.68	3.66
AR1660ICC1000	AR1660ICC1000	08/18/2025	09:53	PO113003.D	8.68	3.66
AR1660ICC750	AR1660ICC750	08/18/2025	10:11	PO113004.D	8.68	3.66
AR1660ICC500	AR1660ICC500	08/18/2025	10:29	PO113005.D	8.68	3.66
AR1660ICC250	AR1660ICC250	08/18/2025	10:48	PO113006.D	8.68	3.66
AR1660ICC050	AR1660ICC050	08/18/2025	11:06	PO113007.D	8.68	3.66
AR1221ICC500	AR1221ICC500	08/18/2025	11:25	PO113008.D	8.68	3.66
AR1232ICC500	AR1232ICC500	08/18/2025	11:43	PO113009.D	8.68	3.66
AR1242ICC1000	AR1242ICC1000	08/18/2025	12:01	PO113010.D	8.68	3.66
AR1242ICC750	AR1242ICC750	08/18/2025	12:20	PO113011.D	8.68	3.66
AR1242ICC500	AR1242ICC500	08/18/2025	12:38	PO113012.D	8.68	3.66
AR1242ICC250	AR1242ICC250	08/18/2025	12:57	PO113013.D	8.68	3.66
AR1242ICC050	AR1242ICC050	08/18/2025	13:15	PO113014.D	8.68	3.66
AR1248ICC1000	AR1248ICC1000	08/18/2025	13:34	PO113015.D	8.68	3.66
AR1248ICC750	AR1248ICC750	08/18/2025	13:52	PO113016.D	8.68	3.66
AR1248ICC500	AR1248ICC500	08/18/2025	14:09	PO113017.D	8.68	3.66
AR1248ICC250	AR1248ICC250	08/18/2025	14:28	PO113018.D	8.68	3.66
AR1248ICC050	AR1248ICC050	08/18/2025	14:46	PO113019.D	8.68	3.66
AR1254ICC1000	AR1254ICC1000	08/18/2025	15:05	PO113020.D	8.68	3.66
AR1254ICC750	AR1254ICC750	08/18/2025	15:23	PO113021.D	8.68	3.66
AR1254ICC500	AR1254ICC500	08/18/2025	15:41	PO113022.D	8.68	3.66
AR1254ICC250	AR1254ICC250	08/18/2025	16:00	PO113023.D	8.68	3.66
AR1254ICC050	AR1254ICC050	08/18/2025	16:18	PO113024.D	8.68	3.66
AR1262ICC500	AR1262ICC500	08/18/2025	16:54	PO113025.D	8.68	3.66
AR1268ICC1000	AR1268ICC1000	08/18/2025	17:12	PO113026.D	8.68	3.66
AR1268ICC750	AR1268ICC750	08/18/2025	17:30	PO113027.D	8.68	3.66
AR1268ICC500	AR1268ICC500	08/18/2025	17:48	PO113028.D	8.68	3.66
AR1268ICC250	AR1268ICC250	08/18/2025	18:06	PO113029.D	8.68	3.66
AR1268ICC050	AR1268ICC050	08/18/2025	18:24	PO113030.D	8.68	3.66
AR1660CCC500	AR1660CCC500	08/20/2025	09:33	PO113074.D	8.68	3.66
IBLK	IBLK	08/20/2025	10:47	PO113078.D	8.68	3.66
PB169322BS	PB169322BS	08/20/2025	12:19	PO113081.D	8.68	3.66
1A1B1C	Q2894-01	08/20/2025	12:36	PO113082.D	8.68	3.66
2A2B2C	Q2894-02	08/20/2025	12:55	PO113083.D	8.68	3.66
3A3B3C	Q2894-03	08/20/2025	13:13	PO113084.D	8.68	3.66
AR1660CCC500	AR1660CCC500	08/20/2025	15:39	PO113089.D	8.68	3.66
IBLK	IBLK	08/20/2025	16:50	PO113093.D	8.68	3.67
PB169322BL	PB169322BL	08/20/2025	17:09	PO113094.D	8.68	3.66
4A4B4C	Q2894-04	08/20/2025	18:03	PO113097.D	8.68	3.66
AR1660CCC500	AR1660CCC500	08/20/2025	21:05	PO113104.D	8.68	3.66
IBLK	IBLK	08/20/2025	22:37	PO113108.D	8.68	3.66
AR1660CCC500	AR1660CCC500	08/21/2025	09:05	PO113117.D	8.68	3.66

Analytical Sequence

I.BLK	I.BLK	08/21/2025	09:46	PO113118.D	8.69	3.67
5A5B5C	Q2894-05	08/21/2025	10:22	PO113120.D	8.68	3.66
AR1660CCC500	AR1660CCC500	08/21/2025	11:17	PO113121.D	8.68	3.66
I.BLK	I.BLK	08/21/2025	12:34	PO113125.D	8.68	3.66

Analytical Sequence

Client: ATC Group Services LLC

SDG No.: Q2894

Project: PS 190 BK - 2025SCA056

Instrument ID: ECD_O

GC Column: ZB-MR2

ID: 0.32 (mm)

Inst. Calib. Date(s): 08/18/2025 08/18/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	08/18/2025	09:34	PO113002.D	8.63	3.66
AR1660ICC1000	AR1660ICC1000	08/18/2025	09:53	PO113003.D	8.63	3.66
AR1660ICC750	AR1660ICC750	08/18/2025	10:11	PO113004.D	8.63	3.66
AR1660ICC500	AR1660ICC500	08/18/2025	10:29	PO113005.D	8.63	3.66
AR1660ICC250	AR1660ICC250	08/18/2025	10:48	PO113006.D	8.63	3.66
AR1660ICC050	AR1660ICC050	08/18/2025	11:06	PO113007.D	8.63	3.65
AR1221ICC500	AR1221ICC500	08/18/2025	11:25	PO113008.D	8.63	3.66
AR1232ICC500	AR1232ICC500	08/18/2025	11:43	PO113009.D	8.63	3.66
AR1242ICC1000	AR1242ICC1000	08/18/2025	12:01	PO113010.D	8.63	3.66
AR1242ICC750	AR1242ICC750	08/18/2025	12:20	PO113011.D	8.63	3.66
AR1242ICC500	AR1242ICC500	08/18/2025	12:38	PO113012.D	8.63	3.66
AR1242ICC250	AR1242ICC250	08/18/2025	12:57	PO113013.D	8.63	3.66
AR1242ICC050	AR1242ICC050	08/18/2025	13:15	PO113014.D	8.63	3.66
AR1248ICC1000	AR1248ICC1000	08/18/2025	13:34	PO113015.D	8.63	3.66
AR1248ICC750	AR1248ICC750	08/18/2025	13:52	PO113016.D	8.63	3.66
AR1248ICC500	AR1248ICC500	08/18/2025	14:09	PO113017.D	8.63	3.66
AR1248ICC250	AR1248ICC250	08/18/2025	14:28	PO113018.D	8.63	3.66
AR1248ICC050	AR1248ICC050	08/18/2025	14:46	PO113019.D	8.63	3.66
AR1254ICC1000	AR1254ICC1000	08/18/2025	15:05	PO113020.D	8.63	3.66
AR1254ICC750	AR1254ICC750	08/18/2025	15:23	PO113021.D	8.63	3.66
AR1254ICC500	AR1254ICC500	08/18/2025	15:41	PO113022.D	8.63	3.66
AR1254ICC250	AR1254ICC250	08/18/2025	16:00	PO113023.D	8.63	3.66
AR1254ICC050	AR1254ICC050	08/18/2025	16:18	PO113024.D	8.63	3.66
AR1262ICC500	AR1262ICC500	08/18/2025	16:54	PO113025.D	8.63	3.66
AR1268ICC1000	AR1268ICC1000	08/18/2025	17:12	PO113026.D	8.63	3.66
AR1268ICC750	AR1268ICC750	08/18/2025	17:30	PO113027.D	8.63	3.66
AR1268ICC500	AR1268ICC500	08/18/2025	17:48	PO113028.D	8.63	3.66
AR1268ICC250	AR1268ICC250	08/18/2025	18:06	PO113029.D	8.63	3.66
AR1268ICC050	AR1268ICC050	08/18/2025	18:24	PO113030.D	8.63	3.66
AR1660CCC500	AR1660CCC500	08/20/2025	09:33	PO113074.D	8.63	3.66
IBLK	IBLK	08/20/2025	10:47	PO113078.D	8.63	3.66
PB169322BS	PB169322BS	08/20/2025	12:19	PO113081.D	8.63	3.66
1A1B1C	Q2894-01	08/20/2025	12:36	PO113082.D	8.63	3.66
2A2B2C	Q2894-02	08/20/2025	12:55	PO113083.D	8.63	3.66
3A3B3C	Q2894-03	08/20/2025	13:13	PO113084.D	8.63	3.66
AR1660CCC500	AR1660CCC500	08/20/2025	15:39	PO113089.D	8.63	3.66
IBLK	IBLK	08/20/2025	16:50	PO113093.D	8.63	3.66
PB169322BL	PB169322BL	08/20/2025	17:09	PO113094.D	8.63	3.66
4A4B4C	Q2894-04	08/20/2025	18:03	PO113097.D	8.63	3.66
AR1660CCC500	AR1660CCC500	08/20/2025	21:05	PO113104.D	8.63	3.65
IBLK	IBLK	08/20/2025	22:37	PO113108.D	8.63	3.66
AR1660CCC500	AR1660CCC500	08/21/2025	09:05	PO113117.D	8.63	3.65

Analytical Sequence

I.BLK	I.BLK	08/21/2025	09:46	PO113118.D	8.63	3.65
5A5B5C	Q2894-05	08/21/2025	10:22	PO113120.D	8.62	3.65
AR1660CCC500	AR1660CCC500	08/21/2025	11:17	PO113121.D	8.63	3.65
I.BLK	I.BLK	08/21/2025	12:34	PO113125.D	8.63	3.65