

Hit Summary Sheet
SW-846

SDG No.: Q2900
Client: AECOM

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	MN-9C-081825							
Q2900-01	MN-9C-081825	Water	Acetone	2.90	J	1.50	25.0	ug/L
Q2900-01	MN-9C-081825	Water	cis-1,2-Dichloroethene	3.90	J	0.19	5.00	ug/L
Q2900-01	MN-9C-081825	Water	Chloroform	0.45	J	0.25	5.00	ug/L
Q2900-01	MN-9C-081825	Water	Trichloroethene	8.50		0.090	5.00	ug/L
Q2900-01	MN-9C-081825	Water	Tetrachloroethene	35.5		0.23	5.00	ug/L
			Total Voc :			51.3		
Q2900-01	MN-9C-081825	Water	Sulfur dioxide	* 210	J	0	0	ug/L
			Total Tics :			210		
			Total Concentration:			261		
Client ID:	MN-12C-081825							
Q2900-02	MN-12C-081825	Water	Vinyl Chloride	60.1		0.26	5.00	ug/L
Q2900-02	MN-12C-081825	Water	1,1-Dichloroethene	1.30	J	0.23	5.00	ug/L
Q2900-02	MN-12C-081825	Water	Acetone	3.90	J	1.50	25.0	ug/L
Q2900-02	MN-12C-081825	Water	Carbon Disulfide	1.30	J	0.21	5.00	ug/L
Q2900-02	MN-12C-081825	Water	trans-1,2-Dichloroethene	300	E	0.23	5.00	ug/L
Q2900-02	MN-12C-081825	Water	cis-1,2-Dichloroethene	350	E	0.19	5.00	ug/L
Q2900-02	MN-12C-081825	Water	Methylcyclohexane	0.30	J	0.16	5.00	ug/L
Q2900-02	MN-12C-081825	Water	Benzene	3100	E	0.15	5.00	ug/L
Q2900-02	MN-12C-081825	Water	Trichloroethene	270	E	0.090	5.00	ug/L
Q2900-02	MN-12C-081825	Water	Toluene	2900	E	0.14	5.00	ug/L
Q2900-02	MN-12C-081825	Water	Tetrachloroethene	190	E	0.23	5.00	ug/L
Q2900-02	MN-12C-081825	Water	Ethyl Benzene	1100	E	0.13	5.00	ug/L
Q2900-02	MN-12C-081825	Water	m/p-Xylenes	1100	E	0.24	10.0	ug/L
Q2900-02	MN-12C-081825	Water	o-Xylene	790	E	0.12	5.00	ug/L
Q2900-02	MN-12C-081825	Water	Styrene	770	E	0.15	5.00	ug/L
Q2900-02	MN-12C-081825	Water	Isopropylbenzene	32.1		0.12	5.00	ug/L
			Total Voc :			11000		
Q2900-02	MN-12C-081825	Water	Naphthalene, 1-methyl-	* 400	J	0	0	ug/L
Q2900-02	MN-12C-081825	Water	Indene	* 3200	J	0	0	ug/L
Q2900-02	MN-12C-081825	Water	Benzene, 1-ethenyl-3-methyl-	* 290	J	0	0	ug/L
Q2900-02	MN-12C-081825	Water	Benzo[c]thiophene	* 230	J	0	0	ug/L
Q2900-02	MN-12C-081825	Water	Azulene	* 4400	J	0	0	ug/L
Q2900-02	MN-12C-081825	Water	Indane	* 820	J	0	0	ug/L
Q2900-02	MN-12C-081825	Water	Benzene, 1-ethyl-2-methyl-	* 400	J	0	0	ug/L
Q2900-02	MN-12C-081825	Water	2-Methylindene	* 410	J	0	0	ug/L
Q2900-02	MN-12C-081825	Water	Benzene, (1-methyl-2-cyclopro	* 510	J	0	0	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q2900

Client: AECOM

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q2900-02	MN-12C-081825	Water	n-propylbenzene	* 15.0	J	0.13	5.00	ug/L
Q2900-02	MN-12C-081825	Water	1,3,5-Trimethylbenzene	* 87.6	J	0.15	5.00	ug/L
Q2900-02	MN-12C-081825	Water	1,2,4-Trimethylbenzene	* 340	J	0.14	5.00	ug/L
Q2900-02	MN-12C-081825	Water	p-Isopropyltoluene	* 5.40	J	0.13	5.00	ug/L
Total Tics :				11100				
Total Concentration:				22100				
Client ID:	MN-12C-081825DL							
Q2900-02DL	MN-12C-081825DI	Water	Vinyl Chloride	67.0	JD	13.0	250	ug/L
Q2900-02DL	MN-12C-081825DI	Water	trans-1,2-Dichloroethene	280	D	11.5	250	ug/L
Q2900-02DL	MN-12C-081825DI	Water	cis-1,2-Dichloroethene	320	D	9.50	250	ug/L
Q2900-02DL	MN-12C-081825DI	Water	Benzene	4000	D	7.50	250	ug/L
Q2900-02DL	MN-12C-081825DI	Water	Trichloroethene	260	D	4.70	250	ug/L
Q2900-02DL	MN-12C-081825DI	Water	Toluene	4000	D	7.00	250	ug/L
Q2900-02DL	MN-12C-081825DI	Water	Tetrachloroethene	180	JD	11.5	250	ug/L
Q2900-02DL	MN-12C-081825DI	Water	Ethyl Benzene	1800	D	6.50	250	ug/L
Q2900-02DL	MN-12C-081825DI	Water	m/p-Xylenes	1400	D	12.0	500	ug/L
Q2900-02DL	MN-12C-081825DI	Water	o-Xylene	930	D	6.00	250	ug/L
Q2900-02DL	MN-12C-081825DI	Water	Styrene	930	D	7.50	250	ug/L
Q2900-02DL	MN-12C-081825DI	Water	Isopropylbenzene	35.2	JD	6.00	250	ug/L
Total Voc :				14200				
Total Concentration:				14200				
Client ID:	DUP-01-081825							
Q2900-03	DUP-01-081825	Water	Vinyl Chloride	38.7		0.26	5.00	ug/L
Q2900-03	DUP-01-081825	Water	1,1-Dichloroethene	1.10	J	0.23	5.00	ug/L
Q2900-03	DUP-01-081825	Water	Acetone	3.40	J	1.50	25.0	ug/L
Q2900-03	DUP-01-081825	Water	trans-1,2-Dichloroethene	300	E	0.23	5.00	ug/L
Q2900-03	DUP-01-081825	Water	cis-1,2-Dichloroethene	330	E	0.19	5.00	ug/L
Q2900-03	DUP-01-081825	Water	Benzene	2900	E	0.15	5.00	ug/L
Q2900-03	DUP-01-081825	Water	Trichloroethene	310	E	0.090	5.00	ug/L
Q2900-03	DUP-01-081825	Water	Toluene	2800	E	0.14	5.00	ug/L
Q2900-03	DUP-01-081825	Water	Tetrachloroethene	200	E	0.23	5.00	ug/L
Q2900-03	DUP-01-081825	Water	Ethyl Benzene	1100	E	0.13	5.00	ug/L
Q2900-03	DUP-01-081825	Water	m/p-Xylenes	1100	E	0.24	10.0	ug/L
Q2900-03	DUP-01-081825	Water	o-Xylene	780	E	0.12	5.00	ug/L
Q2900-03	DUP-01-081825	Water	Styrene	840	E	0.15	5.00	ug/L
Q2900-03	DUP-01-081825	Water	Isopropylbenzene	28.9		0.12	5.00	ug/L
Total Voc :				10700				

Hit Summary Sheet
SW-846

SDG No.: Q2900

Client: AECOM

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q2900-03	DUP-01-081825	Water	Naphthalene, 1-methyl-	* 630	J	0	0	ug/L
Q2900-03	DUP-01-081825	Water	Indene	* 3600	J	0	0	ug/L
Q2900-03	DUP-01-081825	Water	Benzene, 1-ethenyl-3-methyl-	* 330	J	0	0	ug/L
Q2900-03	DUP-01-081825	Water	Benzo[c]thiophene	* 260	J	0	0	ug/L
Q2900-03	DUP-01-081825	Water	Azulene	* 4700	J	0	0	ug/L
Q2900-03	DUP-01-081825	Water	Indane	* 730	J	0	0	ug/L
Q2900-03	DUP-01-081825	Water	Benzene, 1-ethyl-2-methyl-	* 520	J	0	0	ug/L
Q2900-03	DUP-01-081825	Water	2-Methylindene	* 570	J	0	0	ug/L
Q2900-03	DUP-01-081825	Water	Benzene, (1-methyl-2-cyclopro	* 470	J	0	0	ug/L
Q2900-03	DUP-01-081825	Water	n-propylbenzene	* 15.9	J	0.13	5.00	ug/L
Q2900-03	DUP-01-081825	Water	1,3,5-Trimethylbenzene	* 92.3	J	0.15	5.00	ug/L
Q2900-03	DUP-01-081825	Water	1,2,4-Trimethylbenzene	* 360	J	0.14	5.00	ug/L
Q2900-03	DUP-01-081825	Water	p-Isopropyltoluene	* 5.10	J	0.13	5.00	ug/L
Total Tics :				12300				
Total Concentration:				23000				
Client ID:	DUP-01-081825DL							
Q2900-03DL	DUP-01-081825DL	Water	Vinyl Chloride	54.3	JD	13.0	250	ug/L
Q2900-03DL	DUP-01-081825DL	Water	Acetone	85.8	JD	75.5	1300	ug/L
Q2900-03DL	DUP-01-081825DL	Water	trans-1,2-Dichloroethene	330	D	11.5	250	ug/L
Q2900-03DL	DUP-01-081825DL	Water	cis-1,2-Dichloroethene	340	D	9.50	250	ug/L
Q2900-03DL	DUP-01-081825DL	Water	Benzene	4300	D	7.50	250	ug/L
Q2900-03DL	DUP-01-081825DL	Water	Trichloroethene	330	D	4.70	250	ug/L
Q2900-03DL	DUP-01-081825DL	Water	Toluene	4400	D	7.00	250	ug/L
Q2900-03DL	DUP-01-081825DL	Water	Tetrachloroethene	240	JD	11.5	250	ug/L
Q2900-03DL	DUP-01-081825DL	Water	Ethyl Benzene	1800	D	6.50	250	ug/L
Q2900-03DL	DUP-01-081825DL	Water	m/p-Xylenes	1500	D	12.0	500	ug/L
Q2900-03DL	DUP-01-081825DL	Water	o-Xylene	1000	D	6.00	250	ug/L
Q2900-03DL	DUP-01-081825DL	Water	Styrene	1200	D	7.50	250	ug/L
Q2900-03DL	DUP-01-081825DL	Water	Isopropylbenzene	30.0	JD	6.00	250	ug/L
Total Voc :				15600				
Total Concentration:				15600				
Client ID:	MW-17B-081825							
Q2900-04	MW-17B-081825	Water	Acetone	5.30	J	1.50	25.0	ug/L
Q2900-04	MW-17B-081825	Water	Methylene Chloride	0.38	J	0.28	5.00	ug/L
Q2900-04	MW-17B-081825	Water	Chloroform	0.89	J	0.25	5.00	ug/L
Total Voc :				6.57				
Q2900-04	MW-17B-081825	Water	Sulfur dioxide	* 85.3	J	0	0	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q2900

Client: AECOM

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Total Tics :				85.3				
Total Concentration:				91.9				
Client ID:	MW-11C-081825							
Q2900-05	MW-11C-081825	Water	Vinyl Chloride	230	E	0.26	5.00	ug/L
Q2900-05	MW-11C-081825	Water	1,1-Dichloroethene	0.92	J	0.23	5.00	ug/L
Q2900-05	MW-11C-081825	Water	Acetone	4.20	J	1.50	25.0	ug/L
Q2900-05	MW-11C-081825	Water	Carbon Disulfide	1.30	J	0.21	5.00	ug/L
Q2900-05	MW-11C-081825	Water	trans-1,2-Dichloroethene	1300	E	0.23	5.00	ug/L
Q2900-05	MW-11C-081825	Water	cis-1,2-Dichloroethene	440	E	0.19	5.00	ug/L
Q2900-05	MW-11C-081825	Water	Benzene	2500	E	0.15	5.00	ug/L
Q2900-05	MW-11C-081825	Water	Trichloroethene	49.6		0.090	5.00	ug/L
Q2900-05	MW-11C-081825	Water	Toluene	730	E	0.14	5.00	ug/L
Q2900-05	MW-11C-081825	Water	Tetrachloroethene	0.57	J	0.23	5.00	ug/L
Q2900-05	MW-11C-081825	Water	Chlorobenzene	0.32	J	0.12	5.00	ug/L
Q2900-05	MW-11C-081825	Water	Ethyl Benzene	490	E	0.13	5.00	ug/L
Q2900-05	MW-11C-081825	Water	m/p-Xylenes	270		0.24	10.0	ug/L
Q2900-05	MW-11C-081825	Water	o-Xylene	370	E	0.12	5.00	ug/L
Q2900-05	MW-11C-081825	Water	Styrene	280	E	0.15	5.00	ug/L
Q2900-05	MW-11C-081825	Water	Isopropylbenzene	34.2		0.12	5.00	ug/L
Total Voc :				6700				
Q2900-05	MW-11C-081825	Water	Indene	* 1900	J	0	0	ug/L
Q2900-05	MW-11C-081825	Water	Benzene, 1-ethenyl-3-methyl-	* 180	J	0	0	ug/L
Q2900-05	MW-11C-081825	Water	Benzo[c]thiophene	* 180	J	0	0	ug/L
Q2900-05	MW-11C-081825	Water	Indane	* 360	J	0	0	ug/L
Q2900-05	MW-11C-081825	Water	Benzene, 1,2,3-trimethyl-	* 160	J	0	0	ug/L
Q2900-05	MW-11C-081825	Water	Benzene, 1-ethyl-2-methyl-	* 170	J	0	0	ug/L
Q2900-05	MW-11C-081825	Water	2-Methylindene	* 300	J	0	0	ug/L
Q2900-05	MW-11C-081825	Water	Benzene, (1-methyl-2-cyclopro	* 400	J	0	0	ug/L
Q2900-05	MW-11C-081825	Water	n-propylbenzene	* 15.1	J	0.13	5.00	ug/L
Q2900-05	MW-11C-081825	Water	1,2,4-Trimethylbenzene	* 240	J	0.14	5.00	ug/L
Q2900-05	MW-11C-081825	Water	p-Isopropyltoluene	* 3.10	J	0.13	5.00	ug/L
Total Tics :				3910				
Total Concentration:				10600				
Client ID:	MW-11C-081825DL							
Q2900-05DL	MW-11C-081825DI	Water	Vinyl Chloride	240	JD	13.0	250	ug/L
Q2900-05DL	MW-11C-081825DI	Water	trans-1,2-Dichloroethene	1300	D	11.5	250	ug/L
Q2900-05DL	MW-11C-081825DI	Water	cis-1,2-Dichloroethene	420	D	9.50	250	ug/L

Hit Summary Sheet SW-846

SDG No.: Q2900

Client: AECOM

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q2900-05DL	MW-11C-081825DI	Water	Benzene	2900	D	7.50	250	ug/L
Q2900-05DL	MW-11C-081825DI	Water	Trichloroethene	52.0	JD	4.70	250	ug/L
Q2900-05DL	MW-11C-081825DI	Water	Toluene	700	D	7.00	250	ug/L
Q2900-05DL	MW-11C-081825DI	Water	Ethyl Benzene	510	D	6.50	250	ug/L
Q2900-05DL	MW-11C-081825DI	Water	m/p-Xylenes	270	JD	12.0	500	ug/L
Q2900-05DL	MW-11C-081825DI	Water	o-Xylene	360	D	6.00	250	ug/L
Q2900-05DL	MW-11C-081825DI	Water	Styrene	280	D	7.50	250	ug/L
Q2900-05DL	MW-11C-081825DI	Water	Isopropylbenzene	31.4	JD	6.00	250	ug/L
Total Voc :				7060				
Total Concentration:				7060				
Client ID:	MW-17C-081825							
Q2900-06	MW-17C-081825	Water	Acetone	5.10	J	1.50	25.0	ug/L
Total Voc :				5.10				
Q2900-06	MW-17C-081825	Water	Sulfur dioxide	* 180	J	0	0	ug/L
Total Tics :				180				
Total Concentration:				185				
Client ID:	MW-11B-081825							
Q2900-07	MW-11B-081825	Water	Carbon Disulfide	1.60	J	0.21	5.00	ug/L
Q2900-07	MW-11B-081825	Water	Benzene	3.10	J	0.15	5.00	ug/L
Q2900-07	MW-11B-081825	Water	m/p-Xylenes	0.27	J	0.24	10.0	ug/L
Q2900-07	MW-11B-081825	Water	o-Xylene	0.36	J	0.12	5.00	ug/L
Q2900-07	MW-11B-081825	Water	Isopropylbenzene	3.30	J	0.12	5.00	ug/L
Total Voc :				8.63				
Q2900-07	MW-11B-081825	Water	Indane	* 270	J	0	0	ug/L
Q2900-07	MW-11B-081825	Water	Benzene, 1-ethenyl-4-ethyl-	* 8.50	J	0	0	ug/L
Q2900-07	MW-11B-081825	Water	Sulfur dioxide	* 290	J	0	0	ug/L
Q2900-07	MW-11B-081825	Water	n-propylbenzene	* 0.34	J	0.13	5.00	ug/L
Total Tics :				569				
Total Concentration:				577				
Client ID:	MW-11B-081825RE							
Q2900-07RE	MW-11B-081825RI	Water	Carbon Disulfide	2.00	J	0.21	5.00	ug/L
Q2900-07RE	MW-11B-081825RI	Water	Benzene	3.80	J	0.15	5.00	ug/L
Q2900-07RE	MW-11B-081825RI	Water	m/p-Xylenes	0.41	J	0.24	10.0	ug/L
Q2900-07RE	MW-11B-081825RI	Water	o-Xylene	0.47	J	0.12	5.00	ug/L
Q2900-07RE	MW-11B-081825RI	Water	Isopropylbenzene	4.00	J	0.12	5.00	ug/L
Total Voc :				10.7				
Total Concentration:				10.7				
Client ID:	TB-081825							
Q2900-08	TB-081825	Water	Naphthalene	* 2.20	J	0.20	5.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q2900

Client: AECOM

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Total Tics :				2.20				
Total Concentration:				2.20				