

Hit Summary Sheet
SW-846

SDG No.: Q2901

Order ID: Q2901

Client: ATC Group Services LLC

Project ID: Hazmat survey-Bellevue hospital CPE

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : HVAC DUCT SEALANT								
Q2901-01	HVAC DUCT SEALA SOIL	Aroclor-1254		3300	E	22.7	120	ug/kg
Total Concentration:				3,300.000				
Client ID : HVAC DUCT SEALANTDL								
Q2901-01DL	HVAC DUCT SEALA SOIL	Aroclor-1254		2900	D	113	600	ug/kg
Total Concentration:				2,900.000				
Client ID : EXTERIOR WINDOW CAULK								
Q2901-02	EXTERIOR WINDO SOIL	Aroclor-1260		17000	E	143	750	ug/kg
Total Concentration:				17,000.000				
Client ID : EXTERIOR WINDOW CAULKE								
Q2901-02DL	EXTERIOR WINDO SOIL	Aroclor-1260		16000	D	713	3800	ug/kg
Total Concentration:				16,000.000				



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	08/13/25	
Project:	Hazmat survey-Bellevue hospital CPEP		Date Received:	08/19/25	
Client Sample ID:	HVAC DUCT SEALANT		SDG No.:	Q2901	
Lab Sample ID:	Q2901-01		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	100	Decanted:
Sample Wt/Vol:	4.25	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO113087.D	1	08/20/25 08:40	08/20/25 14:09	PB169322

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	27.9	U	27.9	120	ug/kg
11104-28-2	Aroclor-1221	28.4	U	28.4	120	ug/kg
11141-16-5	Aroclor-1232	26.3	U	26.3	120	ug/kg
53469-21-9	Aroclor-1242	28.3	U	28.3	120	ug/kg
12672-29-6	Aroclor-1248	41.8	U	41.8	120	ug/kg
11097-69-1	Aroclor-1254	3300	E	22.7	120	ug/kg
37324-23-5	Aroclor-1262	35.4	U	35.4	120	ug/kg
11100-14-4	Aroclor-1268	25.4	U	25.4	120	ug/kg
11096-82-5	Aroclor-1260	22.8	U	22.8	120	ug/kg
Total PCBs	Total PCBs	3300		22.7	120	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	19.8		32 - 144	99%	SPK: 20
2051-24-3	Decachlorobiphenyl	19.6		32 - 175	98%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	08/13/25	
Project:	Hazmat survey-Bellevue hospital CPEP		Date Received:	08/19/25	
Client Sample ID:	HVAC DUCT SEALANTDL		SDG No.:	Q2901	
Lab Sample ID:	Q2901-01DL		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	100	Decanted:
Sample Wt/Vol:	4.25	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO113109.D	5	08/20/25 08:40	08/20/25 22:55	PB169322

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	139	UD	139	600	ug/kg
11104-28-2	Aroclor-1221	142	UD	142	600	ug/kg
11141-16-5	Aroclor-1232	131	UD	131	600	ug/kg
53469-21-9	Aroclor-1242	142	UD	142	600	ug/kg
12672-29-6	Aroclor-1248	209	UD	209	600	ug/kg
11097-69-1	Aroclor-1254	2900	D	113	600	ug/kg
37324-23-5	Aroclor-1262	177	UD	177	600	ug/kg
11100-14-4	Aroclor-1268	127	UD	127	600	ug/kg
11096-82-5	Aroclor-1260	114	UD	114	600	ug/kg
Total PCBs	Total PCBs	2900	D	113	600	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	15.9		32 - 144	79%	SPK: 20
2051-24-3	Decachlorobiphenyl	16.4		32 - 175	82%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	08/13/25	
Project:	Hazmat survey-Bellevue hospital CPEP		Date Received:	08/19/25	
Client Sample ID:	EXTERIOR WINDOW CAULK		SDG No.:	Q2901	
Lab Sample ID:	Q2901-02		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	100	Decanted:
Sample Wt/Vol:	0.68	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO113088.D	1	08/20/25 08:40	08/20/25 14:27	PB169322

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	174	U	174	750	ug/kg
11104-28-2	Aroclor-1221	178	U	178	750	ug/kg
11141-16-5	Aroclor-1232	164	U	164	750	ug/kg
53469-21-9	Aroclor-1242	177	U	177	750	ug/kg
12672-29-6	Aroclor-1248	261	U	261	750	ug/kg
11097-69-1	Aroclor-1254	142	U	142	750	ug/kg
37324-23-5	Aroclor-1262	221	U	221	750	ug/kg
11100-14-4	Aroclor-1268	159	U	159	750	ug/kg
11096-82-5	Aroclor-1260	17000	E	143	750	ug/kg
Total PCBs	Total PCBs	17000		143	750	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	22.4		32 - 144	112%	SPK: 20
2051-24-3	Decachlorobiphenyl	22.2		32 - 175	111%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	08/13/25	
Project:	Hazmat survey-Bellevue hospital CPEP		Date Received:	08/19/25	
Client Sample ID:	EXTERIOR WINDOW CAULKDL		SDG No.:	Q2901	
Lab Sample ID:	Q2901-02DL		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	100	Decanted:
Sample Wt/Vol:	0.68	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO113110.D	5	08/20/25 08:40	08/20/25 23:14	PB169322

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	871	UD	871	3800	ug/kg
11104-28-2	Aroclor-1221	889	UD	889	3800	ug/kg
11141-16-5	Aroclor-1232	821	UD	821	3800	ug/kg
53469-21-9	Aroclor-1242	885	UD	885	3800	ug/kg
12672-29-6	Aroclor-1248	1300	UD	1300	3800	ug/kg
11097-69-1	Aroclor-1254	708	UD	708	3800	ug/kg
37324-23-5	Aroclor-1262	1100	UD	1100	3800	ug/kg
11100-14-4	Aroclor-1268	794	UD	794	3800	ug/kg
11096-82-5	Aroclor-1260	16000	D	713	3800	ug/kg
Total PCBs	Total PCBs	16000	D	713	3800	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	18.6		32 - 144	93%	SPK: 20
2051-24-3	Decachlorobiphenyl	21.4		32 - 175	107%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q2901	OrderDate:	8/19/2025 10:30:48 AM
Client:	ATC Group Services LLC	Project:	Hazmat survey-Bellevue hospital CPEP
Contact:	Francis Pierre	Location:	J11

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2901-01	HVAC DUCT SEALANT	SOIL	PCB Group1	8082A	08/13/25	08/20/25	08/20/25	08/19/25
Q2901-01DL	HVAC DUCT SEALANTDL	SOIL	PCB Group1	8082A	08/13/25	08/20/25	08/20/25	08/19/25
Q2901-02	EXTERIOR WINDOW CAULK	SOIL	PCB Group1	8082A	08/13/25	08/20/25	08/20/25	08/19/25
Q2901-02DL	EXTERIOR WINDOW CAULKDL	SOIL	PCB Group1	8082A	08/13/25	08/20/25	08/20/25	08/19/25