

Hit Summary Sheet
SW-846

SDG No.: Q2902
Client: Tris Pharma, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID: Q2902-01	OUTFALL-DSN-001 OUTFALL-DSN-00 Water		Acetone	210		4.60	25.0	ug/L
			Total Voc :	210				
			Total Concentration:	210				
Client ID: Q2902-04	OUTFALL-DSN-002 OUTFALL-DSN-00 Water		Acetone	330		4.60	25.0	ug/L
			Total Voc :	330				
			Total Concentration:	330				



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Tris Pharma, Inc.		Date Collected:	08/19/25	
Project:	Quarterly		Date Received:	08/19/25	
Client Sample ID:	OUTFALL-DSN-001		SDG No.:	Q2902	
Lab Sample ID:	Q2902-01		Matrix:	Water	
Analytical Method:	E624.1		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087608.D	1	08/20/25 11:36	VN082025

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
141-78-6	Ethyl Acetate	1.30	U	1.30	5.00	ug/L
108-21-4	Isopropyl Acetate	1.00	U	1.00	5.00	ug/L
67-64-1	Acetone	210		4.60	25.0	ug/L
75-09-2	Methylene Chloride	0.86	U	0.86	5.00	ug/L
628-63-7	n-amyl Acetate	0.81	U	0.81	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	29.8		91 - 110	99%	SPK: 30
2037-26-5	Toluene-d8	29.5		91 - 112	98%	SPK: 30
460-00-4	4-Bromofluorobenzene	26.8		63 - 112	89%	SPK: 30
INTERNAL STANDARDS						
74-97-5	Bromochloromethane	50000	7.806			
540-36-3	1,4-Difluorobenzene	274000	9.082			
3114-55-4	Chlorobenzene-d5	243000	11.847			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Tris Pharma, Inc.		Date Collected:	08/19/25	
Project:	Quarterly		Date Received:	08/19/25	
Client Sample ID:	OUTFALL-DSN-002		SDG No.:	Q2902	
Lab Sample ID:	Q2902-04		Matrix:	Water	
Analytical Method:	E624.1		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087607.D	1	08/20/25 11:14	VN082025

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
141-78-6	Ethyl Acetate	1.30	U	1.30	5.00	ug/L
108-21-4	Isopropyl Acetate	1.00	U	1.00	5.00	ug/L
67-64-1	Acetone	330		4.60	25.0	ug/L
75-09-2	Methylene Chloride	0.86	U	0.86	5.00	ug/L
628-63-7	n-amyl Acetate	0.81	U	0.81	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	29.6		91 - 110	99%	SPK: 30
2037-26-5	Toluene-d8	30.0		91 - 112	100%	SPK: 30
460-00-4	4-Bromofluorobenzene	26.1		63 - 112	87%	SPK: 30
INTERNAL STANDARDS						
74-97-5	Bromochloromethane	53700	7.806			
540-36-3	1,4-Difluorobenzene	290000	9.083			
3114-55-4	Chlorobenzene-d5	254000	11.847			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID: Q2902	OrderDate: 8/19/2025 12:17:00 PM
Client: Tris Pharma, Inc.	Project: Quarterly
Contact: Nichole Nikki Ferrari	Location: J23,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2902-01	OUTFALL-DSN-001	Water	VOCMS Group1	624.1	08/19/25		08/20/25	08/19/25
Q2902-04	OUTFALL-DSN-002	Water	VOCMS Group1	624.1	08/19/25		08/20/25	08/19/25



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.:	Q2902	Order ID:	Q2902
Client:	Tris Pharma, Inc.	Project ID:	Quarterly

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : OUTFALL-DSN-001								
Q2902-01	OUTFALL-DSN-001	Water	Copper	39.7		1.89	10.0	ug/L
Q2902-01	OUTFALL-DSN-001	Water	Zinc	25.1		2.00	20.0	ug/L
Client ID : OUTFALL-DSN-002								
Q2902-04	OUTFALL-DSN-002	Water	Copper	42.1		1.89	10.0	ug/L
Q2902-04	OUTFALL-DSN-002	Water	Zinc	122		2.00	20.0	ug/L



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Tris Pharma, Inc.	Date Collected:	08/19/25
Project:	Quarterly	Date Received:	08/19/25
Client Sample ID:	OUTFALL-DSN-001	SDG No.:	Q2902
Lab Sample ID:	Q2902-01	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	39.7		1	1.89	10.0	ug/L	08/20/25 13:30	08/21/25 17:47	EPA 200.7	
7440-66-6	Zinc	25.1	N*	1	2.00	20.0	ug/L	08/20/25 13:30	08/21/25 17:47	EPA 200.7	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Tris Pharma, Inc.	Date Collected:	08/19/25
Project:	Quarterly	Date Received:	08/19/25
Client Sample ID:	OUTFALL-DSN-002	SDG No.:	Q2902
Lab Sample ID:	Q2902-04	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	42.1		1	1.89	10.0	ug/L	08/20/25 13:30	08/22/25 13:07	EPA 200.7	
7440-66-6	Zinc	122	N*	1	2.00	20.0	ug/L	08/20/25 13:30	08/22/25 13:07	EPA 200.7	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q2902	OrderDate:	8/19/2025 12:17:00 PM
Client:	Tris Pharma, Inc.	Project:	Quarterly
Contact:	Nichole Nikki Ferrari	Location:	J23,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2902-01	OUTFALL-DSN-001	Water	Metals Group3	200.7	08/19/25	08/20/25	08/21/25	08/19/25
Q2902-04	OUTFALL-DSN-002	Water	Metals Group3	200.7	08/19/25	08/20/25	08/22/25	08/19/25



A

B

C

SAMPLE DATA

Report of Analysis

Client:	Tris Pharma, Inc.	Date Collected:	08/19/25 09:59
Project:	Quarterly	Date Received:	08/19/25
Client Sample ID:	OUTFALL-DSN-001	SDG No.:	Q2902
Lab Sample ID:	Q2902-01	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
BOD5	0.20	U	1	0.20	2.00	mg/L		08/20/25 15:30	SM 5210 B-16
COD	168	D	5	7.50	50.0	mg/L		08/22/25 11:32	SM 5220 D-11
Non-Polar Material	1.90	J	1	0.29	5.00	mg/L		08/20/25 11:40	1664A
TSS	362		1	1.00	4.00	mg/L		08/20/25 18:10	SM 2540 D-20

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Tris Pharma, Inc.	Date Collected:	08/19/25 09:15
Project:	Quarterly	Date Received:	08/19/25
Client Sample ID:	OUTFALL-DSN-002	SDG No.:	Q2902
Lab Sample ID:	Q2902-04	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
BOD5	71.4		1	0.20	2.00	mg/L		08/20/25 15:30	SM 5210 B-16
COD	179	D	2	3.00	20.0	mg/L		08/22/25 11:33	SM 5220 D-11
Non-Polar Material	0.80	J	1	0.29	5.00	mg/L		08/20/25 11:40	1664A
TSS	75.7		1	1.00	4.00	mg/L		08/20/25 18:10	SM 2540 D-20

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q2902	OrderDate:	8/19/2025 12:17:00 PM
Client:	Tris Pharma, Inc.	Project:	Quarterly
Contact:	Nichole Nikki Ferrari	Location:	J23,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2902-01	OUTFALL-DSN-001	WATER			08/19/25 09:59			08/19/25
			BOD5	SM5210 B			08/20/25 15:30	
			COD	SM5220 D			08/22/25 11:32	
			Non-Polar Material	1664A			08/20/25 11:40	
			TSS	SM2540 D			08/20/25 18:10	
Q2902-04	OUTFALL-DSN-002	WATER			08/19/25 09:15			08/19/25
			BOD5	SM5210 B			08/20/25 15:30	
			COD	SM5220 D			08/22/25 11:33	
			Non-Polar Material	1664A			08/20/25 11:40	
			TSS	SM2540 D			08/20/25 18:10	