

Report of Analysis

Client:	AECOM		Date Collected:	08/19/25	
Project:	National Grid Equity - Brooklyn NY		Date Received:	08/19/25	
Client Sample ID:	MW-6B-081925		SDG No.:	Q2903	
Lab Sample ID:	Q2903-03		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047475.D	1	08/21/25 16:56	VX082125

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	5.00	U	0.22	5.00	ug/L
74-87-3	Chloromethane	5.00	U	0.32	5.00	ug/L
75-01-4	Vinyl Chloride	5.00	U	0.26	5.00	ug/L
74-83-9	Bromomethane	5.00	U	1.40	5.00	ug/L
75-00-3	Chloroethane	5.00	U	0.47	5.00	ug/L
75-69-4	Trichlorofluoromethane	5.00	U	0.33	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	5.00	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	5.00	U	0.23	5.00	ug/L
67-64-1	Acetone	2.80	J	1.50	25.0	ug/L
75-15-0	Carbon Disulfide	0.39	J	0.21	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	5.00	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	5.00	U	0.27	5.00	ug/L
75-09-2	Methylene Chloride	5.00	U	0.28	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	5.00	U	0.23	5.00	ug/L
75-34-3	1,1-Dichloroethane	5.00	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	5.00	U	1.50	5.00	ug/L
78-93-3	2-Butanone	25.0	U	0.98	25.0	ug/L
56-23-5	Carbon Tetrachloride	5.00	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.36	J	0.19	5.00	ug/L
74-97-5	Bromochloromethane	5.00	U	0.22	5.00	ug/L
67-66-3	Chloroform	5.00	U	0.25	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	5.00	U	0.20	5.00	ug/L
108-87-2	Methylcyclohexane	5.00	U	0.16	5.00	ug/L
71-43-2	Benzene	0.43	J	0.15	5.00	ug/L
107-06-2	1,2-Dichloroethane	5.00	U	0.22	5.00	ug/L
79-01-6	Trichloroethene	5.00	U	0.090	5.00	ug/L
78-87-5	1,2-Dichloropropane	5.00	U	0.20	5.00	ug/L
75-27-4	Bromodichloromethane	5.00	U	0.22	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	25.0	U	0.68	25.0	ug/L
108-88-3	Toluene	5.00	U	0.14	5.00	ug/L

Report of Analysis

Client:	AECOM	Date Collected:	08/19/25
Project:	National Grid Equity - Brooklyn NY	Date Received:	08/19/25
Client Sample ID:	MW-6B-081925	SDG No.:	Q2903
Lab Sample ID:	Q2903-03	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	DB-624UI	ID :	0.18
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047475.D	1	08/21/25 16:56	VX082125

[illegible]

Report of Analysis

Client:	AECOM		Date Collected:	08/19/25	
Project:	National Grid Equity - Brooklyn NY		Date Received:	08/19/25	
Client Sample ID:	MW-6B-081925		SDG No.:	Q2903	
Lab Sample ID:	Q2903-03		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047475.D	1	08/21/25 16:56	VX082125

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
007446-09-5	Sulfur dioxide	49.8	J		1.26	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products