



SHIPPING DOCUMENTS

CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: Atlas
ADDRESS: 104 E 25th St
CITY: Ny STATE: Ny ZIP: 10010
ATTENTION: d. cosenza
PHONE: 2123538280 FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME: SCA-K262
PROJECT NO.: 20253CA02-1 LOCATION: Brooklyn
PROJECT MANAGER: d. cosenza
e-mail: denise.cosenza@oneatlas.com
PHONE: FAX:

CLIENT BILLING INFORMATION

BILL TO: PO#: ADDRESS: CITY STATE: ZIP: ATTENTION: PHONE:

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) DAYS*
HARDCOPY (DATA PACKAGE): 5 day DAYS*
EDD: Standard DAYS*
*TO BE APPROVED BY CHEMTECH
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B
+ Raw Data ☐ Other
☐ EDD FORMAT

Total PCB's

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	
1.	K262-9A	S		X	8/19/25	925	1	X									
2.	K262-9B			X	11	927	1	X									Hold
3.	K262-9C			X	11	930	1	X									Hold
4.	K262-10A			X	11	931	1	X									
5.	K262-10B			X	11	932	1	X									Hold
6.	K262-10C			X	11	933	1	X									Hold
7.	K262-11A			X	11	937	1	X									
8.	K262-11B			X	11	939	1	X									Hold
9.	K262-11C			X	11	940	1	X									Hold
10.	K262-12A			X	11	943	1	X									

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 1. <u>[Signature]</u>	DATE/TIME: <u>8/19/25</u>	RECEIVED BY: <u>[Signature]</u> 1342 8-20-25	Conditions of bottles or coolers at receipt: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input type="checkbox"/> COOLER TEMP <u>2.8</u> °C Comments:
RELINQUISHED BY SAMPLER: 2. <u>[Signature]</u>	DATE/TIME:	RECEIVED BY: <u>[Signature]</u>	
RELINQUISHED BY SAMPLER: 3. <u>[Signature]</u>	DATE/TIME: <u>8-20-25</u>	RECEIVED BY: <u>[Signature]</u>	

CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: Atlas
ADDRESS: 104 E 25th St
CITY: Ny STATE: Ny ZIP: 10010
ATTENTION: d. cosenza
PHONE: 2123538180 FAX: _____

CLIENT PROJECT INFORMATION

PROJECT NAME: SCA-K262
PROJECT NO.: 2023 SCA024 LOCATION: Brooklyn
PROJECT MANAGER: d. cosenza
e-mail: denise.cosenza@orechtl.com
PHONE: _____ FAX: _____

CLIENT BILLING INFORMATION

BILL TO: _____ PO#: _____
ADDRESS: _____
CITY: _____ STATE: _____ ZIP: _____
ATTENTION: _____ PHONE: _____

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) _____ DAYS*
HARDCOPY (DATA PACKAGE): 5 day DAYS*
EDD: Standard DAYS*

*TO BE APPROVED BY CHEMTECH

STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B
+ Raw Data ☐ Other _____
☐ EDD FORMAT _____

1 2 3 4 5 6 7 8 9

PRESERVATIVES

COMMENTS

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES										← Specify Preservatives A-HCl D-NaOH B-HNO3 E-ICE C-H2SO4 F-OTHER
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	
1.	K262-12B	S		X	8/19/25	945	1	X									HOLD
2.	K262-12C	I		X	11	946	1	X									HOLD
3.	K262-13A	I		X	11	1000	1	X									
4.	K262-13B	I		X	11	1001	1	X									HOLD
5.	K262-13C	I		X	11	1002	1	X									HOLD
6.	K262-14A	I		X	11	1006	1	X									
7.	K262-14B	I		X	11	1008	1	X									HOLD
8.	K262-14C	I		X	11	1010	1	X									HOLD
9.	K262-15A	I		X	11	1011	1	X									
10.	K262-15B	I		X	11	1012	1	X									HOLD

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 1. <u>[Signature]</u>	DATE/TIME: <u>8/19/25</u>	RECEIVED BY: <u>[Signature]</u> 1342	Conditions of bottles or coolers at receipt: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input type="checkbox"/> COOLER TEMP <u>2.0</u> °C
RELINQUISHED BY SAMPLER: 2. <u>[Signature]</u>	DATE/TIME: <u>8-20-25</u>	RECEIVED BY: <u>[Signature]</u>	Comments: _____
RELINQUISHED BY SAMPLER: 3. <u>[Signature]</u>	DATE/TIME: <u>1729</u> <u>8-20-25</u>	RECEIVED BY: 3. <u>[Signature]</u>	Page <u>4</u> of <u>8</u> CLIENT: <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Other _____
			Shipment Complete <input type="checkbox"/> YES <input type="checkbox"/> NO

From: Denise Cosenza <denise.cosenza@oneatlas.com>
Sent: Thursday, August 28, 2025 10:55 AM
To: Yazmeen Gomez
Cc: Peter De Garay
Subject: RE: [EXTERNAL] RE: SCA - PS K262 PCB Soil Sampling Glassware

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Hi Yazmeen,

Based on the results received, I would like to activate the following samples for total pcb analysis for this project:

16B, 17B, 18B, 19B, 20B, 21B, 22B, 23B, 24B and DUP 6.

Thank you,
Denise



Denise Cosenza
Project Manager, Environmental Division
O: 212.284.0613 | C: 718.490.0614

From: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>
Sent: Tuesday, August 19, 2025 1:07 PM
To: Denise Cosenza <denise.cosenza@oneatlas.com>
Cc: Peter De Garay <Peter.DeGaray@oneatlas.com>
Subject: RE: [EXTERNAL] RE: SCA - PS K262 PCB Soil Sampling Glassware

Hi Denise,

Pick up for tomorrow confirmed.

Best Regards,



Yazmeen Gomez
Sr. Project Manager
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3147

Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092

www.alliancetg.com   

From: Denise Cosenza <denise.cosenza@oneatlas.com>
Sent: Tuesday, August 19, 2025 1:02 PM
To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>
Cc: Peter De Garay <Peter.DeGaray@oneatlas.com>
Subject: RE: [EXTERNAL] RE: SCA - PS K262 PCB Soil Sampling Glassware

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Hi Yazmeen,

These samples were collected today and will be available for pickup tomorrow from our Bethpage office.

Peter deGaray
Atlas Technical Consultants
999 S Oyster Bay Road, Suite 114
Bethpage, NY, 11746
C: [631.901.7390](tel:631.901.7390)
peter.degaray@oneatlas.com

Thank you,
Denise

Denise Cosenza
Project Manager
ATLAS
C. 718.490.0614
Sent from my Verizon, Samsung Galaxy smartphone

----- Original message -----

From: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>
Date: 8/11/25 2:28 PM (GMT-05:00)
To: Denise Cosenza <denise.cosenza@oneatlas.com>
Cc: Peter De Garay <Peter.DeGaray@oneatlas.com>
Subject: [EXTERNAL] RE: SCA - PS K262 PCB Soil Sampling Glassware

[External Email] This email originated from outside of the Atlas mail system. Please use caution when opening attachments.





Good afternoon Denise,

Bottle order delivery confirmed for tomorrow.

Please let me know if you need anything else, have a good week!

Best Regards,



Yazmeen Gomez
Sr. Project Manager
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3147
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com    

From: Denise Cosenza <denise.cosenza@oneatlas.com>
Sent: Monday, August 11, 2025 2:16 PM
To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>
Cc: Peter De Garay <Peter.DeGaray@oneatlas.com>
Subject: SCA - PS K262 PCB Soil Sampling Glassware

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Good afternoon Yazmeen,

I'd like to place the following order for glassware:

Project Name: SCA K262
Project No. 2025sca024

76 soil samples – Total PCB analysis

Deliver to Peter at the Bethpage Office:

Peter deGaray
Atlas Technical Consultants
999 S Oyster Bay Road, Suite 114
Bethpage, NY, 11746
C: 631.901.7390
peter.degaray@oneatlas.com

Please deliver this week.

Proposed Sampling Date: Next Week

Any questions Please let me know,
Thank you!
Denise

Denise Cosenza

Project Manager, Environmental Division



Atlas Technical Consultants

104 East 25th Street, 8th Floor

New York, NY 10010

O: 212.284.0613 | C: 718.490.0614

oneatlas.com

in f X



This message and any attachments are intended only for the use of the addressee and may contain information that is privileged and/or confidential. If the reader of the message is not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any use and/or dissemination of any of this communication is strictly prohibited. If you have received this communication in error, notify the sender immediately by return email and delete the message and any attachments from your system.

This message and any attachments are intended only for the use of the addressee and may contain information that is privileged and/or confidential. If the reader of the message is not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any use and/or dissemination of any of this communication is strictly prohibited. If you have received this communication in error, notify the sender immediately by return email and delete the message and any attachments from your system.

This message and any attachments are intended only for the use of the addressee and may contain information that is privileged and/or confidential. If the reader of the message is not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any use and/or dissemination of any of this communication is strictly prohibited. If you have received this communication in error, notify the sender immediately by return email and delete the message and any attachments from your system.

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312