

Report of Analysis

Client:	PSEG	Date Collected:	08/20/25
Project:	Oakland Gas and Appliance Service MA00006789	Date Received:	08/20/25
Client Sample ID:	OK-02-08202025-E2	SDG No.:	Q2919
Lab Sample ID:	Q2919-02	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	91.2
Sample Wt/Vol:	30.04 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_NF
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
08/21/25 11:20	08/22/25 11:11	PB169342

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C28-C40	Aliphatic C28-C40	139		10	12.9	21.9	mg/kg	FE055455.D
Aliphatic C9-C28	Aliphatic C9-C28	51.9		1	1.00	4.39	mg/kg	FE055443.D
Total AliphaticEPH	Total AliphaticEPH	191			13.9	26.3	mg/kg	
Total EPH	Total EPH	191			13.9	26.3	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C40 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C40 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	PSEG	Date Collected:	08/20/25
Project:	Oakland Gas and Appliance Service MA00006789	Date Received:	08/20/25
Client Sample ID:	OK-02-08202025-E2	SDG No.:	Q2919
Lab Sample ID:	Q2919-02	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	91.2
Sample Wt/Vol:	30.04 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_NF
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE055443.D	1	08/21/25	08/21/25	PB169342

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	51.9		1.00	4.39	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	154	E	1.29	2.19	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	39.1		40 - 140	78%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	32.7		40 - 140	65%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q2919-02	Acq On:	21 Aug 2025 23:20
Client Sample ID:	OK-02-08202025-E2	Operator:	YP\AJ
Data file:	FE055443.D	Misc:	
Instrument:	FID_E	ALS Vial:	27
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.319	6.954	983244	8.419	300	ug/ml
Aliphatic C12-C16	6.955	10.407	10507462	83.907	200	ug/ml
Aliphatic C16-C21	10.408	13.787	34512280	273.03	300	ug/ml
Aliphatic C21-C28	13.788	17.460	41811871	346.97	400	ug/ml
Aliphatic C28-C40	17.461	22.485	241255807	2120	600	ug/ml
Aliphatic EPH	3.319	22.485	329070664	2830		ug/ml
ortho-Terphenyl (SURR)	12.086	12.086	4666367	32.68		ug/ml
1-chlorooctadecane (SURR)	13.523	13.523	4207797	39.13		ug/ml
Aliphatic C9-C28	3.319	17.460	87814857	712.326	1200	ug/ml