

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	08/19/25	
Project:	SCA-K262		Date Received:	08/20/25	
Client Sample ID:	K262-22ADL		SDG No.:	Q2922	
Lab Sample ID:	Q2922-20DL		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	87.1	Decanted:
Sample Wt/Vol:	30.05	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP074571.D	10	08/21/25 09:35	08/22/25 11:16	PB169337

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	45.3	UD	45.3	195	ug/kg
11104-28-2	Aroclor-1221	46.2	UD	46.2	195	ug/kg
11141-16-5	Aroclor-1232	42.6	UD	42.6	195	ug/kg
53469-21-9	Aroclor-1242	46.0	UD	46.0	195	ug/kg
12672-29-6	Aroclor-1248	67.9	UD	67.9	195	ug/kg
11097-69-1	Aroclor-1254	1300	D	36.8	195	ug/kg
37324-23-5	Aroclor-1262	57.5	UD	57.5	195	ug/kg
11100-14-4	Aroclor-1268	41.3	UD	41.3	195	ug/kg
11096-82-5	Aroclor-1260	37.0	UD	37.0	195	ug/kg
Total PCBs	Total PCBs	1300	D	36.8	195	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	22.7		32 - 144	114%	SPK: 20
2051-24-3	Decachlorobiphenyl	19.3		32 - 175	97%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit