



# SHIPPING DOCUMENTS

CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: **Atlas**  
ADDRESS: **104 E 25th St**  
CITY: **NY** STATE: **NY** ZIP: **10010**  
ATTENTION: **C. Cosenza**  
PHONE: **212338280** FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME: **SCA-K262**  
PROJECT NO.: **2023 SCA024** LOCATION: **Brooklyn**  
PROJECT MANAGER: **d. cosenza**  
e-mail: **denise.cosenza@oreoatlas.com**  
PHONE: FAX:

CLIENT BILLING INFORMATION

BILL TO: PO#:  
ADDRESS:  
CITY: STATE: ZIP:  
ATTENTION: PHONE:

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) \_\_\_\_\_ DAYS\*  
HARDCOPY (DATA PACKAGE): **5 day** DAYS\*  
EDD: **Standard** DAYS\*  
\*TO BE APPROVED BY CHEMTECH  
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)  
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP  
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B  
+ Raw Data ☐ Other \_\_\_\_\_  
☐ EDD FORMAT

1	2	3	4	5	6	7	8	9

PRESERVATIVES

COMMENTS

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									← Specify Preservatives A-HCl B-HNO3 C-H2SO4 D-NaOH E-ICE F-OTHER
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	
1.	K262-22B	S		X	8/19/25	11:23	1	X									HOLD
2.	K262-22C	S		X	8/19/25	11:25	1	X									HOLD
3.	K262-23A	S		X	8/19/25	11:29	1	X									HOLD
4.	K262-23B	S		X	8/19/25	11:30	1	X									HOLD
5.	K262-23C	S		X	8/19/25	11:33	1	X									HOLD
6.	K262-24A	S		X	8/19/25	11:37	1	X									HOLD
7.	K262-24B	S		X	8/19/25	11:39	1	X									HOLD
8.	K262-24C	S		X	8/19/25	11:40	1	X									HOLD
9.	K262-Tup 1	S		X	8/19/25		1	X									
10.	K262-Tup 2	S		X	8/19/25		1	X									

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	Conditions of bottles or coolers at receipt: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input type="checkbox"/> COOLER TEMP
1.	8/19/25	1.  1342 8-20-25	3.1 °C
RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	Comments:
2.		2.	
RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	
3.	8-20-25	3.	

CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: AHES  
ADDRESS: 104 E 25th St  
CITY: NY STATE: NY ZIP: 10010  
ATTENTION: d. cosenza  
PHONE: 2123538180 FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME: SCA-K262  
PROJECT NO.: 2025SCA024 LOCATION: Brooklyn  
PROJECT MANAGER: d. cosenza  
e-mail: denise.cosenza@oreatho.com  
PHONE: FAX:

CLIENT BILLING INFORMATION

BILL TO: PO#: ADDRESS: CITY: STATE: ZIP: ATTENTION: PHONE:

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) \_\_\_\_\_ DAYS\*  
HARDCOPY (DATA PACKAGE): 5 day DAYS\*  
EDD: Standard DAYS\*  
\*TO BE APPROVED BY CHEMTECH  
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)  
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP  
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B  
+ Raw Data ☐ Other \_\_\_\_\_  
☐ EDD FORMAT \_\_\_\_\_

1 2 3 4 5 6 7 8 9

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS	
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	← Specify Preservatives A-HCl D-NaOH B-HNO3 E-ICE C-H2SO4 F-OTHER	
1.	K262-Dup 3	S		X	8/19/25	—	1	X										
2.	K262-Dup 4	S		X	8/19/25	—	1	X										
3.	K262-Dup 5	S		X	11	—	1	X										HOLD
4.	K262-Dup 6	S		X	11	—	1	X										HOLD
5.	K262-Dup 7	S		X	11	—	1	X										HOLD
6.	K262-Dup 8	S		X	11	—	1	X										HOLD
7.																		
8.																		
9.																		
10.																		

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	Conditions of bottles or coolers at receipt: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input type="checkbox"/> COOLER TEMP <u>3.1</u> °C
1. <u>[Signature]</u>	8/19/25	1. <u>[Signature]</u>	Comments:
RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	
2. <u>[Signature]</u>		2. <u>[Signature]</u>	
RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	
3. <u>[Signature]</u>	8-20-25	3. <u>[Signature]</u>	

Page 8 of 8

CLIENT: ☐ Hand Delivered ☐ Other

Shipment Complete  
☐ YES ☐ NO

---

**From:** Denise Cosenza <denise.cosenza@oneatlas.com>  
**Sent:** Friday, September 05, 2025 9:12 AM  
**To:** Yazmeen Gomez  
**Cc:** Peter De Garay  
**Subject:** RE: [EXTERNAL] RE: SCA - PS K262 PCB Soil Sampling Glassware

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Good morning Yazmeen,

We will not be analyzing the remaining samples for this project.

Any questions, please reach out.

Denise



**Denise Cosenza**  
Project Manager, Environmental Division  
O: 212.284.0613 | C: 718.490.0614

---

**From:** Denise Cosenza  
**Sent:** Thursday, August 28, 2025 12:48 PM  
**To:** Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>  
**Cc:** Peter De Garay <Peter.DeGaray@oneatlas.com>  
**Subject:** RE: [EXTERNAL] RE: SCA - PS K262 PCB Soil Sampling Glassware

Hi Yazmeen,

Is it safe to say that we will not get results during the hold time for remaining samples?

If not, let's extract and hold 16C, 17C, 18C, 19C, 20C, 21C, 22C, 23C, and 24C. Activation is dependent on the analysis results and I will let you know once we have those.

None of the other samples on hold will have to be extracted.

Thank you,  
Denise



**Denise Cosenza**

Project Manager, Environmental Division

O: 212.284.0613 | C: 718.490.0614

---

**From:** Yazmeen Gomez <[Yazmeen.Gomez@alliancetg.com](mailto:Yazmeen.Gomez@alliancetg.com)>  
**Sent:** Thursday, August 28, 2025 12:42 PM  
**To:** Denise Cosenza <[denise.cosenza@oneatlas.com](mailto:denise.cosenza@oneatlas.com)>  
**Cc:** Peter De Garay <[Peter.DeGaray@oneatlas.com](mailto:Peter.DeGaray@oneatlas.com)>  
**Subject:** RE: [EXTERNAL] RE: SCA - PS K262 PCB Soil Sampling Glassware

Hi Denise,

Confirming these samples have been activated as requested.

Best Regards,



**Yazmeen** Gomez

**Sr. Project Manager**

**An Alliance Technical Group Company**

**Main:** 908-789-8900

**Direct:** 908-728-3147

**Address:** 284 Sheffield St, Ste 1, Mountainside, NJ 07092

[www.alliancetg.com](http://www.alliancetg.com)     

---

**From:** Denise Cosenza <[denise.cosenza@oneatlas.com](mailto:denise.cosenza@oneatlas.com)>  
**Sent:** Thursday, August 28, 2025 10:55 AM  
**To:** Yazmeen Gomez <[Yazmeen.Gomez@alliancetg.com](mailto:Yazmeen.Gomez@alliancetg.com)>  
**Cc:** Peter De Garay <[Peter.DeGaray@oneatlas.com](mailto:Peter.DeGaray@oneatlas.com)>  
**Subject:** RE: [EXTERNAL] RE: SCA - PS K262 PCB Soil Sampling Glassware

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Hi Yazmeen,

Based on the results received, I would like to activate the following samples for total pcb analysis for this project:

16B, 17B, 18B, 19B, 20B, 21B, 22B, 23B, 24B and DUP 6.

Thank you,  
Denise



**Denise Cosenza**

Project Manager, Environmental Division

O: 212.284.0613 | C: 718.490.0614

---

**From:** Yazmeen Gomez <[Yazmeen.Gomez@alliancetg.com](mailto:Yazmeen.Gomez@alliancetg.com)>  
**Sent:** Tuesday, August 19, 2025 1:07 PM  
**To:** Denise Cosenza <[denise.cosenza@oneatlas.com](mailto:denise.cosenza@oneatlas.com)>  
**Cc:** Peter De Garay <[Peter.DeGaray@oneatlas.com](mailto:Peter.DeGaray@oneatlas.com)>  
**Subject:** RE: [EXTERNAL] RE: SCA - PS K262 PCB Soil Sampling Glassware

Hi Denise,

Pick up for tomorrow confirmed.

**Best Regards,**



**Yazmeen** Gomez

**Sr. Project Manager**

**An Alliance Technical Group Company**

**Main:** 908-789-8900

**Direct:** 908-728-3147

**Address:** 284 Sheffield St, Ste 1, Mountainside, NJ 07092

[www.alliancetg.com](http://www.alliancetg.com)     

---

**From:** Denise Cosenza <[denise.cosenza@oneatlas.com](mailto:denise.cosenza@oneatlas.com)>  
**Sent:** Tuesday, August 19, 2025 1:02 PM  
**To:** Yazmeen Gomez <[Yazmeen.Gomez@alliancetg.com](mailto:Yazmeen.Gomez@alliancetg.com)>  
**Cc:** Peter De Garay <[Peter.DeGaray@oneatlas.com](mailto:Peter.DeGaray@oneatlas.com)>  
**Subject:** RE: [EXTERNAL] RE: SCA - PS K262 PCB Soil Sampling Glassware

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Hi Yazmeen,

These samples were collected today and will be available for pickup tomorrow from our Bethpage office.

**Peter deGaray**

**Atlas Technical Consultants**

999 S Oyster Bay Road, Suite 114

Bethpage, NY, 11746

C: [631.901.7390](tel:631.901.7390)

[peter.degaray@oneatlas.com](mailto:peter.degaray@oneatlas.com)

Thank you,  
Denise

Denise Cosenza  
Project Manager  
ATLAS  
C. 718.490.0614  
Sent from my Verizon, Samsung Galaxy smartphone

----- Original message -----

From: Yazmeen Gomez <[Yazmeen.Gomez@alliancetg.com](mailto:Yazmeen.Gomez@alliancetg.com)>  
Date: 8/11/25 2:28 PM (GMT-05:00)  
To: Denise Cosenza <[denise.cosenza@oneatlas.com](mailto:denise.cosenza@oneatlas.com)>  
Cc: Peter De Garay <[Peter.DeGaray@oneatlas.com](mailto:Peter.DeGaray@oneatlas.com)>  
Subject: [EXTERNAL] RE: SCA - PS K262 PCB Soil Sampling Glassware

**[External Email]** This email originated from outside of the Atlas mail system. Please use caution when opening attachments.




Good afternoon Denise,

Bottle order delivery confirmed for tomorrow.

Please let me know if you need anything else, have a good week!

**Best Regards,**



**Yazmeen** Gomez  
**Sr. Project Manager**  
**An Alliance Technical Group Company**  
**Main:** 908-789-8900  
**Direct:** 908-728-3147  
**Address:** 284 Sheffield St, Ste 1, Mountainside, NJ 07092  
[www.alliancetg.com](http://www.alliancetg.com)   

---

**From:** Denise Cosenza <[denise.cosenza@oneatlas.com](mailto:denise.cosenza@oneatlas.com)>  
**Sent:** Monday, August 11, 2025 2:16 PM  
**To:** Yazmeen Gomez <[Yazmeen.Gomez@alliancetg.com](mailto:Yazmeen.Gomez@alliancetg.com)>  
**Cc:** Peter De Garay <[Peter.DeGaray@oneatlas.com](mailto:Peter.DeGaray@oneatlas.com)>  
**Subject:** SCA - PS K262 PCB Soil Sampling Glassware

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Good afternoon Yazmeen,

I'd like to place the following order for glassware:

Project Name: SCA K262

Project No. 2025sca024

76 soil samples – Total PCB analysis

Deliver to Peter at the Bethpage Office:

**Peter deGaray**

**Atlas Technical Consultants**

999 S Oyster Bay Road, Suite 114

Bethpage, NY, 11746

C: 631.901.7390

[peter.degaray@oneatlas.com](mailto:peter.degaray@oneatlas.com)

Please deliver this week.

Proposed Sampling Date: Next Week

Any questions Please let me know,

Thank you!

Denise

**Denise Cosenza**

Project Manager, Environmental Division



**Atlas Technical Consultants**

104 East 25<sup>th</sup> Street, 8<sup>th</sup> Floor

New York, NY 10010

O: 212.284.0613 | C: 718.490.0614

[oneatlas.com](http://oneatlas.com)

in f X



This message and any attachments are intended only for the use of the addressee and may contain information that is privileged and/or confidential. If the reader of the message is not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any use and/or dissemination of any of this communication is strictly prohibited. If you have received this communication in error, notify the sender immediately by return email and delete the message and any attachments from your system.

This message and any attachments are intended only for the use of the addressee and may contain information that is privileged and/or confidential. If the reader of the message is not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any use and/or dissemination of any of this communication is strictly prohibited. If you have received this communication in error, notify the sender immediately by return email and delete the message and any attachments from your system.

This message and any attachments are intended only for the use of the addressee and may contain information that is privileged and/or confidential. If the reader of the message is not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any use and/or dissemination of any of this communication is strictly prohibited. If you have received this communication in error, notify the sender immediately by return email and delete the message and any attachments from your system.



This message and any attachments are intended only for the use of the addressee and may contain information that is privileged and/or confidential. If the reader of the message is not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any use and/or dissemination of any of this communication is strictly prohibited. If you have received this communication in error, notify the sender immediately by return email and delete the message and any attachments from your system.

### Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312