

Report of Analysis

Client:	AECOM		Date Collected:	08/20/25	
Project:	National Grid Equity - Brooklyn NY		Date Received:	08/20/25	
Client Sample ID:	MW-201-082025		SDG No.:	Q2924	
Lab Sample ID:	Q2924-02		Matrix:	Water	
Analytical Method:	8270E		% Solid:	0	
Sample Wt/Vol:	950	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	SVOC-TCL BNA -20	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025601.D	1	08/22/25 10:34	08/27/25 13:37	PB169362

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
100-52-7	Benzaldehyde	10.5	U	4.10	10.5	ug/L
108-95-2	Phenol	5.30	U	0.96	5.30	ug/L
111-44-4	bis(2-Chloroethyl)ether	5.30	U	0.85	5.30	ug/L
95-57-8	2-Chlorophenol	5.30	U	0.61	5.30	ug/L
95-48-7	2-Methylphenol	5.30	U	1.20	5.30	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	5.30	U	1.30	5.30	ug/L
98-86-2	Acetophenone	5.30	U	0.78	5.30	ug/L
65794-96-9	3+4-Methylphenols	10.0	J	1.20	10.5	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.60	U	1.50	2.60	ug/L
67-72-1	Hexachloroethane	5.30	U	0.68	5.30	ug/L
98-95-3	Nitrobenzene	5.30	U	0.80	5.30	ug/L
78-59-1	Isophorone	5.30	U	0.79	5.30	ug/L
88-75-5	2-Nitrophenol	5.30	U	1.90	5.30	ug/L
105-67-9	2,4-Dimethylphenol	5.30	U	1.90	5.30	ug/L
111-91-1	bis(2-Chloroethoxy)methane	5.30	U	0.72	5.30	ug/L
120-83-2	2,4-Dichlorophenol	5.30	U	0.55	5.30	ug/L
91-20-3	Naphthalene	3100	E	0.53	5.30	ug/L
106-47-8	4-Chloroaniline	5.30	U	0.88	5.30	ug/L
87-68-3	Hexachlorobutadiene	5.30	U	0.57	5.30	ug/L
105-60-2	Caprolactam	10.5	U	1.20	10.5	ug/L
59-50-7	4-Chloro-3-methylphenol	5.30	U	0.62	5.30	ug/L
91-57-6	2-Methylnaphthalene	920	E	0.59	5.30	ug/L
77-47-4	Hexachlorocyclopentadiene	10.5	U	3.80	10.5	ug/L
88-06-2	2,4,6-Trichlorophenol	5.30	U	0.54	5.30	ug/L
95-95-4	2,4,5-Trichlorophenol	5.30	U	0.65	5.30	ug/L
92-52-4	1,1-Biphenyl	26.0		0.56	5.30	ug/L
91-58-7	2-Chloronaphthalene	5.30	U	0.64	5.30	ug/L
88-74-4	2-Nitroaniline	5.30	U	1.30	5.30	ug/L
131-11-3	Dimethylphthalate	5.30	U	0.64	5.30	ug/L

Report of Analysis

Client:	AECOM		Date Collected:	08/20/25	
Project:	National Grid Equity - Brooklyn NY		Date Received:	08/20/25	
Client Sample ID:	MW-201-082025		SDG No.:	Q2924	
Lab Sample ID:	Q2924-02		Matrix:	Water	
Analytical Method:	8270E		% Solid:	0	
Sample Wt/Vol:	950	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	SVOC-TCL BNA -20	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025601.D	1	08/22/25 10:34	08/27/25 13:37	PB169362

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
208-96-8	Acenaphthylene	160	E	0.79	5.30	ug/L
606-20-2	2,6-Dinitrotoluene	5.30	U	0.97	5.30	ug/L
99-09-2	3-Nitroaniline	5.30	U	1.10	5.30	ug/L
83-32-9	Acenaphthene	8.70		0.58	5.30	ug/L
51-28-5	2,4-Dinitrophenol	10.5	U	6.30	10.5	ug/L
100-02-7	4-Nitrophenol	10.5	U	2.50	10.5	ug/L
132-64-9	Dibenzofuran	4.00	J	0.64	5.30	ug/L
121-14-2	2,4-Dinitrotoluene	5.30	U	1.30	5.30	ug/L
84-66-2	Diethylphthalate	2.10	J	0.73	5.30	ug/L
7005-72-3	4-Chlorophenyl-phenylether	5.30	U	0.72	5.30	ug/L
86-73-7	Fluorene	27.4		0.66	5.30	ug/L
100-01-6	4-Nitroaniline	5.30	U	1.60	5.30	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	10.5	U	3.00	10.5	ug/L
86-30-6	n-Nitrosodiphenylamine	5.30	U	0.61	5.30	ug/L
101-55-3	4-Bromophenyl-phenylether	5.30	U	0.42	5.30	ug/L
118-74-1	Hexachlorobenzene	5.30	U	0.55	5.30	ug/L
1912-24-9	Atrazine	5.30	U	1.10	5.30	ug/L
87-86-5	Pentachlorophenol	10.5	U	1.70	10.5	ug/L
85-01-8	Phenanthrene	29.6		0.53	5.30	ug/L
120-12-7	Anthracene	6.10		0.64	5.30	ug/L
86-74-8	Carbazole	13.8		0.76	5.30	ug/L
84-74-2	Di-n-butylphthalate	2.70	J	1.30	5.30	ug/L
206-44-0	Fluoranthene	2.30	J	0.86	5.30	ug/L
129-00-0	Pyrene	3.00	J	0.53	5.30	ug/L
85-68-7	Butylbenzylphthalate	5.30	U	2.00	5.30	ug/L
91-94-1	3,3-Dichlorobenzidine	10.5	U	0.98	10.5	ug/L
56-55-3	Benzo(a)anthracene	5.30	U	0.47	5.30	ug/L
218-01-9	Chrysene	5.30	U	0.46	5.30	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	5.30	U	1.70	5.30	ug/L
117-84-0	Di-n-octyl phthalate	10.5	U	2.50	10.5	ug/L
205-99-2	Benzo(b)fluoranthene	5.30	U	0.52	5.30	ug/L

Report of Analysis

Client:	AECOM		Date Collected:	08/20/25	
Project:	National Grid Equity - Brooklyn NY		Date Received:	08/20/25	
Client Sample ID:	MW-201-082025		SDG No.:	Q2924	
Lab Sample ID:	Q2924-02		Matrix:	Water	
Analytical Method:	8270E		% Solid:	0	
Sample Wt/Vol:	950	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	SVOC-TCL BNA -20	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025601.D	1	08/22/25 10:34	08/27/25 13:37	PB169362

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	5.30	U	0.51	5.30	ug/L
50-32-8	Benzo(a)pyrene	5.30	U	0.58	5.30	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	5.30	U	0.62	5.30	ug/L
53-70-3	Dibenzo(a,h)anthracene	5.30	U	0.71	5.30	ug/L
191-24-2	Benzo(g,h,i)perylene	5.30	U	0.73	5.30	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	5.30	U	0.55	5.30	ug/L
123-91-1	1,4-Dioxane	5.30	U	1.10	5.30	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	5.30	U	0.76	5.30	ug/L

SURROGATES

367-12-4	2-Fluorophenol	65.2		23 - 138	43%	SPK: 150
13127-88-3	Phenol-d6	38.7		10 - 134	26%	SPK: 150
4165-60-0	Nitrobenzene-d5	171	*	67 - 132	171%	SPK: 100
321-60-8	2-Fluorobiphenyl	78.8		52 - 132	79%	SPK: 100
118-79-6	2,4,6-Tribromophenol	136		44 - 137	91%	SPK: 150
1718-51-0	Terphenyl-d14	74.0		42 - 152	74%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	185000	7.778	
1146-65-2	Naphthalene-d8	347000	10.566	
15067-26-2	Acenaphthene-d10	427000	14.389	
1517-22-2	Phenanthrene-d10	843000	17.195	
1719-03-5	Chrysene-d12	909000	21.636	
1520-96-3	Perylene-d12	1060000	25.001	

TENTATIVE IDENTIFIED COMPOUNDS

000994-05-8	Butane, 2-methoxy-2-methyl-	11.5	J	3.03	ug/L
000616-44-4	Thiophene, 3-methyl-	4.60	J	4.19	ug/L
000106-42-3	p-Xylene	160	J	5.47	ug/L
000620-14-4	Benzene, 1-ethyl-3-methyl-	12.8	J	6.88	ug/L
000622-96-8	Benzene, 1-ethyl-4-methyl-	5.30	J	7.18	ug/L
000098-83-9	.alpha.-Methylstyrene	11.1	J	7.21	ug/L
	unknown7.449	99.8	J	7.45	ug/L

Report of Analysis

Client:	AECOM	Date Collected:	08/20/25
Project:	National Grid Equity - Brooklyn NY	Date Received:	08/20/25
Client Sample ID:	MW-201-082025	SDG No.:	Q2924
Lab Sample ID:	Q2924-02	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	950 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025601.D	1	08/22/25 10:34	08/27/25 13:37	PB169362

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
	unknown7.525	31.2	J		7.53	ug/L
000637-50-3	Benzene, 1-propenyl-	9.50	J		7.96	ug/L
000496-11-7	Indane	12.7	J		8.15	ug/L
	unknown8.372	310	J		8.37	ug/L
000768-49-0	Benzene, (2-methyl-1-propenyl)-	7.90	J		9.03	ug/L
000275-51-4	Azulene	21.1	J		10.7	ug/L
90-12-0	1-Methylnaphthalene	600	J		12.4	ug/L
000575-37-1	Naphthalene, 1,7-dimethyl-	4.60	J		13.6	ug/L
000575-41-7	Naphthalene, 1,3-dimethyl-	5.90	J		13.7	ug/L
003770-48-7	4-Methylcarbazole	16.2	J		18.1	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products