

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082725\
 Data File : BF143601.D
 Acq On : 27 Aug 2025 11:53
 Operator : RC/JU
 Sample : Q2924-11
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 FB-01-082025

Quant Time: Aug 27 12:15:08 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082625.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 26 16:30:52 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.893	152	111189	20.000	ng	0.00
21) Naphthalene-d8	8.169	136	428717	20.000	ng	0.00
39) Acenaphthene-d10	9.922	164	235375	20.000	ng	0.00
64) Phenanthrene-d10	11.410	188	345422	20.000	ng	0.00
76) Chrysene-d12	14.045	240	186452	20.000	ng	0.00
86) Perylene-d12	15.521	264	227431	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	435909	66.725	ng	0.00
7) Phenol-d6	6.498	99	339890	42.006	ng	-0.01
23) Nitrobenzene-d5	7.451	82	684620	114.020	ng	0.00
42) 2,4,6-Tribromophenol	10.710	330	269887	146.624	ng	0.00
45) 2-Fluorobiphenyl	9.245	172	1291128	93.787	ng	0.00
79) Terphenyl-d14	12.998	244	1033143	99.434	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082725\
Data File : BF143601.D
Acq On : 27 Aug 2025 11:53
Operator : RC/JU
Sample : Q2924-11
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
FB-01-082025

Quant Time: Aug 27 12:15:08 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082625.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 26 16:30:52 2025
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.893 min Scan# 799
 Delta R.T. 0.001 min
 Lab File: BF143601.D
 Acq: 27 Aug 2025 11:53




Instrument :
 BNA_F
 ClientSampleId :
 FB-01-082025


Tgt Ion:152 Resp: 111189
 Ion Ratio Lower Upper
 152 100
 150 157.6 124.9 187.3
 115 59.1 48.0 72.0



#5
 2-Fluorophenol
 Concen: 66.725 ng
 RT: 5.504 min Scan# 563
 Delta R.T. 0.000 min
 Lab File: BF143601.D
 Acq: 27 Aug 2025 11:53

Tgt Ion:112 Resp: 435909
 Ion Ratio Lower Upper
 112 100
 64 66.9 54.8 82.2
 63 33.7 27.6 41.4









#7
Phenol-d6
Concen: 42.006 ng
RT: 6.498 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF143601.D
Acq: 27 Aug 2025 11:53




Instrument :
BNA_F
ClientSampleId :
FB-01-082025


Tgt Ion: 99 Resp: 339890
Ion Ratio Lower Upper
99 100
42 19.1 15.9 23.9
71 33.4 27.2 40.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.169 min Scan# 1016
Delta R.T. -0.006 min
Lab File: BF143601.D
Acq: 27 Aug 2025 11:53

Tgt Ion: 136 Resp: 428717
Ion Ratio Lower Upper
136 100
137 11.0 8.9 13.3
54 10.5 9.0 13.6
68 6.2 5.3 7.9





#23

Nitrobenzene-d5

Concen: 114.020 ng

RT: 7.451 min Scan# 89

Delta R.T. -0.006 min

Lab File: BF143601.D

Acq: 27 Aug 2025 11:53

Instrument :

BNA_F

ClientSampleId :

FB-01-082025





Tgt Ion: 82 Resp: 684620

Ion Ratio Lower Upper

82 100

128 44.0 33.4 50.2

54 59.4 49.3 73.9



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.922 min Scan# 1314

Delta R.T. -0.005 min

Lab File: BF143601.D

Acq: 27 Aug 2025 11:53




Tgt Ion:164 Resp: 235375


Ion Ratio Lower Upper

164 100

162 99.1 79.5 119.3

160 42.1 34.2 51.4





#42

2,4,6-Tribromophenol

Concen: 146.624 ng

RT: 10.710 min Scan# 1449

Delta R.T. -0.006 min

Lab File: BF143601.D


Acq: 27 Aug 2025 11:53

Instrument :

BNA_F

ClientSampleId :

FB-01-082025






Tgt Ion:330 Resp: 269887

Ion Ratio Lower Upper

330 100

332 96.7 78.2 117.4

141 30.3 25.4 38.0



#45

2-Fluorobiphenyl

Concen: 93.787 ng

RT: 9.245 min Scan# 1199

Delta R.T. -0.006 min

Lab File: BF143601.D

Acq: 27 Aug 2025 11:53




Tgt Ion:172 Resp: 1291128


Ion Ratio Lower Upper

172 100

171 35.6 28.3 42.5

170 23.6 19.0 28.4









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.410 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF143601.D
Acq: 27 Aug 2025 11:53




Instrument :
BNA_F
ClientSampleId :
FB-01-082025


Tgt Ion:188 Resp: 345422
Ion Ratio Lower Upper
188 100
94 9.9 8.2 12.4
80 10.6 8.9 13.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.045 min Scan# 2015
Delta R.T. -0.006 min
Lab File: BF143601.D
Acq: 27 Aug 2025 11:53

Tgt Ion:240 Resp: 186452
Ion Ratio Lower Upper
240 100
120 11.2 9.6 14.4
236 25.3 20.2 30.2









#79
 Terphenyl-d14
 Concen: 99.434 ng
 RT: 12.998 min Scan# 1837
 Delta R.T. 0.000 min
 Lab File: BF143601.D
 Acq: 27 Aug 2025 11:53

Instrument :
 BNA_F
 ClientSampleId :
 FB-01-082025

Tgt Ion:244 Resp: 1033143
 Ion Ratio Lower Upper
 244 100
 212 6.7 5.5 8.3
 122 10.2 8.8 13.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.521 min Scan# 2266
 Delta R.T. -0.006 min
 Lab File: BF143601.D
 Acq: 27 Aug 2025 11:53

Tgt Ion:264 Resp: 227431
 Ion Ratio Lower Upper
 264 100
 260 23.6 18.9 28.3
 265 21.2 17.0 25.4

