

Matrix Spike/Matrix Spike Duplicate Summary

SW-846

SDG No.: Q2924

Analytical Method: SW8270E

Client: AECOM

DataFile: BP025603.D

Parameter	Spike	Sample Result	Result	Units	Rec	Rec Qual	RPD	RPD Qual	Low	Limits High	RPD
Lab Sample ID:	Q2924-04MSD	Client Sample ID:	MW-201-082025MSD								
Benzaldehyde	52.6	0	37.7	ug/L	72		4		10	137	20
Phenol	52.6	0	16.4	ug/L	31		0		10	130	20
bis(2-Chloroethyl)ether	52.6	0	44.2	ug/L	84		2		29	141	20
2-Chlorophenol	52.6	0	39.6	ug/L	75		3		23	127	20
2-Methylphenol	52.6	0	34.5	ug/L	66		0		60	131	20
2,2-oxybis(1-Chloropropane)	52.6	0	18.4	ug/L	35	*	6		36	141	20
Acetophenone	52.6	0	90.6	ug/L	172	*	1		31	164	20
3+4-Methylphenols	52.6	10.0	41.7	ug/L	60		0		54	136	20
N-Nitroso-di-n-propylamine	52.6	0	43.2	ug/L	82		0		36	147	20
Hexachloroethane	52.6	0	96.9	ug/L	184	*	2		19	146	20
Nitrobenzene	52.6	0	89.1	ug/L	169	*	1		62	112	20
Isophorone	52.6	0	85.0	ug/L	162	*	2		39	146	20
2-Nitrophenol	52.6	0	90.4	ug/L	172	*	2		30	148	20
2,4-Dimethylphenol	52.6	0	78.4	ug/L	149	*	1		17	143	20
bis(2-Chloroethoxy)methane	52.6	0	75.2	ug/L	143		4		39	143	20
2,4-Dichlorophenol	52.6	0	85.1	ug/L	162	*	3		22	146	20
Naphthalene	52.6	3100	3000	ug/L	-190	*	121	*	17	157	20
4-Chloroaniline	52.6	0	31.3	ug/L	60		9		10	95	20
Hexachlorobutadiene	52.6	0	74.8	ug/L	142	*	2		52	125	20
Caprolactam	52.6	0	17.0	ug/L	32		0		10	130	20
4-Chloro-3-methylphenol	52.6	0	79.4	ug/L	151	*	1		17	148	20
2-Methylnaphthalene	52.6	920	850	ug/L	-133	*	55	*	38	146	20
Hexachlorocyclopentadiene	110	0	76.9	ug/L	70		13		20	153	20
2,4,6-Trichlorophenol	52.6	0	50.2	ug/L	95		2		78	112	20
2,4,5-Trichlorophenol	52.6	0	49.9	ug/L	95		1		71	111	20
1,1-Biphenyl	52.6	26.0	70.0	ug/L	84		1		38	154	20
2-Chloronaphthalene	52.6	0	48.9	ug/L	93		2		41	145	20
2-Nitroaniline	52.6	0	53.9	ug/L	102		3		39	151	20
Dimethylphthalate	52.6	0	47.8	ug/L	91		4		42	147	20
Acenaphthylene	52.6	160	190	ug/L	57		2		40	141	20
2,6-Dinitrotoluene	52.6	0	51.3	ug/L	98		2		43	148	20
3-Nitroaniline	52.6	0	32.4	ug/L	62		0		10	111	20
Acenaphthene	52.6	8.70	53.5	ug/L	85		5		37	146	20
2,4-Dinitrophenol	110	0	120	ug/L	109		10		14	167	20
4-Nitrophenol	110	0	42.7	ug/L	39		7		10	130	20
Dibenzofuran	52.6	4.00	51.2	ug/L	90		2		41	145	20
2,4-Dinitrotoluene	52.6	0	52.5	ug/L	100		3		74	137	20
Diethylphthalate	52.6	2.10	48.9	ug/L	89		5		41	148	20
4-Chlorophenyl-phenylether	52.6	0	48.5	ug/L	92		2		38	149	20
Fluorene	52.6	27.4	68.0	ug/L	77		0		39	144	20
4-Nitroaniline	52.6	0	49.4	ug/L	94		0		27	138	20
4,6-Dinitro-2-methylphenol	52.6	0	55.7	ug/L	106		1		32	175	20
N-Nitrosodiphenylamine	52.6	0	50.5	ug/L	96		3		40	150	20
4-Bromophenyl-phenylether	52.6	0	52.0	ug/L	99		1		42	151	20
Hexachlorobenzene	52.6	0	52.3	ug/L	99		3		72	115	20
Atrazine	52.6	0	48.5	ug/L	92		1		20	162	20

Matrix Spike/Matrix Spike Duplicate Summary

SW-846

SDG No.: Q2924

Analytical Method: SW8270E

Client: AECOM

DataFile: BP025603.D

Parameter	Spike	Sample Result	Result	Units	Rec	Rec Qual	RPD	RPD Qual	Low	Limits High	RPD
Pentachlorophenol	110	0	110	ug/L	100		10		52	162	20
Phenanthrene	52.6	29.6	67.2	ug/L	71		1		40	147	20
Anthracene	52.6	6.10	53.2	ug/L	90		2		41	146	20
Carbazole	52.6	13.8	63.5	ug/L	94		1		37	154	20
Di-n-butylphthalate	52.6	2.70	52.6	ug/L	95		1		40	151	20
Fluoranthene	52.6	2.30	51.6	ug/L	94		1		42	146	20
Pyrene	52.6	3.00	50.1	ug/L	90		2		41	149	20
Butylbenzylphthalate	52.6	0	52.0	ug/L	99		0		39	155	20
3,3-Dichlorobenzidine	52.6	0	43.4	ug/L	83		2		10	114	20
Benzo(a)anthracene	52.6	0	49.9	ug/L	95		1		41	147	20
Chrysene	52.6	0	51.2	ug/L	97		0		44	144	20
bis(2-Ethylhexyl)phthalate	52.6	0	49.7	ug/L	94		0		33	160	20
Di-n-octyl phthalate	52.6	0	52.0	ug/L	99		0		36	158	20
Benzo(b)fluoranthene	52.6	0	50.4	ug/L	96		1		40	150	20
Benzo(k)fluoranthene	52.6	0	49.6	ug/L	94		1		40	147	20
Benzo(a)pyrene	52.6	0	49.8	ug/L	95		1		42	147	20
Indeno(1,2,3-cd)pyrene	52.6	0	50.9	ug/L	97		0		30	166	20
Dibenz(a,h)anthracene	52.6	0	51.6	ug/L	98		1		23	172	20
Benzo(g,h,i)perylene	52.6	0	50.6	ug/L	96		1		27	167	20
1,2,4,5-Tetrachlorobenzene	52.6	0	49.8	ug/L	95		2		89	102	20
1,4-Dioxane	52.6	0	21.8	ug/L	41		0		38	130	20
2,3,4,6-Tetrachlorophenol	52.6	0	50.6	ug/L	96		3		91	111	20