284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	AECOM	Date Collected:	
Project:	National Grid Equity - Brooklyn NY	Date Received:	
Client Sample ID:	VV0821WBS01	SDG No.:	Q2924
Lab Sample ID:	VV0821WBS01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV038985.D	1	08/21/25 17:09	VV082125

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	17.3		0.22	1.00	ug/L
74-87-3	Chloromethane	15.8		0.32	1.00	ug/L
75-01-4	Vinyl Chloride	16.0		0.26	1.00	ug/L
74-83-9	Bromomethane	19.0		1.40	5.00	ug/L
75-00-3	Chloroethane	19.4		0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	19.0		0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	18.6		0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	19.2		0.23	1.00	ug/L
67-64-1	Acetone	94.1		1.50	5.00	ug/L
75-15-0	Carbon Disulfide	19.2		0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	20.3		0.16	1.00	ug/L
79-20-9	Methyl Acetate	20.6		0.27	1.00	ug/L
75-09-2	Methylene Chloride	18.7		0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	18.9		0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	17.8		0.23	1.00	ug/L
110-82-7	Cyclohexane	18.2		1.50	5.00	ug/L
78-93-3	2-Butanone	94.3		0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	16.5		0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	17.9		0.19	1.00	ug/L
74-97-5	Bromochloromethane	16.0		0.22	1.00	ug/L
67-66-3	Chloroform	18.1		0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	17.6		0.20	1.00	ug/L
108-87-2	Methylcyclohexane	18.7		0.16	1.00	ug/L
71-43-2	Benzene	19.2		0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	18.4		0.22	1.00	ug/L
79-01-6	Trichloroethene	18.0		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	19.4		0.20	1.00	ug/L
75-27-4	Bromodichloromethane	18.1		0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	110		0.68	5.00	ug/L
108-88-3	Toluene	19.4		0.14	1.00	ug/L

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	AECOM	Date Collected:	
Project:	National Grid Equity - Brooklyn NY	Date Received:	
Client Sample ID:	VV0821WBS01	SDG No.:	Q2924
Lab Sample ID:	VV0821WBS01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV038985.D	1	08/21/25 17:09	VV082125

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	17.9		0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	19.5		0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	17.6		0.21	1.00	ug/L
591-78-6	2-Hexanone	82.7		0.89	5.00	ug/L
124-48-1	Dibromochloromethane	17.2		0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	18.3		0.15	1.00	ug/L
127-18-4	Tetrachloroethene	18.6		0.23	1.00	ug/L
108-90-7	Chlorobenzene	18.0		0.12	1.00	ug/L
100-41-4	Ethyl Benzene	19.1		0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	36.4		0.24	2.00	ug/L
95-47-6	o-Xylene	19.6		0.12	1.00	ug/L
100-42-5	Styrene	20.4		0.15	1.00	ug/L
75-25-2	Bromoform	18.6		0.19	1.00	ug/L
98-82-8	Isopropylbenzene	19.7		0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	17.8		0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	18.6		0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	18.8		0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	18.6		0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	19.1		0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	17.0		0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	18.4		0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	55.0		74 - 125	110%	SPK: 50
1868-53-7	Dibromofluoromethane	44.8		75 - 124	90%	SPK: 50
2037-26-5	Toluene-d8	49.6		86 - 113	99%	SPK: 50
460-00-4	4-Bromofluorobenzene	48.8		77 - 121	98%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	490000	4.597			
540-36-3	1,4-Difluorobenzene	864000	5.529			
3114-55-4	Chlorobenzene-d5	809000	8.773			
3855-82-1	1,4-Dichlorobenzene-d4	440000	11.172			

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	AECOM	Date Collected:	
Project:	National Grid Equity - Brooklyn NY	Date Received:	
Client Sample ID:	VV0821WBS01	SDG No.:	Q2924
Lab Sample ID:	VV0821WBS01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV038985.D	1	08/21/25 17:09	VV082125

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products