284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	AECOM	Date Collected:	
Project:	National Grid Equity - Brooklyn NY	Date Received:	
Client Sample ID:	VV0822WBS01	SDG No.:	Q2924
Lab Sample ID:	VV0822WBS01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039011.D	1	08/22/25 11:22	VV082225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	16.0		0.22	1.00	ug/L
74-87-3	Chloromethane	15.7		0.32	1.00	ug/L
75-01-4	Vinyl Chloride	16.7		0.26	1.00	ug/L
74-83-9	Bromomethane	19.2		1.40	5.00	ug/L
75-00-3	Chloroethane	21.3		0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	18.7		0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	20.1		0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	21.7		0.23	1.00	ug/L
67-64-1	Acetone	120		1.50	5.00	ug/L
75-15-0	Carbon Disulfide	22.2		0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	23.6		0.16	1.00	ug/L
79-20-9	Methyl Acetate	26.9		0.27	1.00	ug/L
75-09-2	Methylene Chloride	20.7		0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	21.7		0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	20.8		0.23	1.00	ug/L
110-82-7	Cyclohexane	21.4		1.50	5.00	ug/L
78-93-3	2-Butanone	120		0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	16.1		0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	20.9		0.19	1.00	ug/L
74-97-5	Bromochloromethane	25.1		0.22	1.00	ug/L
67-66-3	Chloroform	19.1		0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	17.7		0.20	1.00	ug/L
108-87-2	Methylcyclohexane	19.8		0.16	1.00	ug/L
71-43-2	Benzene	19.4		0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	17.5		0.22	1.00	ug/L
79-01-6	Trichloroethene	17.6		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	19.5		0.20	1.00	ug/L
75-27-4	Bromodichloromethane	17.6		0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	110		0.68	5.00	ug/L
108-88-3	Toluene	19.6		0.14	1.00	ug/L

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	AECOM	Date Collected:	
Project:	National Grid Equity - Brooklyn NY	Date Received:	
Client Sample ID:	VV0822WBS01	SDG No.:	Q2924
Lab Sample ID:	VV0822WBS01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039011.D	1	08/22/25 11:22	VV082225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	18.8		0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	20.1		0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	17.6		0.21	1.00	ug/L
591-78-6	2-Hexanone	85.6		0.89	5.00	ug/L
124-48-1	Dibromochloromethane	16.8		0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	18.3		0.15	1.00	ug/L
127-18-4	Tetrachloroethene	18.3		0.23	1.00	ug/L
108-90-7	Chlorobenzene	18.8		0.12	1.00	ug/L
100-41-4	Ethyl Benzene	20.7		0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	41.0		0.24	2.00	ug/L
95-47-6	o-Xylene	20.8		0.12	1.00	ug/L
100-42-5	Styrene	21.4		0.15	1.00	ug/L
75-25-2	Bromoform	17.7		0.19	1.00	ug/L
98-82-8	Isopropylbenzene	21.5		0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	18.5		0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	19.6		0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	18.7		0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	19.4		0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	21.2		0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	19.9		0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	19.9		0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	48.5		74 - 125	97%	SPK: 50
1868-53-7	Dibromofluoromethane	46.0		75 - 124	92%	SPK: 50
2037-26-5	Toluene-d8	46.3		86 - 113	93%	SPK: 50
460-00-4	4-Bromofluorobenzene	48.5		77 - 121	97%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	711000	4.6			
540-36-3	1,4-Difluorobenzene	1220000	5.532			
3114-55-4	Chlorobenzene-d5	1110000	8.773			
3855-82-1	1,4-Dichlorobenzene-d4	587000	11.172			

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	AECOM	Date Collected:	
Project:	National Grid Equity - Brooklyn NY	Date Received:	
Client Sample ID:	VV0822WBS01	SDG No.:	Q2924
Lab Sample ID:	VV0822WBS01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039011.D	1	08/22/25 11:22	VV082225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products