

Hit Summary Sheet
SW-846

SDG No.: Q2924
Client: AECOM

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	MW-10C-082025							
Q2924-01	MW-10C-082025	Water	Vinyl Chloride	2.60	J	0.26	5.00	ug/L
Q2924-01	MW-10C-082025	Water	cis-1,2-Dichloroethene	6.70		0.19	5.00	ug/L
Q2924-01	MW-10C-082025	Water	Trichloroethene	5.40		0.090	5.00	ug/L
Q2924-01	MW-10C-082025	Water	Tetrachloroethene	29.9		0.23	5.00	ug/L
			Total Voc :	44.6				
			Total Concentration:	44.6				
Client ID:	MW-201-082025							
Q2924-02	MW-201-082025	Water	Methyl tert-butyl Ether	0.92	J	0.16	5.00	ug/L
Q2924-02	MW-201-082025	Water	trans-1,2-Dichloroethene	210	E	0.23	5.00	ug/L
Q2924-02	MW-201-082025	Water	cis-1,2-Dichloroethene	150	E	0.19	5.00	ug/L
Q2924-02	MW-201-082025	Water	Benzene	1700	E	0.15	5.00	ug/L
Q2924-02	MW-201-082025	Water	Trichloroethene	26.9		0.090	5.00	ug/L
Q2924-02	MW-201-082025	Water	Toluene	3400	E	0.14	5.00	ug/L
Q2924-02	MW-201-082025	Water	Ethyl Benzene	650	E	0.13	5.00	ug/L
Q2924-02	MW-201-082025	Water	m/p-Xylenes	2400	E	0.24	10.0	ug/L
Q2924-02	MW-201-082025	Water	o-Xylene	2500	E	0.12	5.00	ug/L
Q2924-02	MW-201-082025	Water	Styrene	1900	E	0.15	5.00	ug/L
Q2924-02	MW-201-082025	Water	Isopropylbenzene	8.40		0.12	5.00	ug/L
			Total Voc :	12900				
Q2924-02	MW-201-082025	Water	Indene	* 4200	J	0	0	ug/L
Q2924-02	MW-201-082025	Water	Benzene, 1-ethenyl-3-methyl-	* 340	J	0	0	ug/L
Q2924-02	MW-201-082025	Water	Benzo[c]thiophene	* 280	J	0	0	ug/L
Q2924-02	MW-201-082025	Water	Benzene, 1,2,3-trimethyl-	* 230	J	0	0	ug/L
Q2924-02	MW-201-082025	Water	Benzene, 1-ethenyl-4-methyl-	* 960	J	0	0	ug/L
Q2924-02	MW-201-082025	Water	2-Methylindene	* 620	J	0	0	ug/L
Q2924-02	MW-201-082025	Water	Benzene, (1-methyl-2-cyclopro	* 750	J	0	0	ug/L
Q2924-02	MW-201-082025	Water	n-propylbenzene	* 30.4	J	0.13	5.00	ug/L
Q2924-02	MW-201-082025	Water	1,3,5-Trimethylbenzene	* 190	J	0.15	5.00	ug/L
Q2924-02	MW-201-082025	Water	1,2,4-Trimethylbenzene	* 660	J	0.14	5.00	ug/L
			Total Tics :	8260				
			Total Concentration:	21200				
Client ID:	MW-201-082025DL							
Q2924-02DL	MW-201-082025DI	Water	trans-1,2-Dichloroethene	200	JDQ	23.0	500	ug/L
Q2924-02DL	MW-201-082025DI	Water	cis-1,2-Dichloroethene	130	JD	19.0	500	ug/L
Q2924-02DL	MW-201-082025DI	Water	Benzene	5200	D	15.0	500	ug/L
Q2924-02DL	MW-201-082025DI	Water	Toluene	19900	ED	14.0	500	ug/L

Hit Summary Sheet SW-846

SDG No.: Q2924

Client: AECOM

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q2924-02DL	MW-201-082025DI	Water	Ethyl Benzene	570	D	13.0	500	ug/L
Q2924-02DL	MW-201-082025DI	Water	m/p-Xylenes	3300	D	24.0	1000	ug/L
Q2924-02DL	MW-201-082025DI	Water	o-Xylene	2000	D	12.0	500	ug/L
Q2924-02DL	MW-201-082025DI	Water	Styrene	5100	D	15.0	500	ug/L
Total Voc :				36400				
Total Concentration:				36400				
Client ID:	MW-201-082025DL2							
Q2924-02DL2	MW-201-082025DI	Water	Benzene	3700	D	60.0	2000	ug/L
Q2924-02DL2	MW-201-082025DI	Water	Toluene	14000	D	56.0	2000	ug/L
Q2924-02DL2	MW-201-082025DI	Water	Ethyl Benzene	410	JD	52.0	2000	ug/L
Q2924-02DL2	MW-201-082025DI	Water	m/p-Xylenes	2200	JD	96.0	4000	ug/L
Q2924-02DL2	MW-201-082025DI	Water	o-Xylene	1300	JD	48.0	2000	ug/L
Q2924-02DL2	MW-201-082025DI	Water	Styrene	3200	D	60.0	2000	ug/L
Total Voc :				24800				
Total Concentration:				24800				
Client ID:	MW-2B-082025							
Q2924-05	MW-2B-082025	Water	Acetone	2.40	J	1.50	25.0	ug/L
Q2924-05	MW-2B-082025	Water	Methyl tert-butyl Ether	9.60		0.16	5.00	ug/L
Q2924-05	MW-2B-082025	Water	trans-1,2-Dichloroethene	30.5		0.23	5.00	ug/L
Q2924-05	MW-2B-082025	Water	cis-1,2-Dichloroethene	58.4		0.19	5.00	ug/L
Q2924-05	MW-2B-082025	Water	Methylcyclohexane	1.30	J	0.16	5.00	ug/L
Q2924-05	MW-2B-082025	Water	Benzene	1600	E	0.15	5.00	ug/L
Q2924-05	MW-2B-082025	Water	Trichloroethene	1.90	J	0.090	5.00	ug/L
Q2924-05	MW-2B-082025	Water	Toluene	13.6		0.14	5.00	ug/L
Q2924-05	MW-2B-082025	Water	Ethyl Benzene	610	E	0.13	5.00	ug/L
Q2924-05	MW-2B-082025	Water	m/p-Xylenes	55.8		0.24	10.0	ug/L
Q2924-05	MW-2B-082025	Water	o-Xylene	50.4		0.12	5.00	ug/L
Q2924-05	MW-2B-082025	Water	Isopropylbenzene	78.7		0.12	5.00	ug/L
Total Voc :				2510				
Q2924-05	MW-2B-082025	Water	Indene	* 93.1	J	0	0	ug/L
Q2924-05	MW-2B-082025	Water	Indane	* 2600	J	0	0	ug/L
Q2924-05	MW-2B-082025	Water	Benzene, 1,2,3-trimethyl-	* 130	J	0	0	ug/L
Q2924-05	MW-2B-082025	Water	Benzene, 2-ethenyl-1,4-dimethyl-	* 150	J	0	0	ug/L
Q2924-05	MW-2B-082025	Water	2-Methylindene	* 74.7	J	0	0	ug/L
Q2924-05	MW-2B-082025	Water	Benzene, 1-ethenyl-4-ethyl-	* 180	J	0	0	ug/L
Q2924-05	MW-2B-082025	Water	Benzene, (1-methyl-2-cyclopropyl)-	* 220	J	0	0	ug/L
Q2924-05	MW-2B-082025	Water	n-propylbenzene	* 22.1	J	0.13	5.00	ug/L

Hit Summary Sheet SW-846

SDG No.: Q2924

Client: AECOM

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q2924-05	MW-2B-082025	Water	1,3,5-Trimethylbenzene	* 19.7	J	0.15	5.00	ug/L
Q2924-05	MW-2B-082025	Water	1,2,4-Trimethylbenzene	* 57.4	J	0.14	5.00	ug/L
Total Tics :				3550				
Total Concentration:				6060				
Client ID:	MW-2B-082025DL							
Q2924-05DL	MW-2B-082025DL	Water	trans-1,2-Dichloroethene	30.5	JDQ	4.60	100	ug/L
Q2924-05DL	MW-2B-082025DL	Water	cis-1,2-Dichloroethene	47.2	JD	3.80	100	ug/L
Q2924-05DL	MW-2B-082025DL	Water	Benzene	5100	ED	3.00	100	ug/L
Q2924-05DL	MW-2B-082025DL	Water	Ethyl Benzene	680	D	2.60	100	ug/L
Q2924-05DL	MW-2B-082025DL	Water	m/p-Xylenes	49.5	JD	4.80	200	ug/L
Q2924-05DL	MW-2B-082025DL	Water	o-Xylene	42.5	JD	2.40	100	ug/L
Q2924-05DL	MW-2B-082025DL	Water	Isopropylbenzene	66.0	JD	2.40	100	ug/L
Total Voc :				6020				
Total Concentration:				6020				
Client ID:	MW-2B-082025DL2							
Q2924-05DL2	MW-2B-082025DL	Water	cis-1,2-Dichloroethene	59.4	JD	19.0	500	ug/L
Q2924-05DL2	MW-2B-082025DL	Water	Benzene	4900	D	15.0	500	ug/L
Q2924-05DL2	MW-2B-082025DL	Water	Ethyl Benzene	570	D	13.0	500	ug/L
Total Voc :				5530				
Total Concentration:				5530				
Client ID:	MW-2A-082025							
Q2924-06	MW-2A-082025	Water	Acetone	190		1.50	25.0	ug/L
Q2924-06	MW-2A-082025	Water	Chloroform	2.10	J	0.25	5.00	ug/L
Q2924-06	MW-2A-082025	Water	Benzene	30.7		0.15	5.00	ug/L
Q2924-06	MW-2A-082025	Water	Trichloroethene	0.48	J	0.090	5.00	ug/L
Q2924-06	MW-2A-082025	Water	Tetrachloroethene	5.40		0.23	5.00	ug/L
Q2924-06	MW-2A-082025	Water	Ethyl Benzene	0.46	J	0.13	5.00	ug/L
Q2924-06	MW-2A-082025	Water	Isopropylbenzene	0.26	J	0.12	5.00	ug/L
Total Voc :				229				
Q2924-06	MW-2A-082025	Water	Ethanol	* 61.3	J	0	0	ug/L
Q2924-06	MW-2A-082025	Water	Sulfur dioxide	* 150	J	0	0	ug/L
Q2924-06	MW-2A-082025	Water	Isopropyl Alcohol	* 14.4	J	0	0	ug/L
Total Tics :				226				
Total Concentration:				455				
Client ID:	MW-18C-082025							
Q2924-07	MW-18C-082025	Water	Vinyl Chloride	37.3		0.26	5.00	ug/L
Q2924-07	MW-18C-082025	Water	Acetone	1.70	J	1.50	25.0	ug/L
Q2924-07	MW-18C-082025	Water	Methyl tert-butyl Ether	5.30		0.16	5.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q2924

Client: AECOM

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q2924-07	MW-18C-082025	Water	trans-1,2-Dichloroethene	5.90		0.23	5.00	ug/L
Q2924-07	MW-18C-082025	Water	cis-1,2-Dichloroethene	6.20		0.19	5.00	ug/L
Q2924-07	MW-18C-082025	Water	Benzene	0.65	J	0.15	5.00	ug/L
Q2924-07	MW-18C-082025	Water	Trichloroethene	2.20	J	0.090	5.00	ug/L
Q2924-07	MW-18C-082025	Water	Toluene	4.30	J	0.14	5.00	ug/L
Q2924-07	MW-18C-082025	Water	Tetrachloroethene	2.10	J	0.23	5.00	ug/L
			Total Voc :			65.7		
Q2924-07	MW-18C-082025	Water	Sulfur dioxide	* 38.7	J	0	0	ug/L
			Total Tics :			38.7		
			Total Concentration:			104		
Client ID:	MW-16A-082025							
Q2924-08	MW-16A-082025	Water	Sulfur dioxide	* 100	J	0	0	ug/L
			Total Tics :			100		
			Total Concentration:			100		
Client ID:	MW-16C-082025							
Q2924-09	MW-16C-082025	Water	Vinyl Chloride	53.8		0.26	5.00	ug/L
Q2924-09	MW-16C-082025	Water	1,1-Dichloroethene	0.65	J	0.23	5.00	ug/L
Q2924-09	MW-16C-082025	Water	Methyl tert-butyl Ether	17.7		0.16	5.00	ug/L
Q2924-09	MW-16C-082025	Water	trans-1,2-Dichloroethene	85.5		0.23	5.00	ug/L
Q2924-09	MW-16C-082025	Water	cis-1,2-Dichloroethene	32.7		0.19	5.00	ug/L
Q2924-09	MW-16C-082025	Water	Benzene	5.50		0.15	5.00	ug/L
Q2924-09	MW-16C-082025	Water	Trichloroethene	14.7		0.090	5.00	ug/L
Q2924-09	MW-16C-082025	Water	Tetrachloroethene	1.30	J	0.23	5.00	ug/L
Q2924-09	MW-16C-082025	Water	Ethyl Benzene	0.61	J	0.13	5.00	ug/L
Q2924-09	MW-16C-082025	Water	Isopropylbenzene	0.54	J	0.12	5.00	ug/L
			Total Voc :			213		
Q2924-09	MW-16C-082025	Water	2-Methylindene	* 7.10	J	0	0	ug/L
Q2924-09	MW-16C-082025	Water	Sulfur dioxide	* 10.9	J	0	0	ug/L
Q2924-09	MW-16C-082025	Water	Benzene, 1-ethenyl-3-ethyl-	* 46.6	J	0	0	ug/L
			Total Tics :			64.6		
			Total Concentration:			278		
Client ID:	MW-8A-082025							
Q2924-10	MW-8A-082025	Water	Acetone	2.80	J	1.50	25.0	ug/L
Q2924-10	MW-8A-082025	Water	Trichloroethene	0.49	J	0.090	5.00	ug/L
			Total Voc :			3.29		
Q2924-10	MW-8A-082025	Water	Sulfur dioxide	* 20.8	J	0	0	ug/L
			Total Tics :			20.8		
			Total Concentration:			24.1		
Client ID:	FB-01-082025							

Hit Summary Sheet
SW-846

SDG No.: Q2924

Client: AECOM

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q2924-11	FB-01-082025	Water	Acetone	14.1	J	1.50	25.0	ug/L
			Total Voc :	14.1				
			Total Concentration:	14.1				