

Report of Analysis

Client:	ATG-GREENVILLE AEC		Date Collected:	
Project:	AEC-2025-0013- Durham School Services - Minetto NY		Date Received:	
Client Sample ID:	VV0821WBS01		SDG No.:	Q2925
Lab Sample ID:	VV0821WBS01		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOC-BTEX
GC Column:	DB-624UI	ID : 0.18	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV038985.D	1	08/21/25 17:09	VV082125

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
71-43-2	Benzene	19.2		0.15	1.00	ug/L
108-88-3	Toluene	19.4		0.14	1.00	ug/L
100-41-4	Ethyl Benzene	19.1		0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	36.4		0.24	2.00	ug/L
95-47-6	o-Xylene	19.6		0.12	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	55.0		74 - 125	110%	SPK: 50
1868-53-7	Dibromofluoromethane	44.8		75 - 124	90%	SPK: 50
2037-26-5	Toluene-d8	49.6		86 - 113	99%	SPK: 50
460-00-4	4-Bromofluorobenzene	48.8		77 - 121	98%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	490000	4.597			
540-36-3	1,4-Difluorobenzene	864000	5.529			
3114-55-4	Chlorobenzene-d5	809000	8.773			
3855-82-1	1,4-Dichlorobenzene-d4	440000	11.172			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products