

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD081825\
 Data File : PD089968.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Aug 2025 12:20
 Operator : AR\AJ
 Sample : PSTDICC005
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDICC005

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 19 02:23:50 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD081825.M
 Quant Title : GC Extractables
 QLast Update : Tue Aug 19 02:15:07 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.548	2.878	16065440	129.4E6	5.590	6.094
28)	SA Decachlor...	9.067	8.065	25801787	155.5E6	6.221	6.226
Target Compounds							
2)	A alpha-BHC	3.997	3.390	27689483	192.5E6	4.557	5.833 #
3)	MA gamma-BHC...	4.327	3.726	27783687	175.0E6	4.844	5.759
4)	MA Heptachlor	4.926	4.079	28651817	180.5E6	5.146	5.961
5)	MB Aldrin	5.267	4.364	27130728	174.4E6	5.015	5.901
6)	B beta-BHC	4.514	4.022	12521184	78570415	5.728	6.118
7)	B delta-BHC	4.762	4.258	24636234	179.7E6	4.700	5.866
8)	B Heptachlo...	5.687	4.868	27455928	164.2E6	5.728	6.147
9)	A Endosulfan I	6.070	5.242	24467519	153.5E6	5.362	6.054
10)	B gamma-Chl...	5.942	5.121	25139793	172.2E6	5.175	5.996
11)	B alpha-Chl...	6.023	5.186	25914299	167.0E6	5.319	6.064
12)	B 4,4'-DDE	6.192	5.370	21656627	167.1E6	4.917	5.991
13)	MA Dieldrin	6.343	5.508	24691118	170.6E6	5.047	6.013
14)	MA Endrin	6.570	5.784	21007159	160.5E6	5.046	6.244
15)	B Endosulfa...	6.783	6.075	23208965	149.8E6	5.606	6.129
16)	A 4,4'-DDD	6.701	5.924	17428370	138.9E6	5.041	5.948
17)	MA 4,4'-DDT	7.017	6.178	19019653	137.0E6	4.963	5.518
18)	B Endrin al...	6.912	6.254	16031744	101.8E6	5.746	6.156
19)	B Endosulfa...	7.146	6.477	21213506	144.5E6	5.488	6.149
20)	A Methoxychlor	7.490	6.749	11045859	75653976	5.571	5.986
21)	B Endrin ke...	7.627	6.986	22056097	156.0E6	5.378	6.023
22)	Mirex	8.110	7.179	19074932	127.3E6	6.296	6.493



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD081825\
Data File : PD089968.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 18 Aug 2025 12:20
Operator : AR\AJ
Sample : PSTDICC005
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDICC005

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 19 02:23:50 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD081825.M
Quant Title : GC Extractables
QLast Update : Tue Aug 19 02:15:07 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.548 min
Delta R.T.: 0.000 min
Response: 16065440
Conc: 5.59 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC005




#1 Tetrachloro-m-xylene

R.T.: 2.878 min
Delta R.T.: 0.000 min
Response: 129358921
Conc: 6.09 ng/ml




#2 alpha-BHC

R.T.: 3.997 min
Delta R.T.: 0.000 min
Response: 27689483
Conc: 4.56 ng/ml



#2 alpha-BHC


R.T.: 3.390 min
Delta R.T.: 0.000 min
Response: 192543619
Conc: 5.83 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.327 min
Delta R.T.: 0.000 min
Response: 27783687
Conc: 4.84 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC005




#3 gamma-BHC (Lindane)

R.T.: 3.726 min
Delta R.T.: 0.000 min
Response: 175006039
Conc: 5.76 ng/ml




#4 Heptachlor

R.T.: 4.926 min
Delta R.T.: 0.000 min
Response: 28651817
Conc: 5.15 ng/ml



#4 Heptachlor


R.T.: 4.079 min
Delta R.T.: 0.000 min
Response: 180522482
Conc: 5.96 ng/ml



#5 Aldrin


R.T.: 5.267 min
Delta R.T.: 0.000 min
Response: 27130728
Conc: 5.01 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC005




#5 Aldrin

R.T.: 4.364 min
Delta R.T.: 0.000 min
Response: 174352427
Conc: 5.90 ng/ml




#6 beta-BHC

R.T.: 4.514 min
Delta R.T.: 0.000 min
Response: 12521184
Conc: 5.73 ng/ml



#6 beta-BHC


R.T.: 4.022 min
Delta R.T.: 0.000 min
Response: 78570415
Conc: 6.12 ng/ml



#7 delta-BHC


R.T.: 4.762 min
Delta R.T.: 0.000 min
Response: 24636234
Conc: 4.70 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC005




#7 delta-BHC

R.T.: 4.258 min
Delta R.T.: 0.000 min
Response: 179681743
Conc: 5.87 ng/ml




#8 Heptachlor epoxide

R.T.: 5.687 min
Delta R.T.: 0.000 min
Response: 27455928
Conc: 5.73 ng/ml



#8 Heptachlor epoxide


R.T.: 4.868 min
Delta R.T.: 0.001 min
Response: 164167397
Conc: 6.15 ng/ml



#9 Endosulfan I


R.T.: 6.070 min
Delta R.T.: -0.001 min
Response: 24467519
Conc: 5.36 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC005




#9 Endosulfan I

R.T.: 5.242 min
Delta R.T.: 0.000 min
Response: 153509369
Conc: 6.05 ng/ml




#10 gamma-Chlordane

R.T.: 5.942 min
Delta R.T.: 0.000 min
Response: 25139793
Conc: 5.18 ng/ml



#10 gamma-Chlordane


R.T.: 5.121 min
Delta R.T.: 0.000 min
Response: 172212337
Conc: 6.00 ng/ml



#11 alpha-Chlordane


R.T.: 6.023 min
Delta R.T.: 0.000 min
Response: 25914299
Conc: 5.32 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC005




#11 alpha-Chlordane

R.T.: 5.186 min
Delta R.T.: 0.001 min
Response: 166965182
Conc: 6.06 ng/ml




#12 4,4'-DDE

R.T.: 6.192 min
Delta R.T.: 0.000 min
Response: 21656627
Conc: 4.92 ng/ml



#12 4,4'-DDE


R.T.: 5.370 min
Delta R.T.: 0.000 min
Response: 167080831
Conc: 5.99 ng/ml



#13 Dieldrin


R.T.: 6.343 min
Delta R.T.: -0.001 min
Response: 24691118
Conc: 5.05 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC005




#13 Dieldrin

R.T.: 5.508 min
Delta R.T.: 0.000 min
Response: 170612697
Conc: 6.01 ng/ml




#14 Endrin

R.T.: 6.570 min
Delta R.T.: 0.000 min
Response: 21007159
Conc: 5.05 ng/ml



#14 Endrin


R.T.: 5.784 min
Delta R.T.: 0.000 min
Response: 160533950
Conc: 6.24 ng/ml



#15 Endosulfan II


R.T.: 6.783 min
Delta R.T.: 0.000 min
Response: 23208965
Conc: 5.61 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC005




#15 Endosulfan II

R.T.: 6.075 min
Delta R.T.: 0.000 min
Response: 149769774
Conc: 6.13 ng/ml




#16 4,4'-DDD

R.T.: 6.701 min
Delta R.T.: 0.000 min
Response: 17428370
Conc: 5.04 ng/ml



#16 4,4'-DDD


R.T.: 5.924 min
Delta R.T.: 0.000 min
Response: 138868628
Conc: 5.95 ng/ml



#17 4,4'-DDT


R.T.: 7.017 min
Delta R.T.: 0.000 min
Response: 19019653
Conc: 4.96 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC005




#17 4,4'-DDT

R.T.: 6.178 min
Delta R.T.: 0.000 min
Response: 136995889
Conc: 5.52 ng/ml




#18 Endrin aldehyde

R.T.: 6.912 min
Delta R.T.: 0.000 min
Response: 16031744
Conc: 5.75 ng/ml



#18 Endrin aldehyde


R.T.: 6.254 min
Delta R.T.: 0.000 min
Response: 101826336
Conc: 6.16 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.146 min
Delta R.T.: 0.000 min
Response: 21213506
Conc: 5.49 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC005




#19 Endosulfan Sulfate

R.T.: 6.477 min
Delta R.T.: 0.000 min
Response: 144459848
Conc: 6.15 ng/ml




#20 Methoxychlor

R.T.: 7.490 min
Delta R.T.: 0.000 min
Response: 11045859
Conc: 5.57 ng/ml



#20 Methoxychlor


R.T.: 6.749 min
Delta R.T.: 0.000 min
Response: 75653976
Conc: 5.99 ng/ml



#21 Endrin ketone


R.T.: 7.627 min
Delta R.T.: 0.000 min
Response: 22056097
Conc: 5.38 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC005




#21 Endrin ketone

R.T.: 6.986 min
Delta R.T.: 0.000 min
Response: 156023108
Conc: 6.02 ng/ml




#22 Mirex

R.T.: 8.110 min
Delta R.T.: 0.000 min
Response: 19074932
Conc: 6.30 ng/ml



#22 Mirex


R.T.: 7.179 min
Delta R.T.: 0.000 min
Response: 127275637
Conc: 6.49 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.067 min
Delta R.T.: 0.000 min
Response: 25801787
Conc: 6.22 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC005



#28 Decachlorobiphenyl

R.T.: 8.065 min
Delta R.T.: 0.000 min
Response: 155518428
Conc: 6.23 ng/ml