

Matrix Spike/Matrix Spike Duplicate Summary

SW-846

SDG No.: Q2936

Analytical Method: SW8270E

Client: AECOM

DataFile: BP025602.D

Parameter	Spike	Sample Result	Result	Units	Rec	Rec Qual	RPD	RPD Qual	Low	Limits High	RPD
Lab Sample ID: Q2924-03MS		Client Sample ID: MW-201-082025MS									
Benzaldehyde	51.5	0	38.4	ug/L	75				10	137	
Phenol	51.5	0	16.0	ug/L	31				10	130	
bis(2-Chloroethyl)ether	51.5	0	44.3	ug/L	86				29	141	
2-Chlorophenol	51.5	0	39.6	ug/L	77				23	127	
2-Methylphenol	51.5	0	33.8	ug/L	66				60	131	
2,2-oxybis(1-Chloropropane)	51.5	0	17.1	ug/L	33	*			36	141	
Acetophenone	51.5	0	87.5	ug/L	170	*			31	164	
3+4-Methylphenols	51.5	10.0	40.9	ug/L	60				54	136	
N-Nitroso-di-n-propylamine	51.5	0	42.2	ug/L	82				36	147	
Hexachloroethane	51.5	0	93.2	ug/L	181	*			19	146	
Nitrobenzene	51.5	0	85.8	ug/L	167	*			62	112	
Isophorone	51.5	0	81.7	ug/L	159	*			39	146	
2-Nitrophenol	51.5	0	86.6	ug/L	168	*			30	148	
2,4-Dimethylphenol	51.5	0	75.6	ug/L	147	*			17	143	
bis(2-Chloroethoxy)methane	51.5	0	70.3	ug/L	137				39	143	
2,4-Dichlorophenol	51.5	0	80.6	ug/L	157	*			22	146	
Naphthalene	51.5	3100	2700	ug/L	-777	*			17	157	
4-Chloroaniline	51.5	0	28.5	ug/L	55				10	95	
Hexachlorobutadiene	51.5	0	71.5	ug/L	139	*			52	125	
Caprolactam	51.5	0	16.7	ug/L	32				10	130	
4-Chloro-3-methylphenol	51.5	0	76.5	ug/L	149	*			17	148	
2-Methylnaphthalene	51.5	920	800	ug/L	-233	*			38	146	
Hexachlorocyclopentadiene	100	0	79.7	ug/L	80				20	153	
2,4,6-Trichlorophenol	51.5	0	50.2	ug/L	97				78	112	
2,4,5-Trichlorophenol	51.5	0	49.4	ug/L	96				71	111	
1,1-Biphenyl	51.5	26.0	69.6	ug/L	85				38	154	
2-Chloronaphthalene	51.5	0	48.9	ug/L	95				41	145	
2-Nitroaniline	51.5	0	54.1	ug/L	105				39	151	
Dimethylphthalate	51.5	0	48.7	ug/L	95				42	147	
Acenaphthylene	51.5	160	190	ug/L	58				40	141	
2,6-Dinitrotoluene	51.5	0	51.4	ug/L	100				43	148	
3-Nitroaniline	51.5	0	31.7	ug/L	62				10	111	
Acenaphthene	51.5	8.70	54.7	ug/L	89				37	146	
2,4-Dinitrophenol	100	0	120	ug/L	120				14	167	
4-Nitrophenol	100	0	42.0	ug/L	42				10	130	
Dibenzofuran	51.5	4.00	51.3	ug/L	92				41	145	
2,4-Dinitrotoluene	51.5	0	53.3	ug/L	103				74	137	
Diethylphthalate	51.5	2.10	50.3	ug/L	94				41	148	
4-Chlorophenyl-phenylether	51.5	0	48.5	ug/L	94				38	149	
Fluorene	51.5	27.4	67.1	ug/L	77				39	144	
4-Nitroaniline	51.5	0	48.5	ug/L	94				27	138	
4,6-Dinitro-2-methylphenol	51.5	0	55.1	ug/L	107				32	175	
N-Nitrosodiphenylamine	51.5	0	51.1	ug/L	99				40	150	
4-Bromophenyl-phenylether	51.5	0	51.5	ug/L	100				42	151	
Hexachlorobenzene	51.5	0	52.5	ug/L	102				72	115	
Atrazine	51.5	0	47.8	ug/L	93				20	162	

Matrix Spike/Matrix Spike Duplicate Summary

SW-846

SDG No.: Q2936

Analytical Method: SW8270E

Client: AECOM

DataFile: BP025602.D

Parameter	Spike	Sample Result	Result	Units	Rec	Rec Qual	RPD	RPD Qual	Low	Limits High	RPD
Pentachlorophenol	100	0	110	ug/L	110				52	162	
Phenanthrene	51.5	29.6	65.4	ug/L	70				40	147	
Anthracene	51.5	6.10	53.4	ug/L	92				41	146	
Carbazole	51.5	13.8	61.7	ug/L	93				37	154	
Di-n-butylphthalate	51.5	2.70	51.3	ug/L	94				40	151	
Fluoranthene	51.5	2.30	51.0	ug/L	95				42	146	
Pyrene	51.5	3.00	50.5	ug/L	92				41	149	
Butylbenzylphthalate	51.5	0	51.2	ug/L	99				39	155	
3,3-Dichlorobenzidine	51.5	0	41.5	ug/L	81				10	114	
Benzo(a)anthracene	51.5	0	49.5	ug/L	96				41	147	
Chrysene	51.5	0	50.0	ug/L	97				44	144	
bis(2-Ethylhexyl)phthalate	51.5	0	48.4	ug/L	94				33	160	
Di-n-octyl phthalate	51.5	0	51.0	ug/L	99				36	158	
Benzo(b)fluoranthene	51.5	0	50.0	ug/L	97				40	150	
Benzo(k)fluoranthene	51.5	0	49.1	ug/L	95				40	147	
Benzo(a)pyrene	51.5	0	49.3	ug/L	96				42	147	
Indeno(1,2,3-cd)pyrene	51.5	0	50.1	ug/L	97				30	166	
Dibenz(a,h)anthracene	51.5	0	51.0	ug/L	99				23	172	
Benzo(g,h,i)perylene	51.5	0	50.2	ug/L	97				27	167	
1,2,4,5-Tetrachlorobenzene	51.5	0	50.1	ug/L	97				89	102	
1,4-Dioxane	51.5	0	21.2	ug/L	41				38	130	
2,3,4,6-Tetrachlorophenol	51.5	0	51.1	ug/L	99				91	111	