

## Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	08/21/25	
Project:	HILLCREST H.S 2025SCA043		Date Received:	08/25/25	
Client Sample ID:	2		SDG No.:	Q2953	
Lab Sample ID:	Q2953-02		Matrix:	CAULK	
Analytical Method:	8082A		% Solid:	100	Decanted:
Sample Wt/Vol:	0.39	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO113271.D	1	08/27/25 08:25	08/27/25 13:04	PB169414

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
12674-11-2	Aroclor-1016	304	U	304	1300	ug/kg
11104-28-2	Aroclor-1221	310	U	310	1300	ug/kg
11141-16-5	Aroclor-1232	286	U	286	1300	ug/kg
53469-21-9	Aroclor-1242	308	U	308	1300	ug/kg
12672-29-6	Aroclor-1248	455	U	455	1300	ug/kg
11097-69-1	Aroclor-1254	843	J	247	1300	ug/kg
37324-23-5	Aroclor-1262	386	U	386	1300	ug/kg
11100-14-4	Aroclor-1268	277	U	277	1300	ug/kg
11096-82-5	Aroclor-1260	248	U	248	1300	ug/kg
<b>SURROGATES</b>						
877-09-8	Tetrachloro-m-xylene	20.4		32 - 144	102%	SPK: 20
2051-24-3	Decachlorobiphenyl	23.6		32 - 175	118%	SPK: 20

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit