

Report of Analysis

Client:	PSEG	Date Collected:	08/26/25
Project:	New Brunswick Gas District	Date Received:	08/26/25
Client Sample ID:	NWB-2202	SDG No.:	Q2959
Lab Sample ID:	Q2959-03	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	0.036	J	1	0.026	0.10	mg/L	08/27/25 12:30	08/28/25 15:15	6010D	SW3050
7440-39-3	Barium	1.03		1	0.073	0.50	mg/L	08/27/25 12:30	08/28/25 15:15	6010D	SW3050
7440-43-9	Cadmium	0.020	J	1	0.0025	0.030	mg/L	08/27/25 12:30	08/28/25 15:15	6010D	SW3050
7440-47-3	Chromium	0.032	J	1	0.011	0.050	mg/L	08/27/25 12:30	08/28/25 15:15	6010D	SW3050
7439-92-1	Lead	0.59		1	0.012	0.060	mg/L	08/27/25 12:30	08/28/25 15:15	6010D	SW3050
7439-97-6	Mercury	0.0020	U	1	0.00076	0.0020	mg/L	08/28/25 11:25	08/28/25 15:11	7470A	
7782-49-2	Selenium	0.10	U	1	0.048	0.10	mg/L	08/27/25 12:30	08/28/25 15:15	6010D	SW3050
7440-22-4	Silver	0.050	U	1	0.0081	0.050	mg/L	08/27/25 12:30	08/28/25 15:15	6010D	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP METALS			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits