



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

**Hit Summary Sheet**  
**SW-846**

**SDG No.:** Q2972

**Order ID:** Q2972

**Client:** Safety Environmental Co. of NY, Inc.

**Project ID:** 3 Maple Drive, Roosevelt L.I NY

| Sample ID              | Client ID | Matrix | Parameter | Concentration | C | MDL  | RDL  | Units |
|------------------------|-----------|--------|-----------|---------------|---|------|------|-------|
| <b>Client ID : W-1</b> |           |        |           |               |   |      |      |       |
| Q2972-01               | W-1       | Water  | Lead      | 1.44          | J | 1.21 | 6.00 | ug/L  |
| <b>Client ID : W-2</b> |           |        |           |               |   |      |      |       |
| Q2972-02               | W-2       | Water  | Lead      | 1.30          | J | 1.21 | 6.00 | ug/L  |
| <b>Client ID : W-3</b> |           |        |           |               |   |      |      |       |
| Q2972-03               | W-3       | Water  | Lead      | 10.3          |   | 1.21 | 6.00 | ug/L  |
| <b>Client ID : W-5</b> |           |        |           |               |   |      |      |       |
| Q2972-05               | W-5       | Water  | Lead      | 4.83          | J | 1.21 | 6.00 | ug/L  |



# SAMPLE DATA

A

B

C

D

## Report of Analysis

|                   |                                      |                 |          |
|-------------------|--------------------------------------|-----------------|----------|
| Client:           | Safety Environmental Co. of NY, Inc. | Date Collected: | 08/26/25 |
| Project:          | 3 Maple Drive, Roosevelt L.I NY      | Date Received:  | 08/28/25 |
| Client Sample ID: | W-1                                  | SDG No.:        | Q2972    |
| Lab Sample ID:    | Q2972-01                             | Matrix:         | Water    |
| Level (low/med):  | low                                  | % Solid:        | 0        |

| Cas       | Parameter | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met.  | Prep Met. |
|-----------|-----------|-------|------|----|------|------------|-------|----------------|----------------|-----------|-----------|
| 7439-92-1 | Lead      | 1.44  | J    | 1  | 1.21 | 6.00       | ug/L  | 08/28/25 14:45 | 08/29/25 12:32 | EPA 200.7 |           |

|               |               |                 |       |            |
|---------------|---------------|-----------------|-------|------------|
| Color Before: | Colorless     | Clarity Before: | Clear | Texture:   |
| Color After:  | Colorless     | Clarity After:  | Clear | Artifacts: |
| Comments:     | Metals Group3 |                 |       |            |

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N =Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                      |                 |          |
|-------------------|--------------------------------------|-----------------|----------|
| Client:           | Safety Environmental Co. of NY, Inc. | Date Collected: | 08/26/25 |
| Project:          | 3 Maple Drive, Roosevelt L.I NY      | Date Received:  | 08/28/25 |
| Client Sample ID: | W-2                                  | SDG No.:        | Q2972    |
| Lab Sample ID:    | Q2972-02                             | Matrix:         | Water    |
| Level (low/med):  | low                                  | % Solid:        | 0        |

| Cas       | Parameter | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met.  | Prep Met. |
|-----------|-----------|-------|------|----|------|------------|-------|----------------|----------------|-----------|-----------|
| 7439-92-1 | Lead      | 1.30  | J    | 1  | 1.21 | 6.00       | ug/L  | 08/28/25 14:45 | 08/29/25 12:46 | EPA 200.7 |           |

|               |               |                 |       |            |
|---------------|---------------|-----------------|-------|------------|
| Color Before: | Colorless     | Clarity Before: | Clear | Texture:   |
| Color After:  | Colorless     | Clarity After:  | Clear | Artifacts: |
| Comments:     | Metals Group3 |                 |       |            |

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N =Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                      |                 |          |
|-------------------|--------------------------------------|-----------------|----------|
| Client:           | Safety Environmental Co. of NY, Inc. | Date Collected: | 08/26/25 |
| Project:          | 3 Maple Drive, Roosevelt L.I NY      | Date Received:  | 08/28/25 |
| Client Sample ID: | W-3                                  | SDG No.:        | Q2972    |
| Lab Sample ID:    | Q2972-03                             | Matrix:         | Water    |
| Level (low/med):  | low                                  | % Solid:        | 0        |

| Cas       | Parameter | Conc. | Qua. | DF   | MDL | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met.  | Prep Met. |
|-----------|-----------|-------|------|------|-----|------------|-------|----------------|----------------|-----------|-----------|
| 7439-92-1 | Lead      | 10.3  | 1    | 1.21 |     | 6.00       | ug/L  | 08/28/25 14:45 | 08/29/25 12:50 | EPA 200.7 |           |

|               |               |                 |       |            |
|---------------|---------------|-----------------|-------|------------|
| Color Before: | Colorless     | Clarity Before: | Clear | Texture:   |
| Color After:  | Colorless     | Clarity After:  | Clear | Artifacts: |
| Comments:     | Metals Group3 |                 |       |            |

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N =Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                      |                 |          |
|-------------------|--------------------------------------|-----------------|----------|
| Client:           | Safety Environmental Co. of NY, Inc. | Date Collected: | 08/26/25 |
| Project:          | 3 Maple Drive, Roosevelt L.I NY      | Date Received:  | 08/28/25 |
| Client Sample ID: | W-4                                  | SDG No.:        | Q2972    |
| Lab Sample ID:    | Q2972-04                             | Matrix:         | Water    |
| Level (low/med):  | low                                  | % Solid:        | 0        |

| Cas       | Parameter | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met.  | Prep Met. |
|-----------|-----------|-------|------|----|------|------------|-------|----------------|----------------|-----------|-----------|
| 7439-92-1 | Lead      | 1.21  | U    | 1  | 1.21 | 6.00       | ug/L  | 08/28/25 14:45 | 08/29/25 12:55 | EPA 200.7 |           |

|               |               |                 |       |            |
|---------------|---------------|-----------------|-------|------------|
| Color Before: | Colorless     | Clarity Before: | Clear | Texture:   |
| Color After:  | Colorless     | Clarity After:  | Clear | Artifacts: |
| Comments:     | Metals Group3 |                 |       |            |

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N =Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                      |                 |          |
|-------------------|--------------------------------------|-----------------|----------|
| Client:           | Safety Environmental Co. of NY, Inc. | Date Collected: | 08/26/25 |
| Project:          | 3 Maple Drive, Roosevelt L.I NY      | Date Received:  | 08/28/25 |
| Client Sample ID: | W-5                                  | SDG No.:        | Q2972    |
| Lab Sample ID:    | Q2972-05                             | Matrix:         | Water    |
| Level (low/med):  | low                                  | % Solid:        | 0        |

| Cas       | Parameter | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met.  | Prep Met. |
|-----------|-----------|-------|------|----|------|------------|-------|----------------|----------------|-----------|-----------|
| 7439-92-1 | Lead      | 4.83  | J    | 1  | 1.21 | 6.00       | ug/L  | 08/28/25 14:45 | 08/29/25 12:59 | EPA 200.7 |           |

|               |               |                 |       |            |
|---------------|---------------|-----------------|-------|------------|
| Color Before: | Colorless     | Clarity Before: | Clear | Texture:   |
| Color After:  | Colorless     | Clarity After:  | Clear | Artifacts: |
| Comments:     | Metals Group3 |                 |       |            |

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N =Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                      |                 |          |
|-------------------|--------------------------------------|-----------------|----------|
| Client:           | Safety Environmental Co. of NY, Inc. | Date Collected: | 08/26/25 |
| Project:          | 3 Maple Drive, Roosevelt L.I NY      | Date Received:  | 08/28/25 |
| Client Sample ID: | W-6                                  | SDG No.:        | Q2972    |
| Lab Sample ID:    | Q2972-06                             | Matrix:         | Water    |
| Level (low/med):  | low                                  | % Solid:        | 0        |

| Cas       | Parameter | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met.  | Prep Met. |
|-----------|-----------|-------|------|----|------|------------|-------|----------------|----------------|-----------|-----------|
| 7439-92-1 | Lead      | 1.21  | U    | 1  | 1.21 | 6.00       | ug/L  | 08/28/25 14:45 | 08/29/25 13:11 | EPA 200.7 |           |

|               |               |                 |       |            |
|---------------|---------------|-----------------|-------|------------|
| Color Before: | Colorless     | Clarity Before: | Clear | Texture:   |
| Color After:  | Colorless     | Clarity After:  | Clear | Artifacts: |
| Comments:     | Metals Group3 |                 |       |            |

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N =Spiked sample recovery not within control limits



## Report of Analysis

|                   |                                      |                 |          |
|-------------------|--------------------------------------|-----------------|----------|
| Client:           | Safety Environmental Co. of NY, Inc. | Date Collected: | 08/26/25 |
| Project:          | 3 Maple Drive, Roosevelt L.I NY      | Date Received:  | 08/28/25 |
| Client Sample ID: | W-7                                  | SDG No.:        | Q2972    |
| Lab Sample ID:    | Q2972-07                             | Matrix:         | Water    |
| Level (low/med):  | low                                  | % Solid:        | 0        |

| Cas       | Parameter | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met.  | Prep Met. |
|-----------|-----------|-------|------|----|------|------------|-------|----------------|----------------|-----------|-----------|
| 7439-92-1 | Lead      | 1.21  | U    | 1  | 1.21 | 6.00       | ug/L  | 08/28/25 14:45 | 08/29/25 13:16 | EPA 200.7 |           |

|               |               |                 |       |            |
|---------------|---------------|-----------------|-------|------------|
| Color Before: | Colorless     | Clarity Before: | Clear | Texture:   |
| Color After:  | Colorless     | Clarity After:  | Clear | Artifacts: |
| Comments:     | Metals Group3 |                 |       |            |

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N =Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                      |                 |          |
|-------------------|--------------------------------------|-----------------|----------|
| Client:           | Safety Environmental Co. of NY, Inc. | Date Collected: | 08/26/25 |
| Project:          | 3 Maple Drive, Roosevelt L.I NY      | Date Received:  | 08/28/25 |
| Client Sample ID: | W-8                                  | SDG No.:        | Q2972    |
| Lab Sample ID:    | Q2972-08                             | Matrix:         | Water    |
| Level (low/med):  | low                                  | % Solid:        | 0        |

| Cas       | Parameter | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met.  | Prep Met. |
|-----------|-----------|-------|------|----|------|------------|-------|----------------|----------------|-----------|-----------|
| 7439-92-1 | Lead      | 1.21  | U    | 1  | 1.21 | 6.00       | ug/L  | 08/28/25 14:45 | 08/29/25 13:20 | EPA 200.7 |           |

|               |               |                 |       |            |
|---------------|---------------|-----------------|-------|------------|
| Color Before: | Colorless     | Clarity Before: | Clear | Texture:   |
| Color After:  | Colorless     | Clarity After:  | Clear | Artifacts: |
| Comments:     | Metals Group3 |                 |       |            |

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N =Spiked sample recovery not within control limits

## LAB CHRONICLE

|                 |                                      |                   |                                 |
|-----------------|--------------------------------------|-------------------|---------------------------------|
| <b>OrderID:</b> | Q2972                                | <b>OrderDate:</b> | 8/28/2025 9:56:00 AM            |
| <b>Client:</b>  | Safety Environmental Co. of NY, Inc. | <b>Project:</b>   | 3 Maple Drive, Roosevelt L.I NY |
| <b>Contact:</b> | Francis Owoh                         | <b>Location:</b>  | D31                             |

| LabID           | ClientID   | Matrix       | Test          | Method | Sample Date     | Prep Date | Anal Date | Received        |
|-----------------|------------|--------------|---------------|--------|-----------------|-----------|-----------|-----------------|
| <b>Q2972-01</b> | <b>W-1</b> | <b>Water</b> | Metals Group3 | 200.7  | <b>08/26/25</b> | 08/28/25  | 08/29/25  | <b>08/28/25</b> |
| <b>Q2972-02</b> | <b>W-2</b> | <b>Water</b> | Metals Group3 | 200.7  | <b>08/26/25</b> | 08/28/25  | 08/29/25  | <b>08/28/25</b> |
| <b>Q2972-03</b> | <b>W-3</b> | <b>Water</b> | Metals Group3 | 200.7  | <b>08/26/25</b> | 08/28/25  | 08/29/25  | <b>08/28/25</b> |
| <b>Q2972-04</b> | <b>W-4</b> | <b>Water</b> | Metals Group3 | 200.7  | <b>08/26/25</b> | 08/28/25  | 08/29/25  | <b>08/28/25</b> |
| <b>Q2972-05</b> | <b>W-5</b> | <b>Water</b> | Metals Group3 | 200.7  | <b>08/26/25</b> | 08/28/25  | 08/29/25  | <b>08/28/25</b> |
| <b>Q2972-06</b> | <b>W-6</b> | <b>Water</b> | Metals Group3 | 200.7  | <b>08/26/25</b> | 08/28/25  | 08/29/25  | <b>08/28/25</b> |
| <b>Q2972-07</b> | <b>W-7</b> | <b>Water</b> | Metals Group3 | 200.7  | <b>08/26/25</b> | 08/28/25  | 08/29/25  | <b>08/28/25</b> |
| <b>Q2972-08</b> | <b>W-8</b> | <b>Water</b> | Metals Group3 | 200.7  | <b>08/26/25</b> | 08/28/25  | 08/29/25  | <b>08/28/25</b> |