



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q2972

Order ID: Q2972

Client: Safety Environmental Co. of NY, Inc.

Project ID: 3 Maple Drive, Roosevelt L.I NY

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : W-1								
Q2972-01	W-1	Water	Lead	1.44	J	1.21	6.00	ug/L
Client ID : W-2								
Q2972-02	W-2	Water	Lead	1.30	J	1.21	6.00	ug/L
Client ID : W-3								
Q2972-03	W-3	Water	Lead	10.3		1.21	6.00	ug/L
Client ID : W-5								
Q2972-05	W-5	Water	Lead	4.83	J	1.21	6.00	ug/L



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	08/26/25
Project:	3 Maple Drive, Roosevelt L.I NY	Date Received:	08/28/25
Client Sample ID:	W-1	SDG No.:	Q2972
Lab Sample ID:	Q2972-01	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.44	J	1	1.21	6.00	ug/L	08/28/25 14:45	08/29/25 12:32	EPA 200.7	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	08/26/25
Project:	3 Maple Drive, Roosevelt L.I NY	Date Received:	08/28/25
Client Sample ID:	W-2	SDG No.:	Q2972
Lab Sample ID:	Q2972-02	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.30	J	1	1.21	6.00	ug/L	08/28/25 14:45	08/29/25 12:46	EPA 200.7	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	08/26/25
Project:	3 Maple Drive, Roosevelt L.I NY	Date Received:	08/28/25
Client Sample ID:	W-3	SDG No.:	Q2972
Lab Sample ID:	Q2972-03	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	10.3		1	1.21	6.00	ug/L	08/28/25 14:45	08/29/25 12:50	EPA 200.7	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	08/26/25
Project:	3 Maple Drive, Roosevelt L.I NY	Date Received:	08/28/25
Client Sample ID:	W-4	SDG No.:	Q2972
Lab Sample ID:	Q2972-04	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.21	U	1	1.21	6.00	ug/L	08/28/25 14:45	08/29/25 12:55	EPA 200.7	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	08/26/25
Project:	3 Maple Drive, Roosevelt L.I NY	Date Received:	08/28/25
Client Sample ID:	W-5	SDG No.:	Q2972
Lab Sample ID:	Q2972-05	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	4.83	J	1	1.21	6.00	ug/L	08/28/25 14:45	08/29/25 12:59	EPA 200.7	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	08/26/25
Project:	3 Maple Drive, Roosevelt L.I NY	Date Received:	08/28/25
Client Sample ID:	W-6	SDG No.:	Q2972
Lab Sample ID:	Q2972-06	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.21	U	1	1.21	6.00	ug/L	08/28/25 14:45	08/29/25 13:11	EPA 200.7	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	08/26/25
Project:	3 Maple Drive, Roosevelt L.I NY	Date Received:	08/28/25
Client Sample ID:	W-7	SDG No.:	Q2972
Lab Sample ID:	Q2972-07	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.21	U	1	1.21	6.00	ug/L	08/28/25 14:45	08/29/25 13:16	EPA 200.7	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	08/26/25
Project:	3 Maple Drive, Roosevelt L.I NY	Date Received:	08/28/25
Client Sample ID:	W-8	SDG No.:	Q2972
Lab Sample ID:	Q2972-08	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.21	U	1	1.21	6.00	ug/L	08/28/25 14:45	08/29/25 13:20	EPA 200.7	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q2972	OrderDate:	8/28/2025 9:56:00 AM
Client:	Safety Environmental Co. of NY, Inc.	Project:	3 Maple Drive, Roosevelt L.I NY
Contact:	Francis Owoh	Location:	D31

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2972-01	W-1	Water	Metals Group3	200.7	08/26/25	08/28/25	08/29/25	08/28/25
Q2972-02	W-2	Water	Metals Group3	200.7	08/26/25	08/28/25	08/29/25	08/28/25
Q2972-03	W-3	Water	Metals Group3	200.7	08/26/25	08/28/25	08/29/25	08/28/25
Q2972-04	W-4	Water	Metals Group3	200.7	08/26/25	08/28/25	08/29/25	08/28/25
Q2972-05	W-5	Water	Metals Group3	200.7	08/26/25	08/28/25	08/29/25	08/28/25
Q2972-06	W-6	Water	Metals Group3	200.7	08/26/25	08/28/25	08/29/25	08/28/25
Q2972-07	W-7	Water	Metals Group3	200.7	08/26/25	08/28/25	08/29/25	08/28/25
Q2972-08	W-8	Water	Metals Group3	200.7	08/26/25	08/28/25	08/29/25	08/28/25