

Report of Analysis

Client:	PSEG	Date Collected:	08/28/25 06:45
Project:	Oakland Gas and Appliance Service MA00006789	Date Received:	08/28/25
Client Sample ID:	OK-01-082825	SDG No.:	Q2973
Lab Sample ID:	Q2973-01	Matrix:	SOIL
		% Solid:	95.2

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	0.073	U	1	0.073	0.42	mg/Kg	08/29/25 10:30	08/29/25 12:49	7196A
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		08/29/25 11:10	9095B

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits