

Analytical Summary Report

Analysis Method: 9095B

Parameter: Paint Filter

Run Number: LB137044

Reviewed By: Eman

Supervisor Review By: Iwona

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	Q2989-01	SOUTH-TP-5	1	100.02	0.00	09/02/2025	08:30
2	Q2989-01DUP	SOUTH-TP-5DUP	1	100.03	0.00	09/02/2025	08:37
3	Q2989-03	SOUTH-TP-6	1	100.01	0.00	09/02/2025	08:44
4	Q2991-01	309	1	100.05	0.00	09/02/2025	08:52
5	Q2994-01	PAULDING-WC1	1	100.04	0.00	09/02/2025	09:00
6	Q2995-01	RT5427	1	100.03	0.00	09/02/2025	09:08
7	Q2996-01	CONTAINMENT-A	1	100.01	0.00	09/02/2025	09:15
8	Q2996-03	CONTAINMENT-B	1	100.06	0.00	09/02/2025	09:22
9	Q2996-05	CONTAINMENT-C	1	100.03	0.00	09/02/2025	09:30
10	Q2997-01	EO-01-082925	1	100.02	0.00	09/02/2025	09:37

WORKLIST(Hardcopy Internal Chain)

16137044

WorkList Name : PF-090225 WorkList ID : 191603 Department : Wet-Chemistry Date : 09-02-2025 08:10:21

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2989-01	SOUTH-TP-5	Solid	Paint Filter	Cool 4 deg C	PSEG03	D41	08/29/2025	9095B
Q2989-03	SOUTH-TP-6	Solid	Paint Filter	Cool 4 deg C	PSEG03	D41	08/29/2025	9095B
Q2991-01	309	Solid	Paint Filter	Cool 4 deg C	PSEG03	D21	08/29/2025	9095B
Q2994-01	PAULDING-WC1	Solid	Paint Filter	Cool 4 deg C	CORE02	D31	08/29/2025	9095B
Q2995-01	RT5427	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	08/29/2025	9095B
Q2996-01	CONTAINMENT-A	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	08/29/2025	9095B
Q2996-03	CONTAINMENT-B	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	08/29/2025	9095B
Q2996-05	CONTAINMENT-C	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	08/29/2025	9095B
Q2997-01	EO-01-082925	Solid	Paint Filter	Cool 4 deg C	PSEG05	D31	08/29/2025	9095B

Date/Time 09/02/25 08:20
 Raw Sample Received by: EM(WC)
 Raw Sample Relinquished by: JPC(WC)

Date/Time 09/02/25 11:30
 Raw Sample Received by: JPC(WC)
 Raw Sample Relinquished by: EM(WC)