

Report of Analysis

Client:	PSEG	Date Collected:	08/29/25 09:28
Project:	Sewaren Laydown Yard	Date Received:	08/29/25
Client Sample ID:	RT5427	SDG No.:	Q2995
Lab Sample ID:	Q2995-02	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	6.02	H	1	0	0	pH		09/02/25 12:15	9045D
Ignitability	NO		1	0	0	oC		09/02/25 10:25	1030
Reactive Cyanide	0.0092	J	1	0.0083	0.049	mg/Kg	09/02/25 15:15	09/03/25 09:26	9012B
Reactive Sulfide	4.79	J	1	0.20	10.0	mg/Kg	09/02/25 08:35	09/02/25 11:34	9034

Comments: pH result reported at temperature 22.3 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits