

Report of Analysis

Client:	PSEG	Date Collected:	08/29/25
Project:	Orange Gas and Appliance Service MA00006789	Date Received:	08/29/25
Client Sample ID:	EO-01-082925	SDG No.:	Q2997
Lab Sample ID:	Q2997-01	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	92.4
Sample Wt/Vol:	50.03	Units:	g
Soil Aliquot Vol:		Final Vol:	1000 uL
Extraction Type :		Test:	SVOC-TCL BNA -20
	Decanted :	Level :	LOW
Injection Volume :		GPC Factor :	1.0
		GPC Cleanup :	N
		PH :	
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064247.D	5	09/02/25 10:00	09/02/25 16:06	PB169490

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
100-52-7	Benzaldehyde	0.51	U	0.51	1.10	mg/Kg
108-95-2	Phenol	0.072	U	0.072	0.55	mg/Kg
111-44-4	bis(2-Chloroethyl)ether	0.079	U	0.079	0.55	mg/Kg
95-57-8	2-Chlorophenol	0.079	U	0.079	0.55	mg/Kg
95-48-7	2-Methylphenol	0.097	U	0.097	0.55	mg/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	0.12	U	0.12	0.55	mg/Kg
98-86-2	Acetophenone	0.096	U	0.096	0.55	mg/Kg
65794-96-9	3+4-Methylphenols	0.13	U	0.13	1.10	mg/Kg
621-64-7	n-Nitroso-di-n-propylamine	0.15	U	0.15	0.26	mg/Kg
67-72-1	Hexachloroethane	0.057	U	0.057	0.55	mg/Kg
98-95-3	Nitrobenzene	0.059	U	0.059	0.55	mg/Kg
78-59-1	Isophorone	0.11	U	0.11	0.55	mg/Kg
88-75-5	2-Nitrophenol	0.19	U	0.19	0.55	mg/Kg
105-67-9	2,4-Dimethylphenol	0.21	U	0.21	0.55	mg/Kg
111-91-1	bis(2-Chloroethoxy)methane	0.100	U	0.100	0.55	mg/Kg
120-83-2	2,4-Dichlorophenol	0.092	U	0.092	0.55	mg/Kg
91-20-3	Naphthalene	0.074	U	0.074	0.55	mg/Kg
106-47-8	4-Chloroaniline	0.11	U	0.11	0.55	mg/Kg
87-68-3	Hexachlorobutadiene	0.082	U	0.082	0.55	mg/Kg
105-60-2	Caprolactam	0.17	U	0.17	1.10	mg/Kg
59-50-7	4-Chloro-3-methylphenol	0.093	U	0.093	0.55	mg/Kg
91-57-6	2-Methylnaphthalene	0.083	U	0.083	0.55	mg/Kg
77-47-4	Hexachlorocyclopentadiene	0.38	U	0.38	1.10	mg/Kg
88-06-2	2,4,6-Trichlorophenol	0.064	U	0.064	0.55	mg/Kg
95-95-4	2,4,5-Trichlorophenol	0.094	U	0.094	0.55	mg/Kg
92-52-4	1,1-Biphenyl	0.071	U	0.071	0.55	mg/Kg
91-58-7	2-Chloronaphthalene	0.073	U	0.073	0.55	mg/Kg
88-74-4	2-Nitroaniline	0.16	U	0.16	0.55	mg/Kg
131-11-3	Dimethylphthalate	0.088	U	0.088	0.55	mg/Kg

Report of Analysis

Client:	PSEG	Date Collected:	08/29/25
Project:	Orange Gas and Appliance Service MA00006789	Date Received:	08/29/25
Client Sample ID:	EO-01-082925	SDG No.:	Q2997
Lab Sample ID:	Q2997-01	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	92.4
Sample Wt/Vol:	50.03 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064247.D	5	09/02/25 10:00	09/02/25 16:06	PB169490

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
208-96-8	Acenaphthylene	0.27	J	0.094	0.55	mg/Kg
606-20-2	2,6-Dinitrotoluene	0.11	U	0.11	0.55	mg/Kg
99-09-2	3-Nitroaniline	0.15	U	0.15	0.55	mg/Kg
83-32-9	Acenaphthene	0.069	U	0.069	0.55	mg/Kg
51-28-5	2,4-Dinitrophenol	0.74	U	0.74	1.10	mg/Kg
100-02-7	4-Nitrophenol	0.35	U	0.35	1.10	mg/Kg
132-64-9	Dibenzofuran	0.074	U	0.074	0.55	mg/Kg
121-14-2	2,4-Dinitrotoluene	0.16	U	0.16	0.55	mg/Kg
84-66-2	Diethylphthalate	0.092	U	0.092	0.55	mg/Kg
7005-72-3	4-Chlorophenyl-phenylether	0.087	U	0.087	0.55	mg/Kg
86-73-7	Fluorene	0.27	J	0.082	0.55	mg/Kg
100-01-6	4-Nitroaniline	0.21	U	0.21	0.55	mg/Kg
534-52-1	4,6-Dinitro-2-methylphenol	0.33	U	0.33	1.10	mg/Kg
86-30-6	n-Nitrosodiphenylamine	0.11	U	0.11	0.55	mg/Kg
101-55-3	4-Bromophenyl-phenylether	0.090	U	0.090	0.55	mg/Kg
118-74-1	Hexachlorobenzene	0.082	U	0.082	0.55	mg/Kg
1912-24-9	Atrazine	0.11	U	0.11	0.55	mg/Kg
87-86-5	Pentachlorophenol	0.17	U	0.17	1.10	mg/Kg
85-01-8	Phenanthrene	2.00		0.068	0.55	mg/Kg
120-12-7	Anthracene	0.61		0.11	0.55	mg/Kg
86-74-8	Carbazole	0.28	J	0.10	0.55	mg/Kg
84-74-2	Di-n-butylphthalate	0.16	U	0.16	0.55	mg/Kg
206-44-0	Fluoranthene	5.40		0.097	0.55	mg/Kg
129-00-0	Pyrene	5.20		0.12	0.55	mg/Kg
85-68-7	Butylbenzylphthalate	0.23	U	0.23	0.55	mg/Kg
91-94-1	3,3-Dichlorobenzidine	0.12	U	0.12	1.10	mg/Kg
56-55-3	Benzo(a)anthracene	3.00		0.075	0.55	mg/Kg
218-01-9	Chrysene	2.80		0.065	0.55	mg/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	0.19	U	0.19	0.55	mg/Kg
117-84-0	Di-n-octyl phthalate	0.28	U	0.28	1.10	mg/Kg
205-99-2	Benzo(b)fluoranthene	4.00		0.062	0.55	mg/Kg

Report of Analysis

Client:	PSEG	Date Collected:	08/29/25
Project:	Orange Gas and Appliance Service MA00006789	Date Received:	08/29/25
Client Sample ID:	EO-01-082925	SDG No.:	Q2997
Lab Sample ID:	Q2997-01	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	92.4
Sample Wt/Vol:	50.03 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064247.D	5	09/02/25 10:00	09/02/25 16:06	PB169490

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
207-08-9	Benzo(k)fluoranthene	1.50		0.073	0.55	mg/Kg
50-32-8	Benzo(a)pyrene	3.20		0.096	0.55	mg/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	1.40		0.094	0.55	mg/Kg
53-70-3	Dibenzo(a,h)anthracene	0.43	J	0.089	0.55	mg/Kg
191-24-2	Benzo(g,h,i)perylene	1.60		0.083	0.55	mg/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	0.083	U	0.083	0.55	mg/Kg
123-91-1	1,4-Dioxane	0.15	U	0.15	0.55	mg/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	0.089	U	0.089	0.55	mg/Kg

SURROGATES

367-12-4	2-Fluorophenol	120		18 - 112	80%	SPK: 150
13127-88-3	Phenol-d6	117		15 - 107	78%	SPK: 150
4165-60-0	Nitrobenzene-d5	78.7		18 - 107	79%	SPK: 100
321-60-8	2-Fluorobiphenyl	81.3		20 - 109	81%	SPK: 100
118-79-6	2,4,6-Tribromophenol	105		10 - 116	70%	SPK: 150
1718-51-0	Terphenyl-d14	90.1		10 - 105	90%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	45900	7.858
1146-65-2	Naphthalene-d8	193000	10.649
15067-26-2	Acenaphthene-d10	129000	14.48
1517-22-2	Phenanthrene-d10	261000	17.224
1719-03-5	Chrysene-d12	257000	21.454
1520-96-3	Perylene-d12	292000	24.468

TENTATIVE IDENTIFIED COMPOUNDS

000111-84-2	Nonane	1300	J	7.49	ug/Kg
013151-35-4	Decane, 5-methyl-	810	J	8.40	ug/Kg
000630-02-4	Octacosane	810	J	8.63	ug/Kg
001120-21-4	Undecane	4900	J	9.09	ug/Kg
002050-24-0	Benzene, 1,3-diethyl-5-methyl-	1600	J	9.21	ug/Kg
054105-67-8	Heptadecane, 2,6-dimethyl-	1100	J	11.7	ug/Kg
000629-50-5	Tridecane	1600	J	12.1	ug/Kg

Report of Analysis

Client:	PSEG	Date Collected:	08/29/25
Project:	Orange Gas and Appliance Service MA00006789	Date Received:	08/29/25
Client Sample ID:	EO-01-082925	SDG No.:	Q2997
Lab Sample ID:	Q2997-01	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	92.4
Sample Wt/Vol:	50.03 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064247.D	5	09/02/25 10:00	09/02/25 16:06	PB169490

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
001921-70-6	Pentadecane, 2,6,10,14-tetramethyl	1900	J		13.0	ug/Kg
000544-76-3	Hexadecane	3300	J		13.3	ug/Kg
020027-77-4	Naphthalene, 1,2,3,4-tetrahydro-5,	1100	J		13.4	ug/Kg
000112-04-9	Silane, trichlorooctadecyl-	1500	J		14.0	ug/Kg
000629-62-9	Pentadecane	2400	J		14.4	ug/Kg
004292-19-7	Dodecane, 1-iodo-	1600	J		15.3	ug/Kg
062108-26-3	Decane, 2,6,8-trimethyl-	810	J		15.7	ug/Kg
000593-49-7	Heptacosane	1400	J		16.2	ug/Kg
000593-45-3	Octadecane	800	J		17.0	ug/Kg
000057-10-3	n-Hexadecanoic acid	2000	J		18.1	ug/Kg
000203-64-5	4H-Cyclopenta[def]phenanthrene	1200	J		18.3	ug/Kg
	unknown19.063	880	J		19.1	ug/Kg
000192-97-2	Benzo[e]pyrene	1400	J		24.2	ug/Kg

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products