

DATA PACKAGE

GC SEMI-VOLATILES
VOLATILE ORGANICS

PROJECT NAME : 4 HAMPTON PLACE, NUTLEY

SCIACCA GENERAL CONTRACTORS, LLC

2 Shaw Court

Fairfield, NJ - 07004

Phone No: 201-933-6100

ORDER ID : Q3011

ATTENTION : Rosanne Scirica



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	4
2.1) VOC-TCLVOA-10- Case Narrative	4
2.2) EPH_F2- Case Narrative	6
3) Qualifier Page	8
4) QA Checklist	9
5) VOC-TCLVOA-10 Data	10
6) EPH_F2 Data	16
7) TPH GC Data	36
8) Shipping Document	39
8.1) CHAIN OF CUSTODY	40
8.2) ROC	41
8.3) Lab Certificate	43
8.4) Internal COC	44

1
2
3
4
5
6
7
8

Cover Page

Order ID : Q3011

Project ID : 4 Hampton Place, Nutley

Client : Sciacca General Contractors, LLC

Lab Sample Number

Q3011-01
Q3011-02
Q3011-03
Q3011-04
Q3011-05
Q3011-06
Q3011-07
Q3011-08

Client Sample Number

WASTE
VOC
1
2
3
4
5
6

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 9/8/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

Sciaccia General Contractors, LLC
Project Name: 4 Hampton Place, Nutley
Project # N/A
Order ID # Q3011
Test Name: VOC-TCLVOA-10

A. Number of Samples and Date of Receipt:

1 Solid sample was received on 09/03/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: VOC-TCLVOA-10. This data package contains results for VOC-TCLVOA-10.

C. Analytical Techniques:

The analysis performed on instrument MSVOA_Y were done using GC column Rxi-624SIL MS 30m, 0.25mm, 1.4 um, Cat. #13868. The analysis of VOC-TCLVOA-10 was based on method 8260D.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis.

The Internal Standards Areas were met for all analysis.

The Retention Times were met for all analysis.

The RPD were met for all analysis.

The Blank Spike met requirements for all compounds.

The Blank Spike Duplicate met requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The %RSD is greater than 20% in the Initial Calibration method (82Y081225S.M) for Methylene chloride passing on Linear regression.

The Continuous Calibration File ID VY023278.D met the requirements except for Acetone and Bromoform are failing high but no positive hit in associate sample therefore no corrective action taken.

The Tuning criteria met requirements.

E. Additional Comments:

Samples for MS/MSD for VOC analysis were not provided with this set of samples. The Blank Spike Duplicate is reported with the data.

Trip Blank was not provided with this set of samples.

The soil samples results are based on a dry weight basis.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

CASE NARRATIVE

Sciacca General Contractors, LLC
Project Name: 4 Hampton Place, Nutley
Project # N/A
Order ID # Q3011
Test Name: EPH_F2,TPH GC

A. Number of Samples and Date of Receipt:

8 Solid samples were received on 09/03/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested:
. This data package contains results for EPH_F2(NJEPH), TPH GC(8015D).

C. Analytical Techniques:

EPH_F2 : The analysis were performed on instrument FID_E. The column is RXI-1MS which is 20 meters, 0.18mm ID, 0.18 um df, catalog 10224.The analysis of EPH_F2s was based on method NJEPH and extraction was done based on method 3541.

TPH GC : The analysis were performed on instrument FID_G. The column is RXI-1MS which is 20 meters, 0.18mm ID, 0.18 um df, catalog 13302.The analysis of TPH GC was based on method 8015D and extraction was done based on method 3541.

D. QA/ QC Samples:

The Holding Times were met for all analysis.
The Surrogate recoveries were met for all analysis.
The Retention Times were met for all analysis.

The MS recoveries met the requirements for all compounds except following
EPH_F2 : The MS {Q3011-05MS} with File ID: FE055666.D recoveries met the requirements for all compounds except for Aliphatic [n-Decane (C10)- 187%] due to matrix interference.

TPH GC : The MS {Q2998-01MS} with File ID: FG016549.D recoveries met the requirements for all compounds except for Petroleum Hydrocarbons[-149%] due to matrix interference.

The MSD recoveries met the requirements for all compounds except following
EPH_F2 : The MSD {Q3011-05MSD} with File ID: FE055667.D recoveries met the requirements for all compounds except for Aliphatic [n-Decane (C10)- 197%] due to matrix interference.

TPH GC : The MSD {Q2998-01MSD} with File ID: FG016550.D recoveries met the requirements for all compounds except for Petroleum Hydrocarbons[-99%] due to matrix interference.

The RPD were met for all analysis except following
TPH GC : The RPD for {Q2998-01MSD} with File ID: FG016550.D met criteria except for Petroleum Hydrocarbons[40.6%] due to difference in MS and MSD concentrations.

The Blank Spike met requirements for all compounds.
The Blank Spike Duplicate met requirements for all compounds.
The Blank analysis did not indicate the presence of lab contamination. The Initial Calibration met the requirements.
The Continuous Calibration met the requirements.

E. Additional Comments:

The soil samples results are based on a dry weight basis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: <ol style="list-style-type: none"> (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q3011

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 09/08/2025

Hit Summary Sheet
SW-846

SDG No.: Q3011
Client: Sciacca General Contractors, LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
-----------	-----------	--------	-----------	---------------	---	-----	-----	-------

Client ID:

0

Total Voc :

Total Concentration:

A

B

C

D



SAMPLE DATA

Report of Analysis

Client:	Sciacca General Contractors, LLC		Date Collected:	09/03/25	
Project:	4 Hampton Place, Nutley		Date Received:	09/03/25	
Client Sample ID:	VOC		SDG No.:	Q3011	
Lab Sample ID:	Q3011-02		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	93.6	
Sample Wt/Vol:	5.02	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023283.D	1	09/04/25 12:45	VY090425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.20	U	1.20	5.30	ug/Kg
74-87-3	Chloromethane	1.20	U	1.20	5.30	ug/Kg
75-01-4	Vinyl Chloride	0.84	U	0.84	5.30	ug/Kg
74-83-9	Bromomethane	1.10	U	1.10	5.30	ug/Kg
75-00-3	Chloroethane	1.30	U	1.30	5.30	ug/Kg
75-69-4	Trichlorofluoromethane	1.30	U	1.30	5.30	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.10	U	1.10	5.30	ug/Kg
75-35-4	1,1-Dichloroethene	1.10	U	1.10	5.30	ug/Kg
67-64-1	Acetone	5.00	U	5.00	26.6	ug/Kg
75-15-0	Carbon Disulfide	1.10	U	1.10	5.30	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.78	U	0.78	5.30	ug/Kg
79-20-9	Methyl Acetate	1.60	U	1.60	5.30	ug/Kg
75-09-2	Methylene Chloride	3.80	U	3.80	10.6	ug/Kg
156-60-5	trans-1,2-Dichloroethene	0.92	U	0.92	5.30	ug/Kg
75-34-3	1,1-Dichloroethane	0.85	U	0.85	5.30	ug/Kg
110-82-7	Cyclohexane	0.84	U	0.84	5.30	ug/Kg
78-93-3	2-Butanone	7.00	U	7.00	26.6	ug/Kg
56-23-5	Carbon Tetrachloride	1.00	U	1.00	5.30	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.80	U	0.80	5.30	ug/Kg
74-97-5	Bromochloromethane	1.20	U	1.20	5.30	ug/Kg
67-66-3	Chloroform	0.89	U	0.89	5.30	ug/Kg
71-55-6	1,1,1-Trichloroethane	0.99	U	0.99	5.30	ug/Kg
108-87-2	Methylcyclohexane	0.97	U	0.97	5.30	ug/Kg
71-43-2	Benzene	0.84	U	0.84	5.30	ug/Kg
107-06-2	1,2-Dichloroethane	0.84	U	0.84	5.30	ug/Kg
79-01-6	Trichloroethene	0.86	U	0.86	5.30	ug/Kg
78-87-5	1,2-Dichloropropane	0.97	U	0.97	5.30	ug/Kg
75-27-4	Bromodichloromethane	0.83	U	0.83	5.30	ug/Kg
108-10-1	4-Methyl-2-Pentanone	3.80	U	3.80	26.6	ug/Kg
108-88-3	Toluene	0.83	U	0.83	5.30	ug/Kg

Report of Analysis

Client:	Sciacca General Contractors, LLC		Date Collected:	09/03/25	
Project:	4 Hampton Place, Nutley		Date Received:	09/03/25	
Client Sample ID:	VOC		SDG No.:	Q3011	
Lab Sample ID:	Q3011-02		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	93.6	
Sample Wt/Vol:	5.02	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023283.D	1	09/04/25 12:45	VY090425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.69	U	0.69	5.30	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.66	U	0.66	5.30	ug/Kg
79-00-5	1,1,2-Trichloroethane	0.98	U	0.98	5.30	ug/Kg
591-78-6	2-Hexanone	3.90	U	3.90	26.6	ug/Kg
124-48-1	Dibromochloromethane	0.93	U	0.93	5.30	ug/Kg
106-93-4	1,2-Dibromoethane	0.94	U	0.94	5.30	ug/Kg
127-18-4	Tetrachloroethene	1.10	U	1.10	5.30	ug/Kg
108-90-7	Chlorobenzene	0.97	U	0.97	5.30	ug/Kg
100-41-4	Ethyl Benzene	0.71	U	0.71	5.30	ug/Kg
179601-23-1	m/p-Xylenes	1.30	U	1.30	10.6	ug/Kg
95-47-6	o-Xylene	0.87	U	0.87	5.30	ug/Kg
100-42-5	Styrene	0.76	U	0.76	5.30	ug/Kg
75-25-2	Bromoform	0.92	U	0.92	5.30	ug/Kg
98-82-8	Isopropylbenzene	0.83	U	0.83	5.30	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.30	U	1.30	5.30	ug/Kg
541-73-1	1,3-Dichlorobenzene	1.80	U	1.80	5.30	ug/Kg
106-46-7	1,4-Dichlorobenzene	1.70	U	1.70	5.30	ug/Kg
95-50-1	1,2-Dichlorobenzene	1.50	U	1.50	5.30	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	2.00	U	2.00	5.30	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	3.20	U	3.20	5.30	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	3.40	U	3.40	5.30	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	56.3		63 - 155	113%	SPK: 50
1868-53-7	Dibromofluoromethane	55.1		70 - 134	110%	SPK: 50
2037-26-5	Toluene-d8	51.2		74 - 123	102%	SPK: 50
460-00-4	4-Bromofluorobenzene	46.9		17 - 146	94%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	610000	7.707			
540-36-3	1,4-Difluorobenzene	1160000	8.615			
3114-55-4	Chlorobenzene-d5	1050000	11.42			
3855-82-1	1,4-Dichlorobenzene-d4	420000	13.346			

Report of Analysis

Client:	Sciacca General Contractors, LLC		Date Collected:	09/03/25	
Project:	4 Hampton Place, Nutley		Date Received:	09/03/25	
Client Sample ID:	VOC		SDG No.:	Q3011	
Lab Sample ID:	Q3011-02		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	93.6	
Sample Wt/Vol:	5.02	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023283.D	1	09/04/25 12:45	VY090425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q3011	OrderDate:	9/3/2025 3:51:00 PM
Client:	Sciacca General Contractors, LLC	Project:	4 Hampton Place, Nutley
Contact:	Rosanne Scirica	Location:	J33,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3011-02	VOC	SOIL	VOC-TCLVOA-10	8260D	09/03/25		09/04/25	09/03/25



SAMPLE DATA

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	09/03/25
Project:	4 Hampton Place, Nutley	Date Received:	09/03/25
Client Sample ID:	1	SDG No.:	Q3011
Lab Sample ID:	Q3011-03	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	92.1
Sample Wt/Vol:	30.05 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
09/04/25 09:05	09/04/25 14:59	PB169545

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	5.79		1	0.99	4.33	mg/kg	FE055663.D
Total EPH	Total EPH	5.79			0.99	4.33	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	09/03/25
Project:	4 Hampton Place, Nutley	Date Received:	09/03/25
Client Sample ID:	1	SDG No.:	Q3011
Lab Sample ID:	Q3011-03	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	92.1
Sample Wt/Vol:	30.05 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE055663.D	1	09/04/25	09/04/25	PB169545

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	5.79		0.99	4.33	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	8.61		1.28	2.17	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	31.8		40 - 140	64%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	31.8		40 - 140	64%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q3011-03	Acq On:	04 Sep 2025 14:59
Client Sample ID:	1	Operator:	YP\AJ
Data file:	FE055663.D	Misc:	
Instrument:	FID_E	ALS Vial:	14
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.312	6.946	541994	4.221	300	ug/ml
Aliphatic C12-C16	6.947	10.398	1136069	8.409	200	ug/ml
Aliphatic C16-C21	10.399	13.777	2557985	17.737	300	ug/ml
Aliphatic C21-C28	13.778	17.448	7136953	49.827	400	ug/ml
Aliphatic C28-C40	17.449	22.463	16405685	119.124	600	ug/ml
Aliphatic EPH	3.312	22.463	27778686	199.318		ug/ml
ortho-Terphenyl (SURR)	12.074	12.074	5224676	31.8		ug/ml
1-chlorooctadecane (SURR)	13.511	13.511	3973260	31.77		ug/ml
Aliphatic C9-C28	3.312	17.448	11373001	80.194	1200	ug/ml

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	09/03/25
Project:	4 Hampton Place, Nutley	Date Received:	09/03/25
Client Sample ID:	2	SDG No.:	Q3011
Lab Sample ID:	Q3011-04	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	89.2
Sample Wt/Vol:	30.09 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
09/04/25 09:05	09/04/25 15:29	PB169545

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	5.17		1	1.02	4.47	mg/kg	FE055664.D
Total EPH	Total EPH	5.17			1.02	4.47	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	09/03/25
Project:	4 Hampton Place, Nutley	Date Received:	09/03/25
Client Sample ID:	2	SDG No.:	Q3011
Lab Sample ID:	Q3011-04	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	89.2
Sample Wt/Vol:	30.09 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE055664.D	1	09/04/25	09/04/25	PB169545

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	5.17		1.02	4.47	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	6.73		1.32	2.24	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	25.6		40 - 140	51%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	25.9		40 - 140	52%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q3011-04	Acq On:	04 Sep 2025 15:29
Client Sample ID:	2	Operator:	YP\AJ
Data file:	FE055664.D	Misc:	
Instrument:	FID_E	ALS Vial:	15
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.312	6.946	470804	3.667	300	ug/ml
Aliphatic C12-C16	6.947	10.398	1297983	9.608	200	ug/ml
Aliphatic C16-C21	10.399	13.777	2583168	17.912	300	ug/ml
Aliphatic C21-C28	13.778	17.448	5480426	38.262	400	ug/ml
Aliphatic C28-C40	17.449	22.463	12444679	90.362	600	ug/ml
Aliphatic EPH	3.312	22.463	22277060	159.81		ug/ml
ortho-Terphenyl (SURR)	12.074	12.074	4258755	25.92		ug/ml
1-chlorooctadecane (SURR)	13.510	13.510	3200686	25.6		ug/ml
Aliphatic C9-C28	3.312	17.448	9832381	69.449	1200	ug/ml

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	09/03/25
Project:	4 Hampton Place, Nutley	Date Received:	09/03/25
Client Sample ID:	3	SDG No.:	Q3011
Lab Sample ID:	Q3011-05	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	92.7
Sample Wt/Vol:	30.06 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
09/04/25 09:05	09/04/25 16:00	PB169545

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	3.29	J	1	0.98	4.32	mg/kg	FE055665.D
Total EPH	Total EPH	3.29	J		0.98	4.32	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	09/03/25
Project:	4 Hampton Place, Nutley	Date Received:	09/03/25
Client Sample ID:	3	SDG No.:	Q3011
Lab Sample ID:	Q3011-05	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	92.7
Sample Wt/Vol:	30.06 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE055665.D	1	09/04/25	09/04/25	PB169545

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	3.29	J	0.98	4.32	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	4.56		1.27	2.15	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	35.6		40 - 140	71%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	35.1		40 - 140	70%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q3011-05	Acq On:	04 Sep 2025 16:00
Client Sample ID:	3	Operator:	YP\AJ
Data file:	FE055665.D	Misc:	
Instrument:	FID_E	ALS Vial:	16
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.312	6.946	455382	3.546	300	ug/ml
Aliphatic C12-C16	6.947	10.398	1360164	10.068	200	ug/ml
Aliphatic C16-C21	10.399	13.777	1826697	12.666	300	ug/ml
Aliphatic C21-C28	13.778	17.448	2791719	19.49	400	ug/ml
Aliphatic C28-C40	17.449	22.463	8747862	63.519	600	ug/ml
Aliphatic EPH	3.312	22.463	15181824	109.291		ug/ml
ortho-Terphenyl (SURR)	12.074	12.074	5760585	35.06		ug/ml
1-chlorooctadecane (SURR)	13.511	13.511	4451843	35.6		ug/ml
Aliphatic C9-C28	3.312	17.448	6433962	45.77	1200	ug/ml

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	09/03/25
Project:	4 Hampton Place, Nutley	Date Received:	09/03/25
Client Sample ID:	4	SDG No.:	Q3011
Lab Sample ID:	Q3011-06	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	93.5
Sample Wt/Vol:	30.04 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
09/04/25 09:05	09/04/25 17:32	PB169545

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	8.37		1	0.97	4.27	mg/kg	FE055668.D
Total EPH	Total EPH	8.37			0.97	4.27	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected	J = Estimated Value
LOQ = Limit of Quantitation	B = Analyte Found in Associated Method Blank
MDL = Method Detection Limit	N = Presumptive Evidence of a Compound
LOD = Limit of Detection	* = Values outside of QC limits
E = Value Exceeds Calibration Range	D = Dilution
Q = indicates LCS control criteria did not meet requirements	

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	09/03/25
Project:	4 Hampton Place, Nutley	Date Received:	09/03/25
Client Sample ID:	4	SDG No.:	Q3011
Lab Sample ID:	Q3011-06	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	93.5
Sample Wt/Vol:	30.04 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE055668.D	1	09/04/25	09/04/25	PB169545

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	8.37		0.97	4.27	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	11.5		1.26	2.14	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	32.9		40 - 140	66%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	32.1		40 - 140	64%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q3011-06	Acq On:	04 Sep 2025 17:32
Client Sample ID:	4	Operator:	YP\AJ
Data file:	FE055668.D	Misc:	
Instrument:	FID_E	ALS Vial:	19
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.312	6.946	594943	4.633	300	ug/ml
Aliphatic C12-C16	6.947	10.398	1327156	9.824	200	ug/ml
Aliphatic C16-C21	10.399	13.777	7288279	50.537	300	ug/ml
Aliphatic C21-C28	13.778	17.448	7521978	52.515	400	ug/ml
Aliphatic C28-C40	17.449	22.463	22336526	162.188	600	ug/ml
Aliphatic EPH	3.312	22.463	39068882	279.697		ug/ml
ortho-Terphenyl (SURR)	12.074	12.074	5269702	32.08		ug/ml
1-chlorooctadecane (SURR)	13.510	13.510	4108450	32.86		ug/ml
Aliphatic C9-C28	3.312	17.448	16732356	117.509	1200	ug/ml

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	09/03/25
Project:	4 Hampton Place, Nutley	Date Received:	09/03/25
Client Sample ID:	5	SDG No.:	Q3011
Lab Sample ID:	Q3011-07	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	96.2
Sample Wt/Vol:	30.08 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
09/04/25 09:05	09/04/25 18:03	PB169545

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	5.74		1	0.94	4.15	mg/kg	FE055669.D
Total EPH	Total EPH	5.74			0.94	4.15	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	09/03/25
Project:	4 Hampton Place, Nutley	Date Received:	09/03/25
Client Sample ID:	5	SDG No.:	Q3011
Lab Sample ID:	Q3011-07	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	96.2
Sample Wt/Vol:	30.08 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE055669.D	1	09/04/25	09/04/25	PB169545

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	5.74		0.94	4.15	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	6.25		1.22	2.07	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	31.7		40 - 140	63%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	30.9		40 - 140	62%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q3011-07	Acq On:	04 Sep 2025 18:03
Client Sample ID:	5	Operator:	YP\AJ
Data file:	FE055669.D	Misc:	
Instrument:	FID_E	ALS Vial:	20
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.312	6.946	734263	5.718	300	ug/ml
Aliphatic C12-C16	6.947	10.398	1254686	9.287	200	ug/ml
Aliphatic C16-C21	10.399	13.777	6521072	45.217	300	ug/ml
Aliphatic C21-C28	13.778	17.448	3249469	22.686	400	ug/ml
Aliphatic C28-C40	17.449	22.463	12444387	90.36	600	ug/ml
Aliphatic EPH	3.312	22.463	24203877	173.269		ug/ml
ortho-Terphenyl (SURR)	12.074	12.074	5069867	30.86		ug/ml
1-chlorooctadecane (SURR)	13.511	13.511	3965118	31.71		ug/ml
Aliphatic C9-C28	3.312	17.448	11759490	82.908	1200	ug/ml

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	09/03/25
Project:	4 Hampton Place, Nutley	Date Received:	09/03/25
Client Sample ID:	6	SDG No.:	Q3011
Lab Sample ID:	Q3011-08	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	92.5
Sample Wt/Vol:	30.01 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
09/04/25 09:05	09/04/25 18:33	PB169545

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	6.21		1	0.98	4.32	mg/kg	FE055670.D
Total EPH	Total EPH	6.21			0.98	4.32	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	09/03/25
Project:	4 Hampton Place, Nutley	Date Received:	09/03/25
Client Sample ID:	6	SDG No.:	Q3011
Lab Sample ID:	Q3011-08	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	92.5
Sample Wt/Vol:	30.01 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE055670.D	1	09/04/25	09/04/25	PB169545

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	6.21		0.98	4.32	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	6.74		1.28	2.16	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	28.3		40 - 140	57%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	27.6		40 - 140	55%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q3011-08	Acq On:	04 Sep 2025 18:33
Client Sample ID:	6	Operator:	YP\AJ
Data file:	FE055670.D	Misc:	
Instrument:	FID_E	ALS Vial:	21
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.312	6.946	511052	3.98	300	ug/ml
Aliphatic C12-C16	6.947	10.398	1203117	8.906	200	ug/ml
Aliphatic C16-C21	10.399	13.777	6491441	45.012	300	ug/ml
Aliphatic C21-C28	13.778	17.448	4046345	28.25	400	ug/ml
Aliphatic C28-C40	17.449	22.463	12883646	93.55	600	ug/ml
Aliphatic EPH	3.312	22.463	25135601	179.697		ug/ml
ortho-Terphenyl (SURR)	12.074	12.074	4541923	27.65		ug/ml
1-chlorooctadecane (SURR)	13.511	13.511	3537566	28.29		ug/ml
Aliphatic C9-C28	3.312	17.448	12251955	86.148	1200	ug/ml

LAB CHRONICLE

OrderID:	Q3011	OrderDate:	9/3/2025 3:51:00 PM
Client:	Sciacca General Contractors, LLC	Project:	4 Hampton Place, Nutley
Contact:	Rosanne Scirica	Location:	J33,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3011-03	1	Solid	EPH_F2	NJEPH	09/03/25	09/04/25	09/04/25	09/03/25
Q3011-04	2	Solid	EPH_F2	NJEPH	09/03/25	09/04/25	09/04/25	09/03/25
Q3011-05	3	Solid	EPH_F2	NJEPH	09/03/25	09/04/25	09/04/25	09/03/25
Q3011-06	4	Solid	EPH_F2	NJEPH	09/03/25	09/04/25	09/04/25	09/03/25
Q3011-07	5	Solid	EPH_F2	NJEPH	09/03/25	09/04/25	09/04/25	09/03/25
Q3011-08	6	Solid	EPH_F2	NJEPH	09/03/25	09/04/25	09/04/25	09/03/25



SAMPLE DATA

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	09/03/25
Project:	4 Hampton Place, Nutley	Date Received:	09/03/25
Client Sample ID:	WASTE	SDG No.:	Q3011
Lab Sample ID:	Q3011-01	Matrix:	SOIL
Analytical Method:	8015D TPH	% Solid:	93.9
Sample Wt/Vol:	30.08	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Test:	TPH GC
GPC Factor :		Injection Volume :	
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG016542.D	1	09/04/25 08:45	09/04/25 12:18	PB169544

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
PHC	Petroleum Hydrocarbons	46700		408	3010	ug/kg
SURROGATES						
16416-32-3	TETRACOSANE-d50	13.1		37 - 130	66%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q3011	OrderDate:	9/3/2025 3:51:00 PM
Client:	Sciacca General Contractors, LLC	Project:	4 Hampton Place, Nutley
Contact:	Rosanne Scirica	Location:	J33,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3011-01	WASTE	SOIL	TPH GC	8015D	09/03/25	09/04/25	09/04/25	09/03/25
Q3011-03	1	Solid	EPH_F2	NJEPH	09/03/25	09/04/25	09/04/25	09/03/25
Q3011-04	2	Solid	EPH_F2	NJEPH	09/03/25	09/04/25	09/04/25	09/03/25
Q3011-05	3	Solid	EPH_F2	NJEPH	09/03/25	09/04/25	09/04/25	09/03/25
Q3011-06	4	Solid	EPH_F2	NJEPH	09/03/25	09/04/25	09/04/25	09/03/25
Q3011-07	5	Solid	EPH_F2	NJEPH	09/03/25	09/04/25	09/04/25	09/03/25
Q3011-08	6	Solid	EPH_F2	NJEPH	09/03/25	09/04/25	09/04/25	09/03/25



SHIPPING DOCUMENTS

CHEMTECH

CHAIN OF CUSTODY RECORD

284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 Fax (908) 789-8922
www.chemtech.net

Chemtech Project Number Wtley
COC Number

CLIENT INFORMATION		PROJECT INFORMATION		BILLING INFORMATION	
Report to be sent to:		PROJECT NAME:		BILL TO:	
COMPANY:		PROJECT #:		PO#	
ADDRESS:		LOCATION:		ADDRESS:	
CITY:		PROJECT MANAGER:		CITY:	
STATE:		E-MAIL:		STATE:	
ZIP:		PHONE:		ZIP:	
ATTENTION:		FAX:		ATTENTION:	
PHONE:				PHONE:	

DATA TURNAROUND INFORMATION		DATA DELIVERABLE INFORMATION		ANALYSIS	
FAX (RUSH) _____ DAYS*		<input type="checkbox"/> Level 1 (Results Only)	<input type="checkbox"/> Level 4 (QC + Full Raw Data)		
HARDCOPY (DATA PACKAGE): _____ DAYS*		<input type="checkbox"/> Level 2 (Results + QC)	<input type="checkbox"/> NJ Reduced <input type="checkbox"/> US EPA CLP		
EDD: _____ DAYS*		<input type="checkbox"/> Level 3 (Results + QC + Raw Data)	<input type="checkbox"/> NYS ASP A <input type="checkbox"/> NYS ASP B		
*TO BE APPROVED BY CHEMTECH		<input type="checkbox"/> Other _____			
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS DAYS		<input type="checkbox"/> EDD FORMAT _____			

CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# of Bottles	PRESERVATIVES									COMMENTS		
			COAP	OWS	DATE	TIME		1	2	3	4	5	6	7	8	9	A-HCl	D-NaOH	
1.	WASTE				9/3/25	12:00	1	X											
2.	VOC				9/3/25	12:00	1		X										
3.	1				9/3/25	12:00	1			X									
4.	2				9/3/25	12:00	1			X									
5.	3				9/3/25	12:00	1			X									
6.	4				9/3/25	12:00	1			X									
7.	5				9/3/25	12:00	1			X									
8.	6				9/3/25	12:00	1												
9.																			
10.																			

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER	DATE/TIME	RECEIVED BY	DATE/TIME	RECEIVED FOR LAB BY	DATE/TIME	Page	of	CLIENT: <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Other: _____	Shipment Complete <input type="checkbox"/> YES <input type="checkbox"/> NO
1.	9-3-25	1.	9-3-25	3.	9-3-25				
2.		2.							
3.									

10/2018

WHITE - CHEMTECH COPY FOR RETURN TO CLIENT

YELLOW - CHEMTECH COPY

PINK - SAMPLER COPY

From: Rosanne Riccardi- Scirica <rosannecr@hotmail.com>
Sent: Wednesday, September 03, 2025 4:29 PM
To: Deepak Parmar
Subject: Re: missing sample collection time

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Please let me know if you got that and you can fill it in thank you so much

Get [Outlook for iOS](#)

From: Rosanne Riccardi- Scirica <rosannecr@hotmail.com>
Sent: Wednesday, September 3, 2025 4:29:03 PM
To: Deepak Parmar <Deepak.Parmar@alliancetg.com>
Subject: Re: missing sample collection time

Oh my God, I'm so sorry Danny didn't fill it out

1-330

2-315

3-130

4-100

5-215

6-225

Voc-12

Waste 1239

Get [Outlook for iOS](#)

From: Deepak Parmar <Deepak.Parmar@alliancetg.com>
Sent: Wednesday, September 3, 2025 4:16:26 PM
To: rosannecr@hotmail.com <rosannecr@hotmail.com>
Subject: missing sample collection time

hello,
missing sample collection time for all.

Thanks & Regards,





Deepak Parmar

Sr. Project Manager

An Alliance Technical Group Company

Main: 908-789-8900

Direct: 908-728-3154

Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092

www.alliancetg.com



Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312

LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q3011	SCIA01	Order Date : 9/3/2025 3:51:00 PM	Project Mgr :
Client Name : Sciacca General Contractor		Project Name : 4 Hampton Place, Nutley	Report Type : Results Only
Client Contact : Rosanne Scirica		Receive DateTime : 9/3/2025 2:00:00 PM <i>4:25</i>	EDD Type : EXCEL NJCLEANUP
Invoice Name : Sciacca General Contractor		Purchase Order :	Hard Copy Date :
Invoice Contact : Rosanne Scirica			Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
Q3011-02	VOC	Solid	09/03/2025	08:00 12:00 <i>W</i>	VOC-TCLVOA-10		8260D		10 Bus. Days

Relinquished By : *[Signature]*

Date / Time :

9-3-25 1630

Received By : *[Signature]*

Date / Time :

09/04/25

12:00

Storage Area : VOA Refridgerator Room